Author Index to Volume 40

An alphabetical listing of all authors follows. (N) refers to Notes, (E) Errata, and (L) Letters to the Editor.

A

Abbott, Charles E. Production of isolated pairs of water drops having unequal radii—1227

Abey, A. E., J. A. Husk, and E. D. Joslyn. Lubrication in hydrostatic pressure systems—1641(N)

Abey, A. E. and H. D. Stromberg. 70 kilobar shear apparatus—557

Adams, E. D. (see Straty, G. C.)—1393

Adams, L. R., G. M. Forte, and R. M. Glaeser. Device which tests and records radial symmetry in electron micrographic images—809

Adamski, Joseph A. Carrier gas diverting apparatus for flame-fusion crystal growth—1634

Adler, Michael S. and Stephen D. Senturia. Calibrated sensitivity measurements of nuclear magnetic resonance spectrometers—1481

Ahrenkiel, R. Wide-bandwidth logarithmic amplifier for analyzing decay kinetics—78

Ahrens, Thomas J. and Hartmut Spetzler. Calibration of an image-converter streak camera—354

Ailion, D. C. (see Pratt, J. P.)—1614

Ailion, David C. (see Samuelson, Gary L.)—676, 681

Aitken, George S. and Robert S. Freund. Simple source for a high velocity molecular beam—1515(N)

Akitt, D. P. (see Martinich, S. J.)—359(N)

Alcalay, Jack A. and Eldon L. Knuth. Molecular-beam time-of-flight spectroscopy—438, 1652(E)

Alexandropoulos, N. G. A grooved crystal spectrometer attachment for x-ray absorption measurements—952(N)

Alfano, R. R. and N. Yurlina. Simple low-impedance high-voltage coaxial transmission line pulser—166(N)

Alfs, A. (see Wetzels, W.)—1642(N)

Almqvist, L. (see Stedman, R.)—249

Alon, Yosef. Simple instrument for two-level control of liquid nitrogen in Dewars—20

—— **and Malkiel Jonas.** Thermistor thermometer for linearized magnetic recording and telemetry—646

Amaldi, U., Jr., A. Egidi, R. Marconero, and G. Pizzella. Use of a two Channeltron coincidence in a new line of research in atomic physics—1001

Anderson, A. C. The thermal grounding of electrical leads at low temperatures—1502(N)

—— **and D. W. Bloom.** Superconducting leads for cryogenic applications—1243(N)

Anderson, A. C. (see Robinchaux, J. E., Jr.)—1512(N)

Andrews, Merrill L. and Sanborn C. Brown. A narrow band far infrared interferometer for electron density measurements—1626

Anson, W. A. (see Dewey, John M.)—451

Armstrong, John T. (see Beauchamp, J. L.)—123

Arnold, G. P. (see Wenzel, R. G.)—1355(N)

Avignone, F. T., III and G. D. Frey. Erratum: Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors [Rev. Sci. Instrum. 39, 1949 (1968)]—1365(E)

—— **and H. H. Knox.** Single detector method for high resolution internal conversion coefficient measurements—1046

B

Babb, S. E., Jr., G. J. Scott, C. D. Epp, and S. L. Robertson. Apparatus for PVT measurement of gases to 10 kilobars—670

Bader, W. G. (see Warren, W. H., Jr.)—180(N)

Bailey, B. M. (see Pless, I. A.)—397

Bailey, Shelia B., Roy T. Richard, and E. N. Mitchell. Evaporated silver–aluminum thermocouples for low temperature measurement—1237(N)

Baker, James N., Charles E. Mighton, and William R. Bitler. Modified rapid quenching apparatus—1065

Baldwin, K. M. (see Barkalow, B. H.)—535

Barber, T. L. Degradation of laser optical surfaces—1630

Barham, David (see Brockett, Clyde P.)—1409

Barkalow, B. H. and K. M. Baldwin. A differential emissivity calorimeter—535

Barna, Arpad and Eugene L. Cisneros. Light-pulser measurements on the XP 1210 high-speed photomultiplier tube—370(N)

Barr, T. (see McDuffie, G. E.)—653

Barton, M. Q., R. Frankel, and M. Month. Determination of accelerator tune from perturbed closed orbits—1386

Bauman, C. A. (see Wasserburg, G. J.)—288

Baun, W. L. (see Solomon, J. S.)—1458

Baun, William L. Simple flow proportional detector for soft x rays—1101

Baxter, W. J. and R. J. Dusman. Rotatable multiple sample mount for bakeable vacuum systems—163(N)

Baxter, William J. and Richard J. Dusman. A large bakable high vacuum valve—1355(N)

Bayfield, James E. Design and operation of an atomic hydrogen target for precision scattering cross section measurements—869

Beach, K. W., R. H. Muller, and C. W. Tobias. Laser interferometer for mass transfer boundary layer studies—1248(N)

Beams, J. W. Magnetic suspension densimeter—167(N)

Beauchamp, J. L. and John T. Armstrong. An ion ejection technique for the study of ion–molecule reactions with ion cyclotron resonance spectroscopy—123

Beem, K. M. (see Hornyak, E. J.)—224

Belanger, B. C. The behavior of carbon resistor thermometers in magnetic fields up to 100 kOe in the pumped liquid helium and hydrogen temperature ranges—1082, 1652(E)

Bell, J. T., R. E. Biggers, T. G. Rogers, and A. M. Rom. A dilatometer method for the precision measurement of the densities of liquids to 400°C and 352 kg/cm³—985

Bennett, J. S. Increasing the mobility of laboratory magnets by using an air pallet—958(N)

Berberian, John G. and Robert H. Cole. Low frequency bridge for guarded three-terminal and four-terminal measurements of admittance—811

Berg, Otto E. and F. Frank Richardson. The Pioneer 8 cosmic dust experiment—1333

Berger, Jon and R. H. Lovberg. A laser earth strain meter—1569

Berger, Robert L. (see Clem, Thomas R.)—1273

Bergman, Clark and Russell K. Hobbie. Computer control of the analyzing magnet of an MP tandem Van de Graaff accelerator—1079

Berman, Martin and Sabri Ergun. Discrete averaging of x-ray diffraction data using a multichannel analyzer—1144

Bernalte, A. and J. LePage. New method for rapid and accurate measurement of decay time constants—71

Bernstein, Melvin J. Millimeter and nanosecond resolution of fast neutrons from an intense plasma discharge—1415

Bezdek, H. F., R. E. Schmunk, and Leonard Finegold. An oven for a neutron spectrometer, to 1000 K—1397

Biggers, R. E. (see Bell, J. T.)—985

Biorci, G. and D. Pescetti. A new type of random noise generator in the audio frequency range—1109(N)

Birkemeier, William P. (see McCormick, William S.)—346

Biron, R. D. (see Pless, I. A.)—397
Bitler, William R. (see Baker, James N.)—1065
Bitz, Jerome. An improved laboratory stirring device—1344(N)
Black, E. D. (see Keene, J. P.)—1199
Black, R. E. (see Gruber, E. E.)—1429
Black, W. C., E. C. Hirschkoff, A. C. Mota, and J. C. Wheatley. ^{4}He film flow suppressing evaporator for a dilution refrigerator—846(N)
Blackstein, F. P. A theorem on ion optics—374(N)
Blake, J. C. (see Kamphouse, J. L.)—321
Blalock, T. V. and C. H. Nowlin. Time variant filters for generating bipolar pulses with signal-to-noise ratios of unipolar pulses in nuclear pulse amplifiers—1093
Blewitt, T. H. (see Gruber, E. E.)—1429
Block, S. (see Weir, C. E.)—1133
Blok, J., J. S. Humphrey, Jr., and G. E. Nichols. Hole detection in polymer films and in plastic track detectors—509(N)
Bloom, D. W. (see Anderson, A. C.)—1243(N)
Bolef, D. I. (see Miller, J. G.)—361(N), 915
Bogle, Tommy E. A low temperature acoustic bond for mercury—731(N)
Booth, B. L. and A. W. Ewald. Fabrication of extremely small carbon resistor thermometers—1354(N)
Bopp, Gordon R. (see Thomson, William J.)—1609
Borne, T. B., W. B. Peatman, and E. W. Schlag. The cardinal points for two dimensional electrostatic lenses—1496(N)
Bosik, A. J. (see Trenouth, J. M.)—596(N)
Bowden, C. M. (see Meyer, H. C.)—730(N)
Boyer, Ellsworth L. (see Gritzmacher, Thomas J.)—721
Bradner, Hugh. An improved vertical sensor—728(N)
Bramson, P. E. (see Sveum, M. E.)—1616
Brandmüller, J. (see Topp, J. A.)—1164
Brashear, H. R. (see Kennedy, E. J.)—1504(N)
Breaux, O. P. (see Nordlund, D. R.)—1618
Breeden, K. H. and J. B. Langley. Fabry-Perot cavity for dielectric measurements—1162
Brenner, Douglas. Regulation of atomic hydrogen flow with a platinum wire detector—1234(N)
Brenner, Raul. Stable 1 pF charge injection capacitor for nuclear pulse preamplifiers—1011
Bressan, O. J. (see de la Cruz, F.)—483
Britton, R. B. (see Gillani, Noorallah)—949(N)
Brockett, Clyde P. and David Barham. A laboratory apparatus for demonstrating principles of automatic control—1409
Brodale, G. E. (see Fisher, R. A.)—365(N)
Broers, A. N. A new high resolution reflection scanning electron microscope—1040
Brown, Sanborn C. (see Andrews, Merrill L.)—1626
Bruner, L. J. (see Huebner, J. S.)—598(N)
Bryner, J. S., J. J. Kelsch, and A. G. Holtz. A simple gas anticontamination technique for electron transmission microscopy—1647(N)
Bunch, S. M. (see Shinghal, R. P.)—493(N)
Burckbuchler, F. V. (see Gueths, J. E.)—1344(N)
Burkhard, Donald G. (see Hurlock, S. C.)—927
Burns, Jay and Edward Yelke. Work functions of conductive coatings on glass—1236(N)
Burroughs, E. G. Mass spectrographic analysis of silver membrane oxygen leak—33
——. Collection efficiency of continuous dynode electron multiplier arrays—35
——. Comparison of sputter-ion pump and Redhead gauge as appendage pumps—182(N)
Burt, J. A. Simple quadrupole mass spectrometer rf generator—358(N)
Bush, T. O., O. Heinz, G. W. Rodeback, and C. J. Cook. Measurement of large angle atomic scattering using axially symmertic magnetic fields—1531

C

Cacak, R. K. and J. R. Craig. Magnetic field uniformity around near-Helmholtz coil configurations—1468
Cairns, F. V. and T. H. Shepertycki. Unattended controller for a frequency synthesizer—113
Caldwell, C. W. (see Wei, P.S.P.)—1075
Callis, James B., Martin Gouterman, and J. D. S. Danielson. Flash calorimeter for measuring triplet yields—1599
Cancro, Ciro A. and Norman M. Garrahan. Wide range pulse height discriminator with low power drain—1360(N)
Cann, M. W. P. An optical absorption cell with variable path length and temperature—595(N)
Cantor, Stanley. Metal dilatometer for determining density and expansivity of volatile liquids at elevated temperature—967(N)
Carlson, Carl O., Michael A. Flavin, Eliot Stone, and Irving M. Pearson. Apparatus for measuring optical properties of photochromic spiropyrans—941
Carpenter, John M. Attenuation correction factor for scattering from cylindrical targets—555
Carr, D. L. A technique for preparing and mounting thin nickel foils—965(N)
Caskey, G. R., D. J. Sellmyer, and L. G. Rubin. A technique for the rapid measurement of thermoelectric power—1280
Cass, Thomas R. (see Spencer, William R.)—509(N)
Cast, John C. (see Wasley, Richard J.)—889
Catchpole, C. E. and D. H. Ceckowski. Continuous resistive surface deflection unit—1549
Ceckowski, D. H. (see Catchpole, C. E.)—1549
Cernolovek, Leemer (see Tompson, Clifford W.)—963(N)
Cevc, P. Plastic EPR microwave cavity suitable for modulation at high and low frequencies—515(N)
Chang, S. S. Switch arrangement and power averaging in constant current calorimetric heating—822
Chang, Te-Tse (see Ensing, T. C.)—268
Chantry, P. J. An automated retarding potential difference technique using a multichannel scaler—884
Chapman, R. Instrumentation for analog differentiation at low frequencies—95, 738(E)
Charles, R. J. (see Wagstaff, F. E.)—709
Chase, Robert L. Flyback system for a constant velocity Mössbauer drive—85
Chater, W. T. A logarithmic electrometer for space flight application—529
Chen, E. S., J. C. Sadak, and F. K. Sautter. High temperature continuous creep measuring apparatus—1325
Chen, Francis F. Coaxial cathode design for plasma sources—1049
Cheng, Dah Yu. Application of a variable resistance to arrest oscillations in a pulsed capacitor discharge—1153
Chester, Arthur N. and Richard C. Henderson. Simultaneous display and intensity measurement of electron diffraction patterns—735(N)
Chevray, René (see Kovasznay, Leslie S. G.)—91
Chick, Bruce B. (see Chung, D. H.)—718
Cho, A. Y. (see Wei, P. S. P.)—1075
Chorney, P. (see Maddix, H. S.)—1471
Christensen, H. C., G. Nilsson, P. Pagsberg, and S. O. Nielsen. Pulse radiolysis apparatus for monitoring at 2000 Å—786
Christoe, C. W. and H. G. Drickamer. Clamp cell for high pressure–low temperature x-ray and Mössbauer resonance studies—169(N)
Chung, D. H., Donald J. Silversmith, and Bruce B. Chick. A modified ultrasonic pulse-echo-overlap method for determining sound velocities and attenuation of solids—718
Cisneros, Eugene L. (see Barna, Arpad)—370(N)
Clark, Alan F. and Frederick R. Fickett. A nonsuperconduction detection system for low level dc voltages—465

Clark, B. C. and W. Gross. An apparatus for the production of very soft x rays of high intensity—1178
——. Limitations of commercial krypton for proportional counting—504(N)
Clark, L. Douglas. Extending the upper temperature limit of wide line NMR experiments using modifications of standard equipment—1498(N)
Clem, Thomas R., Robert L. Berger, and Philip D. Ross. A differential adiabatic microcalorimeter for the study of heats of transition in solution—1273
Cocq, D. (see Jones, I. R.)—133
Cohen, J. B., R. Dixon, M. Hayakawa, and L. Morrison. A simple method for obtaining rocking curves with the GE diffractometer—1235(N)
Cohn, Charles Erwin. Considerations in the packaging of analog–digital converters—512(N)
Cole, Robert H. (see Berberian, John G.)—811
Colwell, Jack H. The performance of a mechanical heat switch at low temperatures—1182
Compton, W. Dale (see Wolf, E. L.)—1497(N)
Connor, Donald (see Holmyrd, Sten)—49
Cook, C. J. (see Bush, T. O.)—1531
Cooper, Richard K. (see Neil, V. Kelvin)—295
Coulter, J. R. (see Mullaney, P. F.)—1029
Craig, J. R. (see Cacak, R. K.)—1468
Crandall, P. B. Low temperature adaptor for the Debye–Scherrer powder camera—954(N)
Crannell, Carol Jo, Hall Crannell, and H. D. Zeman. A high energy electron beam monitor—661
Crannell, Hall (see Crannell, Carol Jo)—661
Crewe, A. V., M. Isaacson, and D. Johnson. A simple scanning electron microscope—241
Critchlow, P. R., R. A. Hemstreet, and C. T. Neppell. A single charge ^{3}He–^{4}He dilution refrigerator—1381
Cross, R. W. F. (see Giedt, R. R.)—1238(N)
Crowder, Billy L. and N. A. Penebre. Simple design for an ion source of the oscillating electron beam type—170(N)
Cuderman, J. F. Potassium ion source—1475
Cudney, R. A. and C. T. Phelps. A phenomenon-energized point-discharge current meter—965(N)
Currie, G. D. Single mode output with the Spectra-Physics model 125 He–He laser——1342(N)
Cutnell, J. D., D. E. Kranbuehl, E. M. Turner, and W. E. Vaughan. Dielectric permittivity measurements at centimeter wavelengths—908

D

Dacol, F. H. (see Goldstein, A.)—1597
Daggett, N. (see Krag, W.)—1606
Dail, H. W. and G. S. Knapp. Accurate temperature measurements on a microbalance suspension by inductive coupling—1086
Daniels, D. B. (see Hickey, J. R.)—732(N)
Danielson, J. D. S. (see Callis, James B.)—1599
Danielson, P. M. A demountable induction heater power-lead coupling for use in ultrahigh vacuum—736(N)
Dannenberg, Robert E. and Howard Katzman. An application of optical telemetry to shock tube measurements—640
D'Arcy, Raymond G. (see MacGregor, G. Allen)—237
Datz, S. (see Schmidt-Bleek, F.)—1351(N)
Davis, Harry A., Jr., John R. Hastings, and Meyer Waxman. An improved tool for refinishing the conical ends of high pressure tubing—1238(N)
Davis, R. N. (see Krag, W.)—1606
Dawson, P. H., J. W. Hedman, and N. R. Whetten. A simple mass spectrometer—1444
Dean, P. N. (see Mullaney, P. F.)—1029
de Castro, Elvé M. and Vandick Pereira. High temperature probe for EPR measurements—949(N)
de la Cruz, F. and O. J. Bressan. Sensitive hot wire level detector for cryogenic liquids—483
Delcroix, J. L., H. Minoo, and A. R. Trindade. Gas fed multichannel hollow cathode arcs—1555
De Lorenzo, J. T. (see Kennedy, E. J.)—1504(N)
De Marco, F. and E. Penco. Pulsed photomultipliers—1158
Derouin, D. H. (see Ingersoll, R. M.)—637
Deshaies, R. A modified Conax seal using cold setting rubber—842(N)
Dewey, John M. and W. A. Anson. Density measurements in a valve driven shock tube—451
Diamond, Joseph M. Extensions of Callendar's equations for platinum resistance thermometry—1477
Dillinger, J. R. (see Zoller, Paul)—776
Dixon, R. (see Cohen, J. B.)—1235(N)
Donnelly, Denis P., John C. Pearl, Richard A. Heppner, and Jens C. Zorn. Detection of metastable atoms and molecules with continuous channel electron multipliers—1242(N)
Downs, J. L. and R. T. Payne. A review of electrical feedthrough techniques for high pressure gas systems—1278
Doyle, W. T., T. F. Dutton, and H. P. Liu. High pressure ENDOR cavity—171(N)
Drickamer, H. G. (see Christoe, C. W.)—169(N)
Driller, Jack and Kurt Weil. An adjustable relief valve—1643(N)
Drum, C. M. Twyman–Green interferometry for measurements of stresses in thin films on optically flat silicon substrates—853(N)
Dudderar, T. D. A constant stress creep apparatus for superplastic metals—1231
Duffey, Donald and Hubertus Staerk. An energetic model for rapid mixing—789
Duncan, A. G. (see Hiza, M. J.)—513(N)
Dusman, R. J. (see Baxter, W. J.)—163(N), 1355(N)
Dutton, T. F. (see Doyle, W. T.)—171(N)
Dyal, P., R. T. Johnson, Jr., and J. C. Giles. Response of self-oscillating rubidium vapor magnetometers to rapid field changes—601(N)

E

Eastman, P. C. (see Fawcett, J. L.)—885(N)
Eeckhaut, Z. (see Lox, F. E.)—1206
Egidi, A. (see Amaldi, U., Jr.)—1001
——, **R. Marconero, G. Pizzella, and F. Sperli.** Channeltron fatigue and efficiency for protons and electrons—88
Eichhorn, R. and J. D. McLean. Description of a controllable sonic flow orifice—463
Emrick, R. M. and D. E. McDonald. Programmable temperature controller for small diameter wires—82
Enemark, E. A. and Alan Gallagher. A Pockels cell light modulator for wide angle radiation—40
English, J. J. (see Rudnick, S. J.)—9
English, Thomas C. and Thomas F. Gallagher, Jr. A graphical method for calculating intensities of space-focused atomic and molecular beams—1484
Ensign, T. C. and Te-Tse Chang. Low temperature optical-EPR sample probe using tunable coaxial coupling—268
Epp, C. D. (see Babb, S. E., Jr.)—670
Ergun, Sabri (see Berman, Martin)—1144
Evans, J. P. and D. M. Sweger. Immersion cooler for freezing ice mantles on triple-point-of-water cells—376(N)
Ewald, A. W. (see Booth, B. L.)—1354

F

Fairbairn, A. R. A simple quadrupole mass spectrometer—380(N)
Fairchild, C. E. (see Morack, J. L.)—184(N)
Falick, Arnold M. and Rollie J. Myers. Photon coupling for the low frequency modulation of high voltage oscillators—1349(N)
Fan, L. T. (see Travnicek, E. A.)—930
Fawcett, J. L. and P. C. Eastman. Elimination of surface reflection effects from optical absorption measurements in solids—855(N)

Feher, G., R. A. Isaacson, and J. D. McElroy. Observation of EPR lines using temperature modulation—1640(N)
Feigen, L., D. MacKeen, and S. Fine. A method for detecting and measuring frequency of surface vibrations using a helium-neon laser—381(N)
Feng, Shih-yu. An improved transistor marginal oscillator —963(N)
Ferrar, C. M. Simple, high intensity short pulse flashlamps—1436
Ferrari, L. A. and M. S. Zucker. Transient response of magnetic probes—925
Feuerbacher, B., M. Skibowski, and R. P. Godwin. Ultrahigh vacuum reflectometer for use with extreme ultraviolet synchrotron radiation—305
Fickett, Frederick R. (see Clark, Alan F.)—465
Finch, R. A. and R. E. Taylor. Apparatus for determining thermophysical properties of solids by direct electrical pulse heating—1195
Fine, S. (see Feigen, L.)—381(N)
Finegold, Leonard (see Bezdek, H. F.)—1397
—— (see Lowndes, D. H., Jr.)—1252(N)
—— (see Venegas, Carlos M.)—159
Finfgeld, C. R. and A. Keith Furr. Apparatus for the study of proton sputtering—326
Firth, J. M. A generator for swept voltage waveforms up to ±5 kV—500(N)
Fisher, R. A., G. E. Brodale, E. W. Hornung, and W. F. Giauque. The thermal conductivity of silicon dioxide glass from 0.5 to 4.2 K—365(N)
Flavin, Michael A. (see Carlson, Carl O.)—941
Follstaedt, D. (see Marshall, B. J.)—375(N)
Folsom, T. R. (see Grismore, R.)—642
Foner, S. Single walled, space saving, liquid nitrogen Dewars—1362(N)
Forte, G. M. (see Adams, L. R.)—809
Fourney, M. E., J. H. Matkin, and A. P. Waggoner. Aerosol size and velocity determination via holography—205
Fowler, Peter and John V. Menghis. Welding of very thin foil—841(N)
Fraenkel, B. S. The twisted crystal x-ray spectrometer—732(N)
Frank, L. A., N. K. Henderson, and R. L. Swisher. Degradation of continuous-channel electron multipliers in a laboratory operating environment—685
Frankel, R. Automatic measurement of equilibrium orbits at the Brookhaven AGS—255
Frankel, R. (see Barton, M. Q.)—1386
Frederick, N. V. and W. W. Scott, Jr. A simple technique for metalizing boron nitride—1240(N)
Frederickson, D. R., R. Kleb, R. L. Nuttall, and W. N. Hubbard. A drop calorimeter with an electron beam heated furnace—1022
Freud, P. J. and C. B. Sclar. Apparatus for high-pressure high-temperature x-ray powder diffraction studies—434
Freund, Robert S. (see Aitken, George S.)—1515(N)
Frey, G. D. (see Avignone, F. T., III)—1365(E)
Freymuth, Peter. Nonlinear control theory for constant-temperature hot-wire anemometers—258
Friesen, Richard D. Magnetic field controller by simple modification of standard (Varian FH-20) gaussmeter —1110(N)
Fry, E. S. and W. L. Williams. Production of a 2^3S helium beam—1141
Fulcomer, Emanuel J. and Joseph M. Nemchik. Sampling oscilloscope used for signal averaging of slow waveforms—1638(N)
Fuller, R. G. (see Williams, R. T.)—1361(N)
Fulwyler, Mack J., Robert B. Glascock, and Richard D. Hiebert. Device which separates minute particles according to electronically sensed volume—42
Furr, A. Keith (Finfgeld, C. R.)—326
Futrell, J. H. (see Miller, C. D.)—503(N)

G

Gallagher, Alan (see Enemark, E. A.)—40
Gallagher, Thomas F., Jr. (see English, Thomas C.)—1484
Gardner, S. D. Multiple-image objective system for a rotating-mirror camera—116
Garrahan, Norman M. (see Cancro, Ciro A.)—1360(N)
Gaunter, D. J. (see Stevenson, F. R.)—140
Gehlen, P. C. A 77–1300 K single crystal x-ray specimen chamber—715
Gersten, Joel I. Velocity selection of metastable hydrogenic atoms—1509(N)
Giauque, W. F. (see Fisher, R. A.)—365(N)
Gibala, R. (see Provolo, F.)—817
Gibson, A. A. V. and R. E. Raab. Analog computer for calculation of second moments in NMR—410
Giedt, R. R. and R. W. F. Cross. Mirror mount for a shock tube laser cavity—1238(N)
Giedt, Warren H. (see Tong, Henry)—1283
Giessner, B. G. (see Meisels, G. G.)—1224
Gigante, Joseph (see Reichert, Jonathan F.)—494(N)
Giles, J. C. (see Dyal, P.)—601(N)
Gill, D., N. Kaplan, R. Thompson, V. Jaccarino, and H. J. Guggenheim. Precision thermometer for the region 10–40 K—109
Gillani, Noorallah and R. B. Britton. Critical currents of superconductors in low fields—949(N)
Gille, John C. Simple machining of flat double spiral channels—377(N)
Gilson, V. A. Gas additives for stable pulsed argon ion lasers—448
Giltner, Beverly S. and Richard J. Lysiak. Magneto-optical method for the measurement of spin-lattice relaxation times of paramagnetic ions—106
Glaeser, R. M. (see Adams, L. R.)—809
Glascock, Robert B. (see Fulwyler, Mack J.)—42
Glick, H. S. (see Hofland, R.)—1146
Godwin, R. P. (see Feuerbacher, B.)—305
Göhle, B. (see Stenerhag, B.)—563
Gold, A. V. (see Panousis, P. T.)—120
Golden, D. E. (see Salop, A.)—733(N)
Goldstein, A. and F. H. Dacol. A reliable flashlamp pumped tunable organic dye laser—1597
Goldstein, I. S. and P. J. Tobin. Low-pass superconducting filter for use in high magnetic fields—172(N)
Gomes, J. J. (see Ricker, G. R., Jr.)—227
Goring, G. E. and D. L. Hardison. An acoustical thermometer for the temperature range 300–700 K—1069
Gottschalk, B. Large scintillation counter with good energy resolution—22
Gould, R. W. (see Stenzel, R. L.)—1461
Gouterman, Martin (see Callis, James B.)—1599
Graczyk, J. F. and S. C. Moss. Scanning electron diffraction attachment with electron energy filtering—424
Grader, R. J., J. K. Scudder, and W. E. Tindall. Miniature low energy x-ray calibration tube—1160
Grady, Dennis E. A constant current source for manganin gauge transducers—1399
Graham, D. Tracer diffusion studies on metals using a microtome—897
Grant, Paul M. Simple light chopper for vacuum ultraviolet spectroscopy—602(N)
Gray, W. J. and F. H. Spedding. A technique for cutting and polishing small metal spheres—1427
Graybill, S. E. (see Uglum, J. R.)—1413
Green, Robert E., Jr. and Leslie T. Miller. A more rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method—165(N)
Grismore, R., W. E. Weitz, Jr., and T. R. Folsom. Internal energy standardization of multichannel gamma ray spectra by use of the 0.511 MeV annihilation and ^{40}K peaks—642

Gritzmacher, Thomas J., Ellsworth L. Boyer, and James F. Holt. A plasma scanner and data processing system for current-voltage curves—721
Gross, W. (see Clark, B. C.)—504(N), 1178
Grosser, Arthur E. (see Kalos, Ferenc)—804
Gruber, E. E., T. H. Blewitt, J. A. Tesk, B. D. Sharma, and R. E. Black. Cryostat-spectrometer system for precision measurement of lattice parameters of irradiated materials—1429
Grzedzielski, Mary (see Trenouth, J. M.)—596(N)
Gubser, D U. and D. E. Mapother. Remotely controlled piezoelectric vibrator for low temperature applications—843(N)
Guerra, Raymond. Method for making high quality sheet silver chloride—737(N)
Gueths, J. E., F. V. Burckbuchler, and C. A. Reynolds. A simple and rapid optical method of orienting single crystals—1344(N)
Guggenheim, H. J. (see Gill, D.)—109
Guillet, Hubert (see Michon, Maurice)—263

H

Hacker, H. (see Topp, J. A.)—1164
Haines, E. L. (see Mulás, P.)—507(N)
Hallett, J. (see Reil, K.)—533
Hamme, J. V. (see Sheffield, G. S.)—1341(N)
Hammer, R. A semiautomatic data collection system suitable for infrared reflectivity measurements—1330
Händel, S.K. (see Stenerhag, B.)—563
Hann, C. R. (see Kulcinski, G. L.)—214
Hannum, Steven E., W. C. Mateyka, Glen G. Possley, and William Hayden Smith. Thermally and mechanically durable ir windows for ultrahigh vacuum—1254(N)
Harding, W. R. (see Hill, V. G.)—1352(N)
Hardison, D. L. (see Goring, G. E.)—1069
Harri, J., M. McGee, and A. Toor. A rocket borne scintillation spectrometer for observing cosmic x-rays—703
Harris, Lee B. Pulsed high field microphotographic apparatus for measuring electrophoretic mobility in insulating liquids—905
Harris-Lowe, R. F. and K. A. Smee. Technique for measuring small capacitance changes—725(N)
Harvey, R. J. Effect of transducer length on volume measurement by electric sensing zone instruments—1111(N)
Hasegawa, H. (see Hirasawa, R.)—1116(E)
Hasegawa, I. and A. C. Lilly, Jr. Spurious magnetic field compensation for an electron microscope—1113(N)
Hashimoto, Masahi (see Hayaski, Tomonao)—1239(N)
Hastings, John R. (see Davis, Harry A., Jr.)—1238(N)
Haug, A., B. E. Kohler, E. B. Priestley, and G. W. Robinson. Measurement of rapid photoprocesses using a a modulated cw laser—1439
Hausner, G. G., Jr. (see Johnson, H. M.)—1594
Hawke, R. S., A. C. Mitchell, and R. N. Keeler. Microwave measurement of permittivity and electrical conductivity in shock compressed liquids—632
Hayakawa, M. (see Cohen, J. B.)—1235(N)
Hayakawa, Shigeru (see Wasa, Kiyotaka)—693
Hayashi, Tomonao and Noriyuki Sakudo. Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instrum. 39, 958 (1969)]—190(E)
——. Quadrupole field in circular concave electrodes with finite thickness—923
——, **Masashi Hashimoto, and Kazumasa Yamamoto.** Flexible channel multiplier—1239(N)
Hayon, E. (see Keene, J. P.)—1199
Hearst, John E. (see Smiriga, Stephen R.)—233
Hedman, J. W. (see Dawson, P. H.)—1444
Heinz, O. (see Bush, T. O.)—1531
Helmke, G. E. and E. O. Schultz-DuBois. A floating microcompass for measuring millioersted magnetic fields in millimeter-cube sampling volumes—1622
Hemenway, Curtis L. (see Patashnick, Harvey)—1008
Hemphill, R. B. Ultrasonic pulse-echo attenuation comparator—175(N)
Hemstreet, R. A. (see Critchlow, P. R.)—1381
Henderson, N. K. (see Frank, L. A.)—685
Henderson, Richard C. (see Chester, Arthur N.)—735(N)
Hendricks, Robert W. Space charge effects in proportional counters—1216
Henins, Ivars and John Marshall. A pulsed gas valve for fast timeable high pressure operation—875
Heppner, Richard A. (see Donnelly, Denis P.)—1242(N)
Herlach, Fritz. A versatile epoxy casting technique for manufacturing magnetic probes—852(N)
Herman, Z., J. D. Kerstetter, T. L. Rose, and Richard Wolfgang. A crossed-beam apparatus for investigation of ion-molecule reactions—538
Hermann, T. S. A cell for the infrared study of molecules at low temperatures—1062
Herold, H. and F. C. Jahoda. CO_2-laser interferometer for the measurement of transient low-density plasmas—145
Herschbach, D. R. (see Lee, Y. T.)—1402
Herzog, Richard F. Monopole mass spectrometer with improved sensitivity and reduced background—1104(N)
Hettwer, P. F. (see McCann, D. R.)—966(N)
Hickey, J. R. and D. B. Daniels. Modified optical system for the Golay detector—732(N)
Hiebert, Richard D. (see Fulwyler, Mack J.)—42
Hill, D. G. and R. B. Palmer. A bubble chamber film measuring system employing high accuracy image plane digitizers—878
Hill, G. L. Parahydrogen from helium cooled catalyst—1645(N)
Hill, V. G., W. R. Harding, and K. G. Zimmerman. Hydrothermal pressure vessel assembly for the measurement of pressure generated by corrosive solutions—1352(N)
Hirasawa, R., T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama. Rapid scanning of the magnetic field in ESR spectroscopy: Application to pulse electrolysis [Rev. Sci. Instrum. 39, 935 (1968)]—1116(E)
Hirschkoff, E. C. (see Black, W. C.)—846(N)
Hirthe, W. M. (see Seitz, M. A.)—826
Hiza, M. J. and A. G. Duncan. A simple gas recirculation pump for low flow and high pressure applications—513(N)
Hobbie, Russell K. (see Weisser, David C.)—683
——. (see Bergman, Clark)—1079
Hoenig, Stuart A. Comment on "Simple technique for detection of oxygen in laboratory furnaces" [A. E. Widmer, Rev. Sci. Instrum. 39, 1968 (1968)]—1115(L)
Hofland, R. and H. S. Glick. A miniature transducer for measuring low transient pressures—1146
Hoge, Kenneth G. (see Wasley, Richard J.)—889
Holmryd, Sten and Donald Connor. SiO_2(quartz), MgO, PbF_2, and Bi as low-pass neutron velocity filters—49
Holt, Ben D. (see Lewis, Robert N.)—698
Holt, James F. (see Gritzmacher, Thomas J.)—721
Holtz, A. G. (see Bryner, J. S.)—1647(N)
Holzer, H. F. (see Parks, J. E.)—496(N)
Hordon, M. J. and M. A. Wright. High vacuum adhesion test apparatus—1017
Hornung, E. W. (see Fisher, R. A.)—365(N)
Hornyak, E. J., K. M. Beam, and P. G. Rasmussen. Single crystal transfer device and rotation system for ESR measurements—224
Horowitz, P. Multiscaler analysis for periodic signals incommensurate with the timing signal—369(N)
Howard, R. H. (see Metz, A. J.)—16
—— (see Rudnick, S. J.)—9
Howlett, L. C. and J. I. Swigart. Rocket-borne Rayleigh scattering instrumentation to measure atmospheric density—28
Hubbard, W. N. (see Frederickson, D. R.)—1022
Huber, J. R., R. P. Widman, and K. Weiss. Flash photolysis apparatus with a new geometry—1103(N)

Huebner, J. S. and L. J. Bruner. A simple coaxial feedthrough—598(N)
Huen, Tony. Phase-plane method of exponential waveform measurement—1067
Humphrey, F. B. (see Kryder, M. H.)—829
Humphrey, J. S., Jr. (see Blok, J.)—509(N)
Hunt, W. W., Jr. (see Streeter, J. K.)—307
Hurlock, S. C., K. Narahari Rao, Donald G. Burkhard, and David L. Shealy. Infrared emission from a V-shaped metal groove compared with that from a flat surface of the same metal—927
Hurst, G. S. (see Parks, J. E.)—496(N)
Husk, J. A. (see Abey, A. E.)—1641(N)

I

Iglesias, Guillermo E., Orestes R. Santochi, and M. Puparelli. Convection Pirani vacuum gauge—1291
Ikeda, Ikuo. Automatic curve tracing method with two spots of light—1340(N)
Ingels, Neil B., Jr., Stephen K. Rush, and Noël P. Thompson. Analytic stop motion stereo photogrammetry—487
Ingersoll, R. M. and D. H. Derouin. Application of color photography to electron microbeam probe samples—637
Isaacson, M. (see Crewe, A. V.)—241
Isaacson, R. A. (see Feher, G.)—1640(N)
Ishihara, Shigeru (see West, Estal D.)—1356(N)

J

Jaccarino, V. (see Gill, D.)—109
Jackson, J. J. (see Ryan, E. A.)—1580
Jahoda, F. C. (see Herold, H.)—145
Jamba, Douglas M. Surface ionization source for ion implantation—1072
Jasperson, S. N. and S. E. Schnatterly. An improved method for high reflectivity ellipsometry based on a new polarization modulation technique—761
Jayson, J. S. and R. J. Strain. Test set to evaluate the electroluminescent efficiency of noncontacted GaP diodes —956(N)
Jensen, T. H. and R. W. Moore. Broad band correlation measurements with an *x–y* 'scope—772
Jirberg, Russell J. Automatic distortionless control of magnetic field modulation—173(N)
Johnson, C. J. (see Martinich, S. J.)—359(N)
Johnson, D. (see Crewe, A. V.)—241
Johnson, H. M., G. G. Hausner, Jr. and D. F. Parsons. A recording detection system for quantitation of electron microscope image contrast using a retractable micro-Faraday cage probe—1594
Johnson, M. C. A secondary standard vacuum ultraviolet detector—311
Johnson, R. (see Marshall, B. J.)—375(N)
Johnson, R. T., Jr. (see Dyal, P.)—601(N)
Johnston, W. V. and P. C. Romo. A simple modification of an x-ray spectrometer for step scanning and filter changing—1285
Jona, F. and H. R. Wendt. Sample holder for diffraction and other studies in ultrahigh vacuum—1172
Jonas, Malkiel (see Alon, Yosef)—646
Jones, I. R., J.-M. Peiry, and D. Cocq. Simultaneous, local measurement of two magnetic field components and the sum of their squares—133
Jones, W. E. (see Madhavan, N.)—1293
Joslyn, E. D. (see Abey, A. E.)—1641(N)
Jura, G. and W. A. Stark, Jr. A technique for measurement of the heat capacity of metals under pressure—656

K

Kabler, M. N. (see Williams, R. T.)—1361(N)
Kalos, Ferenc and Arthur E. Grosser. Free radical beam source—804
Kamphouse, J. L., J. C. Blake, and J. Moteff. Hot-microhardness test equipment—321
Kanayama, M., T. Konno, and S. Kiyono. C–Al parallel plate dynode electron multiplier—129
Kanda, Y. (see Hirasawa, R.)—1116(E)
Kanofsky, A. and N. Schoen. Ionization measurements in a helium streamer chamber—921
Kaplan, N. (see Gill, D.)—109
Karageorge, G. K. (see Pless, I. A.)—397
Kashnow, Richard A. (see Sousa, John A.)—966(N)
Katyl, Robert H. Bolometer power detector for a spectrum analyzer—502(N)
Katzman, Howard (see Dannenberg, Robert E.)—640
Kavesh, S. and J. M. Schultz. High resolution small and wide angle x-ray diffractometer—98
Kay, Robert L. and Krishnahadi S. Pribadi. A conductance network for three-terminal capacitance bridges—726(N)
Kaye, S. and J. E. Koency. A solid state ozone generator —505(N)
Kazmierowicz, Casimir W. A method for studying field effects on film resistors—998
Keeler, R. N. (see Hawke, R. S.)—632
Keene, J. P., E. D. Black, and E. Hayon. A photomultiplier and amplifier circuit for kinetic spectrophotometry—1199
Kelsch, J. J. (see Bryner, J. S.)—1647(N)
Kench, J. R. Temperature insensitive magnetostrictive composites—1295
Kennedy, Bruce W. Thin film temperature sensor—1169
Kennedy, E. J., J. T. De Lorenzo, and H. R. Brashear. A versatile voltage sensitive preamplifier for use with photomultiplier tubes—1504(N)
Kerstetter, J. D. (see Herman, Z.)—538
Kessel, Quentin C. Differentially pumped, large angle coincidence scattering chambers for atomic collisions—68
Ketterson, J. R. (see Windmiller, L. R.)—603(E)
Kiyono, S. (see Kanayama, M.)—129
Kleb, R. (see Frederickson, D. R.)—1022
Klettke, B. D. (see Wolber, W. G.)—1364(L)
Klier, K. A Geiger–Müller counter for ultrahigh vacuum systems—372(N)
Klokholm, E. An apparatus for measuring stress in thin films—1054
Knapp, G. S. (see Dail, H. W.)—1086
Knoepfel, H., H. Kroegler, R. Luppi, and J. van Montfoort. Generation and switching of magnetic energies in the megajoule range by explosive systems—60
Knowles, H. B. (see Singhal, R. P.)—493(N)
Knox, H. H. (see Avignone, F. T. III)—1046
Knuth, Eldon L. (see Alcalay, Jack A.)—438, 1652(E)
—— (see Winicur, Daniel H.)—1192
Knuth, E. L. (see Young, W. S.)—1346(N)
Koency, J. E. (see Kaye, S.)—505(N)
Kohl, R. F. (see Schulte, E. H.)—1420
Kohler, B. E. (see Haug, A.)—1439
Komhyr, W. D. Sequencing switch stepping mechanism—955(N)
Konno, T. (see Kanayama, M.)—129
Koopman, David W. (see Zwally, H. J.)—1492
Korsbech, U. Comments on "Plasma phasography" [Herman M. Presby and David Finkelstein, Rev. Sci. Instrum. **38**, 1563 (1967)]—969(L)
Kovasznay, Leslie S. G. and René Chevray. Temperature compensated linearizer for hot-wire anemometer—91
Krag, W., N. Daggett, R. N. Davis, and F. Perkins. An on-line data recording system—1606
Kranbuehl, D. E. (see Cutnell, J. D.)—908
Krawec, Roman. Improved method of injecting the audio signal in automatic Langmuir probe second derivative plotters—842(N)
Kreitman, M. M. Low temperature thermal conductivity of several greases—1562

——, **and D. Wilkening.** Comparison of several solders for establishing mechanical contacts to insulating crystal platelets at low temperatures—1411
Kreitman, Marshall. A pressure activated superfluid valve —1249(N)
Kress, Kenneth A. and Gerald J. Lapeyre. Operational amplifier differentiator for photoemission studies: origin and control of errors—74
Kroegler, H. (see Knoepfel, H.)—60
Kryder, M. H. and F. B. Humphrey. A nanosecond Kerr magneto-optic camera—829
Kuhn,M. (see Patterson, William R., III)—960(N)
Kukla, Cassimer M. Summing amplifier—598(N)
Kulcinski, G. L., R. A. Thiede, and C. R. Hann. Technique for annealing irradiated uranium under high hydrostatic pressures and temperatures—214
Kuppermann, Aron (see Wei, Pax S. P.)—783
Kurtz, John. Measurement of plating thickness on small balls—845(N)

L

Laananen, David H. and Welville B. Nowak. An electrodiffusion apparatus for solid semiconductors—422
Lagergren, C. R. (see Stoffels, J. J.)—1288
Lang, Sidney B., Steven A. Shaw, Lynn H. Rice, and K. D. Timmerhaus. Pyroelectric thermometer for use at low temperatures—274
Langley, J. B. (see Breeden, K. H.)—1162
Lapeyre, Gerald J. (see Kress, Kenneth A.)—74
Larson, Jay M., R. Taggart, and D. H. Polonis. An automatic disk jet polishing apparatus for the preparation of thin foil specimens for transmission electron microscopy—1338(N)
Larson, L. T. Equipment for the quantitative photometric measurement of reflectivity by polarized light microscopy —1088
Latner, N. State of charge measurement of nickel-cadmium batteries—364(N)
Lavoie, Louis. Photomultiplier focus control—1245(N)
—— **and Roland Winston.** Active magnetic shielding of photomultipliers—1350(N)
Lawrence, J. M. (see Wu, Jin)—1209
LeBreton, P. R. (see Lee, Y. T.)—1402
Lee, Y. T., J. D. McDonald, P. R. LeBreton, and D. R. Herschbach. Molecular beam reactive scattering apparatus with electron bombardment detector—1402
Legallais, Victor (see Nishimura, Mitsuo)—271
Leger, L. J. (see Meisels, G. G.)—1224
Le Goff, Denis (see Michon, Maurice)—263
Leisure, R. G. and R. W. Moss. A continuous wave technique for the automatic measurement of ultrasonic velocity changes—946
Lentz, Harro. A method of studying the behavior of fluid phases at high pressures and temperatures—371(N)
Leonard, T. A. Simple extrusion dies for *in vacuo* production and explosion of lithium wires—964(N)
Leonard, W. F. Differential ion pumping for vacuum deposition—187(N)
LePage, J. (see Bernalte, A.)—71
Lepie, Albert H. Forced vibration tester in tension and torsion for plastic materials under tensile strain—1004
Lewis, Robert N., L. S. Van Loon, and Ben D. Holt. Temperature control of metallic targets *in vacuo* by electron beam and infrared radiometry techniques—698
Ley, Myron C. (see Whitsett, Charles R.)—164(N)
Libowitz, G. G. (see Pack, J. G.)—441, 420
Lichtenberger, G. J. A simple microwave detector and a p–i–n modulator for F band application—807
Lietti, A. Lumped element line generators to produce pulsed sinusoidal oscillations in the gigawatt range—473
Lilly, A. C., Jr. (see Hasegawa, I.)—1113(N)
Lindholm, D. A. Automatic electropolisher for copper—1105(N)
Lintz, H. K. (see Wolber, W. G.)—1364(N)
Liu, H. P. (see Doyle, W. T.)—171(N)
Lloyd, R. V. and D. E. Wood. EPR cavity for oriented single crystals in sealed tubes—514(N)
Lori, J. (see Vajda, P.)—690
Los J. (see Politiek, J.)—1576
Lovberg, R. H. (see Berger, Jon)—1569
Lowndes, D. H., Jr. and Leonard Finegold. Constant current supply with high reproducibility for low temperature specific heat measurements—1252(N)
Lox, F. E. and Z. Eeckhaut. An investigation into the causes of the aging phenomena of self-quenching Geiger–Müller counter tubes; C_2H_5CN a better quench gas than C_2H_5OH—1206
Ludeman, Robert R. and Donald D. Snyder. Optical readout for vibroscopes—511(N)
Luppi,R. (see Knoepfel, H.)—60
Lysiak, Richard J. (see Giltner, Beverly S.)—106

M

MacGregor, G. Allen and Raymond G. D'Arcy. Mobile telescope for examining vertical intensity of cosmic ray fluxes—237
MacKeen, D. (see Feigen, L.)—381(N)
MacKenzie, K. R. A simple high voltage vacuum seal— —1107(N)
—— (see Rajangam, K. B.)—155
Maddix, H. S., P. Chorney, and S. F. Paik. Plasma synthesis with opposing electron and ion guns—1471
Madhavan, N. and W. E. Jones. Viscosity of perfluorobutene-2; A relative method for measurement of gas viscosity—1293
Mahon, Harold P. Calibration system for a pulse nuclear-induction spectrometer—1644(N)
Malmberg, J. H. (see Moore, C. D.)—770
Mapother, D. E. (see Gubser, D. U.)—843(N)
Marcato, P. (see Pless, I. A.)—397
Marconero, R. (see Egidi, A.)—88
—— (see Amaldi, U., Jr.)—1001
Marsh, S. P. Writing speed determination of sweeping image cameras using a photomultiplier tube calibrator—1584
Marshall, B. J., R. Johnson, D. Follstaedt, and J. Randorff. Magnetic susceptibility of quartz and Suprasil— 375(N)
Marshall, John (see Henins, Ivars)—875
Martin, K. B. (see Pless, I. A.)—397
Martinich, S. J., C. J. Johnson, and D. P. Akitt. Measurement of far-infrared laser power—359(N)
Maruyama, T. (see Hirasawa, R.)—1116(E)
Mateyka, W. C. (see Hannum, Steven E.)—1254(N)
Matkin, J. H. (see Fourney, M. E.)—205
Mattauch, R. J. Comparison of exact and measured open circuit photoconductor voltages—574
Matthews, K. A two-transistor Geiger–Müller counter quench circuit—1511(N)
May, Ingo W. and Kevin J. White. A simple goniometer for use with the Varian V-4546 electron paramagnetic resonance Dewar—1639(N)
Maydan, D. and M. Shaanan. Some logarithmic properties of photomultipliers—218
Mayer, Dieter (see Nishimura, Mitsuo)—271
McCall, Richard C. and Dennis K. Ross. A method of measuring emission spectra from thermoluminescent materials—363(N)
McCann, D. R., P. F. Hettwar, and J. C. Uy. O-ring seal for high pressure tensile tester—966(N)
McCormick, William S. and William P. Birkemeier. Optimum detectors for the NMR flowmeter—346
McCullough, Edwin C. A low energy electron accelerator producing measurably small fluxes through utilization of the photoelectric effect—944
McDonald, D. E. (see Emrick, R. M.)—82
McDonald, J. D. (see Lee, Y. T.)—1402

McDonald, P. F. (see Meyer, H. C.)—730(N)
McDuffie, G. E. and T. Barr. Pressure viscometer for viscosities between 1 and 10^4 P—653
McElroy, J. D. (see Feher, G.)—1640(N)
McGee, K. E. (see Streeter, J. K.)—307
McGee, M. (see Harri, J.)—703
McLane, S. Brooks (see Panitz, John A.)—1321
McLean, J. D. (see Eichhorn, R.)—463
McMahon, D. H. A means for externally polarizing He–Ne 6328 Å lasers—727(N)
McSweeney, R. T. (see Seitz, M. A.)—826
Meisels, G. G., B. G. Giessner, and L. J. Leger. Simple mass spectrum linearizer—1224
Menghis, John V. (see Fowler, Peter)—841(N)
Menzinger, Michael and Lars Wåhlin. High intensity, low energy spread ion source for chemical accelerators—102
Metz, A. J. and R. H. Howard. True random ratemeter with automatic dead-time correction for duty factors up to 99%—16
Meyer, H. C., C. M. Bowden, and P. F. McDonald. Ultrasonic electron nuclear double resonance technique—730(N)
Michon, Maurice, Hubert Guillet, Denis Le Goff, and Sylvain Raynaud. A subnanosecond risetime electro-optic shutter for use in a laser system—263
Mighton, Charles E. (see Baker, James N.)—1065
Mikoshiba, S. and P. R. Smy. Two coil rf determination of plasma conductivity—1187
Miller, C. D., T. O. Tiernan, and J. H. Futrell. Improvement of spectral baseline stability for a time-of-flight mass spectrometer operated at elevated pressures—503(N)
Miller, David R. and Dan F. Patch. Design and analysis of a high intensity fast oxygen atom source—1566
Miller, J. G., and D. I. Bolef. A "sampled-continuous wave" ultrasonic technique and spectrometer—915
——. Frequency locking of cw acoustic magnetic resonance spectrometers—361(N)
Miller, Leslie T. (see Green, Robert E., Jr.)—165(N)
Minghetti, Learco and Sam Naiditch. Construction of spectrophotometer cells with spacings less than 10 μ—188(N)
Minoo, H. (see Delcroix, J. L.)—1555
Mitchell, A. C. (see Hawke, R. S.)—632
Mitchell, E. N. (see Bailey, Sheila B.)—1237(N)
Mode, V. Alan and Richard A. Thomas. Aminco–Bowman spectrophotofluorometer modification—1241(N)
Month, M. (see Barton, M. Q.)—1386
Moore, C. D. and J. H. Malmberg. Curve resolver for mixtures of damped sine waves—770
Moore, R. W. (see Jensen, T. H.)—772
Morack, J. L. and C. E. Fairchild. Method for time sampling the anode current of magnetic electron multipliers—184(N)
Morris, Glen J. Fast beam-switching electron gun for transient beam–plasma interaction study—1433
Morrison, L. (see Cohen, J. B.)—1235(N)
Moruzzi, J. L. and A. V. Phelps. The use of a multichannel scaler in electron attachment–detachment experiments—461
Mosher, D. R. An improved apparatus for measuring anelasticity in metal specimens—820
Moss, R. W. (see Leisure, R. G.)—946
Moss, S. C. (see Graczyk, J. F.)—424
Mota, A. C. and J. C. Wheatley. Thermal contact to the mixing chamber of a dilution refriegerator—379(N)
—— (see Black, W. C.)—846(N)
Moteff, J. (see Kamphouse, J. L.)—321
Mueller, R. M. and W. White. Areal densities of stress producing films measured by quartz crystal microbalance—1646(N)
Muirhead, J. C. (see Palmer, W. O.)—1637(N)
Mukaibo, T. (see Hirasawa, R.)—1116(E)
Mulás, P. and E. L. Haines. Degradation of the time characteristics of surface barrier detectors with fission fragment dose—507(N)
Mullaney, P. F., M. A. Van Dilla, J. R. Coulter, and P. N. Dean. Cell sizing: A light scattering photometer for rapid volume determination—1029
Müller, Erwin W. (see Panitz, John A.)—1321
Muller, R. H. (see Beach, K. W.)—1248(N)
Munnings, R. H. (see Schlosser, W. F.)—1359(N)
Myers, Rollie J. (see Falick, Arnold M.)—1349(N)

N

Naber, J. A. and D. P. Snowden. Application of microwave reflection technique to the measurement of transient and quiescent electrical conductivity of silicon—1137
Nablo, S. V. (see Uglum, J. R.)—1413
Naiditch, Sam (see Minghetti, Learco)—188(N)
Nakano, H. (see Salop, A.)—733(N)
Nash, R. W. (see Schwaneke, A. E.)—1450
Nasini, M., R. Pratesi, and G. Redaelli. Ceramic plasma container for ion lasers—1473
Negri, Pietro. Reconstruction of fiducial marks and cameras utilizing simultaneously all the photographs available—148
Neppell, C. T. (see Critchlow, P. R.)—1381
Neil, V. Kelvin and Richard K. Cooper. Stability of a current ring supported in magnetic field—295
Nemchik, Joseph M. (see Fulcomer, Emanuel J.)—1638
Nenow, E. V. (see Wasserburg, G. J.)—288
Neuringer, L. J. and Y. Shapira. Low temperature thermometry in high magnetic fields. I. Carbon resistors—1314
Newbigging, David (see Spetzler, Hartmut)—179(N)
Newman, David S. and Roy Stein. Two-probe direct current measurement of fused salt conductance—246
Nichols, G. E. (see Blok, J.)—509(N)
Nicol, Donald R. A double beam spectrophotometer for the direct measurement of integrated absorption lines—1300
Nicoll, F. H. An electrostatic tool for handling very small samples—1108(N)
Nielsen, S. O. (see Christensen, H. C.)—786
Nilsson, G. (see Christensen, H. C.)—786
—— (see Stedman, R.)—249
Nishimura, Mitsuo, Vitcor Legallais, and Dieter Mayer. Multipurpose phosphoroscopic instrument for the study of phosphorescence, induction of fluorescence, and absorbance change of turbid biological materials—271
Nolle, A. W. (see Thompson, B. C.)—374(N)
Nordlund, D. R. and O. P. Breaux. Plasma parameter slide rule—1618
Nowak, Welville B. (see Laananen, David H.)—422
Nowlin, C. H. (see Blalock, T. V.)—1093
Nuttall, R. L. (see Frederickson, D. R.)—1022

O

Oettinger, P. E. Combination oven-linear pinch for spectroscopic studies of ionized vapors—366(N)
O'Neal, J. E. Elimination of gas bubbles in electropolishing thin foils—513(N)
Ormrod, John H. Beam scanner—1247(N)
Ostrom, G. (see Schmidt-Bleek, F.)—1351(N)
Ovenall, Derick W. Versatile sweep system for the Varian Associates HA-100 NMR spectrometer—1506(N)

P

Pack, J. G. and G. G. Libowitz. A versatile, inert atmosphere vacuum glove box—414
——. Low temperature electrical resistivity measurements on reactive samples—420
Page, J. O. (see Rajangam, K. B.)—155
Pagsberg, P. (see Christensen, H. C.)—786
Paik, S. F. (see Maddix, H. S.)—1471
Palathingal, J. C. Elimination of photomultiplier gain shift due to extraneous weak reversible magnetic field—266

Palmer, R. B. (see Hill, D. G.)—878
Palmer, W. O. and J. C. Muirhead. A squirt gauge for blast pressure indication—1637(N)
Panitz, John A., S. Brooks McLane, and Erwin W. Müller. Calibration of the atom probe FIM—1321
Panousis, P. T. and A. V. Gold. Instrumentation for the digital recording of the deHaas-van Alphen effect in impulsive magnetic fields—120
Paolini, Frank R. (see Theodoridis, George C.)—621
Papanastassious, D. A. (see Wasserburg, G. J.)—288
Park, John T. and F. D. Schowengerdt. A heavy-ion energy loss spectrometer—753
Parks, J. E., G. S. Hurst, and H. F. Holzer. A binary current integration logic—496(N)
Parsons, D. F. (see Johnson, H. M.)—1594
Patashnick, Harvey and Curtis L. Hemenway. Oscillating fiber microbalance—1008
Patch, Dan F. (see Miller, David R.)—1566
Patterson, William R., III and M. Kuhn. An electronic system for measuring the electrical characteristics of nonlinear devices—960(N)
Patton, Carl E. A versatile toroid hysteresis loop tracer with direct readout of loop parameters—939
Payne, R. T. (see Downs, J. L.)—1278
Pearl, John C. (see Donnelly, Denis P.)—1242(N)
Pearson, Irving M. (see Carlson, Carl O.)—941
Peatman, W. B. (see Borne, T. B.)—1496(N)
Peele, J. R., Jr. and W. T. Whitney. Flexible adhesive/sealants for carbon dioxide laser components—1114(N)
Peiry, J.-M. (see Jones, I. R.)—133
Penco, E. (see De Marco, F.)—1158
Penebre, N. A. (see Crowder, Billy L.)—170(N)
Pereira, Vandick (see de Castro, Elvé M.)—949(N)
Perkins, F. (see Krag, W.)—1606
Pescetti, D. (see Biorci, G.)—1109(N)
Pfau, J. Lightweight regulated end point H. V. capacitor charging supply—1243(N)
Phelps, A. V. (see Moruzzi, J. L.)—461
Phelps, C. T. (see Cudney, R. A.)—965(N)
Piermarini, G. J. (see Weir, C. E.)—1133
Pizzella, G. (see Egidi, A.)—88
—— (see Amaldi, U., Jr.)—1001
Plachy, William Z. and Tjeerd J. Schaafsma. Microwave helices in electron spin resonance studies at high pressure or very stable temperatures—1590
Pless, I. A., B. M. Bailey, R. D. Biron, G. K. Karageorge, P. Marcato, and K. B. Martin A 500 liter hydrogen bubble chamber—397
Politiek, J and J. Los. A new type of surface ionization detector—1576
Polk, Murray L. A quick method for removing the emulsion backing on film used with x-ray diffraction Guinier cameras—1645
Polonis, D. H. (see Larson, Jay M.)—1338(N)
Porges, K. G. and S. J. Rudnick Live-timer method of automatic dead-time correction for precision counting—1
Possley, Glen G. (see Hannum, Steven E.)—1254(N)
Povolo, F. and R. Gibala. A Marx three component oscillator for internal friction measurements at low and high temperatures in high vacuum—817
Praddaude, H. C. An interpolation formula for GaAs p-n junction diode thermometer in the 1 to 100 K range—599(N)
Pratesi, R. (see Nasini, M.)—1473
Pratt, J. P. and D. C. Ailion. New two-point calibration method for platinum resistance thermometers for the range 75–400 K—1614
Pribadi, Krishnahadi S. (see Kay, Robert L.)—726(N)
Priestley, E. B. (see Haug, A.)—1439
Puparelli, M. (see Iglesias, Guillermo E.)—1291

R

Raab, R. E. (see Gibson, A. A. V.)—410
Rainer, Frank. A controlled laser pulse width technique—368(N)
Rao, K. Narahari (see Hurlock, S. C.)—927
Rajangam, K. B., J. O. Page, and K. R. MacKenzie. Synthesized plasma generator—155
Randorff, J. (see Marshall, B. J.)—375(N)
Rasmussen, P. G. (see Hornyak, E. J.)—224
Raunio, G. (see Stedman, R.)—249
Raynaud, Sylvain (see Michon, Maurice)—263
Reamer, H. H. and B. H. Sage. Performance of a piston-cylinder balance for pressure measurements—183(N)
Redaelli, G. (see Nasini, M.)—1473
Reichert, C. and J. B. Westmore. A simple, inexpensive heater for solid samples in a mass spectrometer—1515(N)
Reichert, Jonathan F. and Joseph Gigante. "Hot-cold finger" for ESR microwave spectrometers—494(N)
Reid, Lee R. and James P. Smith. Versatile cathodoluminescence attachment for electron microprobe analysis—316
Reil, K. and J. Hallett. An apparatus for the production of uniform sized water drops, at desired time intervals—533
Remer, D. S. and F. H. Shair. Use of a tungsten filament lamp as a Pirani gauge for continuous gas analysis—968(N)
Reynik, R. J. (see Sauer, W. E.)—360(N)
Reynolds, C. A. (see Gueths, J. E.)—1344(N)
Rhinewine, M. A linear polarization diplexer at 34 GHz—951(N)
Rice, Lynn H. (see Lang, Sidney B.)—274
Richard, Roy T. (see Bailey, Sheila B.)—1237(N)
Richardson, F. Frank (see Berg, Otto E.)—1333
Richardson, James T. and Stanford S. Toups. High temperature reactor for electron spin resonance cavities—185(N)
Ricker, G. R., Jr. and J. J. Gomes. Pulse risetimes in proportional counters—227
Riemer, W. An evaporation source for decrepitating materials—1642(N)
Rikmenspoel, Robert (see Tupper, Joseph T.)—851(N)
Ritz, V. H. (see Williams, R. T.)—1361(N)
Roach, T. Coaxion—a new ion source—179(N)
Roberts, James A. An improved microwave spectrometer for linewidth measurements—935
Robertson, S. L. (Babb, S. E., Jr.)—670
Robbins, R. R. and D. H. Weitzel. An automated resilience apparatus for polymer studies from −196 to +180°C—1014
Robichaux, J. E., Jr. and A. C. Anderson. Modified Speer resistors for use as low temperature thermometers—1512(N)
Robinson, G. W. (see Haug, A.)—1439
Rode, D. L. A method for determining the frequency response of a laser—506(N)
Rodeback, G. W. (see Bush, T. O.)—1531
Rodgers, W. E. (see Young, W. S.)—1346(N)
Rodgers, Wayne E. (see Winicur, Daniel H.)—1192
Rogers, T. G. (see Bell, J. T.)—985
Roldan, R. Rapid scan spectroscopy with a refractor plate as the scanning device—1388
Rom, A. M. (see Bell, J. T.)—985
Romo, P. C. (see Johnston, W. V.)—1285
Roper, J. G. (see Shinghal, R. P.)—493(N)
Rose, T. L. (see Herman, Z.)—538
Rosenbaum, Ralph L. Some low temperature thermometry observations—577
Ross, Dennis K. (see McCall, Richard C.)—363(N)
Ross, Philip D. (see Clem, Thomas R.)—1273
Roth, Niles. Liquid filled adjustable optical analog of the human eye—1214

——. Misalignment sensing applied to monitoring of angular deflection—1509(N)
Rubin, L. G. (see Caskey, G. R.)—1280
Rudnick, S. J., J. J. English, and R. H. Howard. Highly stable high-rate discriminator for general use in nuclear counting applications—9
—— (see Porges, K. G.)—1
Rush, Stephen K. (see Ingels, Neil B., Jr.)—487
Russell, J. C. (see Vanderborgh, N. E.)—1500(N)
Ryan, E. A. and J. J. Jackson. Calorimeter for simultaneous measurements of stored energy and resistance—1580
Rynn, N. A method for uniformly heating a metallic surface in a vacuum—1650(N)

S

Sadak, J. C. (see Chen, E. S.)—1325
Sadowski, M. Spherical multipole magnets for plasma research—1545
Sage, B. H. (see Reamer, H. H.)—183(N)
Sakudo, Noriyuki (see Hayashi, Tomonao)—190(E), 923
Salop, A., D. E. Golden, and H. Nakano. Improvement of energy resolution in Hughes-McMillen 127° electrostatic energy selector—733(N)
Samson, James A. R. Line broadening in photoelectron spectroscopy—1174
Samuelson, Gary L. and David C. Ailion. Low cost high linearity solid state digital double boxcar—676
——. Low cost integrated circuit versatile pulse and frequency counter—681
Santochi, Orestes R. (see Iglesias, Guillermo E.)—1291
Sauer, W. E. and R. J. Reynik. Zero point calibration technique for Mössbauer spectroscopy—360(N)
Saunders, Bernard. Processing nuclear emulsions for x-ray and γ-ray spectrographs—26
Sautter, F. K. (see Chen, E. S.)—1325
Schaafsma, Tjeerd J. (see Plachy, William Z.)—1590
Schaefer, D. L. A technique for evaporating films of alloys of III-V compounds by a three-temperature method—1649(N)
Schlag, E. W. (see Borne, T. B.)—1496(N)
Schlein, Helmar and Mitchel Shen. Computerized acoustic spectrometer for polymeric solids at low temperatures—587
Schlosser, W. F. and R. H. Munnings. Thermistors as temperature sensors at 4.2 K and the effect of a magnetic field—1359(N)
Schmidt, Conrad. Measurement of atomic and molecular beam intensities with a torsion balance—1327
Schmidt-Bleek, F., G. Ostrom, and S. Datz. "Hot" atomic halogen beams from sputtering of silver halides—1351(N)
Schmunk, R. E. (see Bezdek, H. F.)—1397
Schnatterly, S. E. (see Jasperson, S. N.)—761
Schoen, N. (see Kanofsky, A.)—921
Schowengerdt, F. D. (see Park, John T.)—753
Schreiber, Edward (see Spetzler, Hartmut)—179(N)
Schrötter, H. W. (see Topp, J. A.)—1164
Schulte, E. H. and R. F. Kohl. Low temperature high sensitivity temperature compensated heat flux sensor—1420
Schultz, J. M. (see Kavesh, S.)—98
Schultz-DuBois, E. O. (see Helmke, G. E.)—1622
Schwaneke, A. E. and R. W. Nash. An improved torsion pendulum for measuring internal damping—1450
Sclar, C. B. (see Freud, P. J.)—434
Scott, G. J. (see Babb, S. E., Jr.)—670
Scott, W. W., Jr. (see Frederick, N. V.)—1240(N)
Scudder, J. K. (see Grader, R. J.)—1160
Seitz, M. A., R. T. McSweeney, and W. M. Hirthe. A technique for determining the dielectric behavior of high conductivity metals—826
Sellmyer, D. J. (see Caskey, G. R.)—1280
Senter, James P. Magnetic densimeter utilizing optical sensing—334
Senturia, Stephen D. (see Adler, Michael S.)—1481
Shaanan, M. (see Maydan, D.)—218
Shair, F. H. (see Remer, D. S.)—968(N)
Shand, M. L. Apparatus for measuring frequency derivatives of dielectric functions of surfaces—768
Shapira, Y. (see Neuringer, L. J.)—1314
Sharma, B. D. (see Gruber, E. E.)—1429
Shaver, P. J. Bimetal strip hydrogen gas detectors—901
Shaw, Steven A. (see Lang, Sidney B.)—274
Shealey, David L. (see Hurlock, S. C.)—927
Sheffield, G. S. and J. V. Hamme. A source of error in hot filament, inert gas purity measurements—1341(N)
Shen, Mitchel (see Schlein, Helmar)—587
Shepertycki, T. H. (see Cairns, F. V.)—113
Sheridan, J. R. Absolute calibration of photometric systems without an optical standard—358(N)
Shernoff, Donald I. Mercury lamp for optical pumping—1418
Shtrikman, S. and S. Somekh. Mössbauer spectroscopy with monochromatic circularly polarized radiation—1151
Sihvonen, Y. T. Analysis and performance of a split-detector spot analyzer—1202
Silverberg, Eric C. An inexpensive multichannel scaler with channel widths of less than 1 μsec—1503(N)
Silversmith, Donald J. (see Chung, D. H.)—718
Simms, P. C. A sum-delay amplifier and gate generator—285
Singhal, R. P., J. G. Roper, H. B. Knowles, and S. M. Bunch. High frequency Van de Graaff ion source kinematics—493(N)
Skibowski, Mr. (see Feuerbacher, B.)—305
Smee, K. A. (see Harris-Lowe, R. F.)—725(N)
Smiriga, Stephen R. and John E. Hearst. Electronic speed control for the Beckman model E analytical centrifuge—233
Smith, D. S. and E. S. Starkman. Spectroscopic method for simultaneous determination of species concentration and temperature in a cyclic combustion process—1541
Smith, G. C. Photo-Hall measurement by an improved Redfield method—1504
Smith, Henry I. Method for fabricating high frequency surface wave transducers—729(N)
Smith, James P. (see Reid, Lee R.)—316
Smith, W. C. and D. R. Torgeson. Simplified instrumentation for tone-burst measurements of nuclear spin-lattice relaxation times—583
Smy, P. R. (see Mikoshiba, S.)—1187
Snowden, D. P. (see Naber, J. A.)—1137
Snyder, Donald D. (see Ludeman, Robert R.)—511(N)
Snyder, H. A. Rotating cylinder viscometer—992
Sobel, Alan. Analog manipulation of fast, repetitive waveforms by sampling techniques—1254(N)
Solomon, A. A. New techniques and apparatus for examining the elevated temperature deformation of metals—1025
Solomon, J. S. and W. L. Baun. A cold cathode soft x-ray source—1458
Solomons, C. (see White, M. S.)—339
Somekh, S. (see Shtrikman, S.)—1151
Sousa, John A. and Richard A. Kashnow. Photochromic paper for imaging ultraviolet laser pulses—966(N)
Spall, W. D. (see Vanderborgh, N. E.)—1500(N)
Spedding, F. H. (see Gray, W. J.)—1427
Spencer, William R. and Thomas R. Cass. Wire-slicing attachment modification for the Servomet spark machine—509(N)
Speth, A. A simply instrumented means of displaying magnetic contrast in the scanning electron microscope—1636(N)
Sperli, F. (see Egidi, A.)—88
Spetzler, Hartmut (see Ahrens, Thomas J.)—354
——, **Edward Schreiber, and David Newbigging.** Leak detection in high presure gas system—179(N)

Sprenkle, E. (see van Someren, L.)—56
St. Pierre, Leon E. (see Tanny, Gerald)—957(N)
Staerk, Hubertus (see Duffey, Donald)—789
Stark, W. A., Jr. (see Jura, G.)—656
Starkman, E. S. (see Smith, D. S.)—1541
Stedman, R., L. Almqvist, G. Raunio, and G. Nilsson. New crystal spectrometer for neutrons—249
Stein, Gilbert D. Design of a multipurpose wind tunnel—1058
Stein, Roy (see Newman, David S.)—246
Stenerhag, B., S. K. Händel, and B. Göhle. Flash radiography using exploding wire technique—563
Stenzel, R. L. and R. W. Gould. Afterglow plasma diagnostics with a microwave sampling radiometer—1461
Stevenson, F. R. and D. J. Gaunter. Characteristics of composite carbon resistors used for measuring accelerator terminal voltages—140
Stoffels, J. J. and C. R. Lagergren. A sliding-shaft vacuum lock for a mass spectrometer—1288
Stone, Eliot (see Carlson, Carl O.)—941
Strain, R. J. (see Jayson, J. S.)—956(N)
Straty, G. C. Bellows-sealed valve for reactive gases at moderately high pressures—378(N)
—— **and E. D. Adams.** Highly sensitive capacitive pressure gauge—1393
Streeter, J. K., W. W. Hunt, Jr., and K. E. McGee. Secondary electron yield vs primary energy for commercial coated-glass resistance strips—307
Ström, Lars. The generation of monodisperse aerosols by means of a disintegrated jet of liquid—778
Stromberg, H. D. (see Abey, A. E.)—557
Stubblefield, C. T. A 200 ml solution calorimeter with semiautomatic adiabatic control—456
Suárez, Carlos B. A low pressure arc source of simple design—1505(N)
Sullivan, John H. Cryostat for photochemical reactions in the gas phase—1347(N)
Sveum, M. E. and P. E. Bramson. A live time controlled scanning rate for a whole body counter—1616
Sweger, D. M. (see Evans, J. P.)—376(N)
Swigart, J. I. (see Howlett, L. C.)—28
Swingler, D. L. A low pressure ionization gauge—1552
Swisher, R. L. (see Frank, L. A.)—685

T

Taggart, R. (see Larson, Jay M.)—1338(N)
Tan, Z. C. Tunnel diode-transistor twisted ring counter—585
Tanny, Gerald, Gerald J. Trudel, and Leon E. St. Pierre. A miniaturized stress relaxation apparatus for use in radiation fields—957(N)
Taylor, Donald J. A current-to-frequency converter for astronomical photometry—559
Taylor, N. J. Resolution and sensitivity considerations of an Auger electron spectrometer based on display LEED optics—792
Taylor, R. E. (see Finch, R. A.)—1195
Tebay, E. S. (see Wu, Jin)—1209
Tesk, J. A. (see Gruber, E. E.)—1429
Theodoridis, George C. and Frank R. Paolini. The angular response of spherical plate electrostatic analyzers—621
Theiede, R. A. (see Kulcinski, G. L.)—214
Thomas, A. D., Jr. (see Thornton, J. S.)—1250(N)
Thomas, Richard A. (see Mode, V. Alan)—1241(N)
Thompson, B. C. and A. W. Nolle. Waveguide window and nonmetallic vacuum can for low temperature EPR—374(N)
Thompson, Noël P. (see Ingels, Neil B., Jr.)—487
Thompson, R. (see Gill, D.)—109
Thomson, William J. and Gordon R. Bopp. The effect of variable fluid properties on the sensitivity of MHD flowmeters—1609
Thornton, J. S., J. B. Whitworth, and A. D. Thomas, Jr. A system for neutron damage rate measurements in liquid nitrogen—1205(N)
Tiernan, T. O. (see Miller, C. D.)—503(N)
Tim, Dietrich and John E. Willard. Temperature control for ESR measurements in the 10 to 80 K range—848(N), 1516(E)
Timmerhaus, K. D. (see Lang, Sidney B.)—274
Tindall, W. E. (see Grader, R. J.)—1160
Tobias, C. W. (see Beach, K. W.)—1248(N)
Tobin, P. J. (see Goldstein, I. S.)—172(N)
Tomlinson, F. K. Construction and performance of high resolution silicon surface barrier detectors—497(N)
Tompson, Clifford W. and Leemer Cernolovek. Cyrogenic liquid level detector—963(N)
Tong, Henry and Warren H. Giedt. Radiographs of the electron beam welding cavity—1283
Toor, A. (see Harri, J.)—703
Topp, J. A., H. W. Schrötter, H. Hacker, and J. Brandmüller. Improvement of the signal-to-noise ratio of photomultipliers for very weak signals—1164
Torgeson, D. R. (see Smith, W. C.)—583
Toups, Stanford S. (see Richardson, James T.)—185(N)
Tracy, J. C. Simple dc offset waveform generator—1343(N)
Travnicek, E. A. and L. T. Fan. A modified microinterferrometric technique for measurement of diffusion coefficient of liquids—930
Trenouth, J. M., Mary Grzedzielski, and A. J. Bosik. A high temperature cyclic oxidation apparatus—596(N)
Trindade, A. R. (see Delcroix, J. L.)—1555
Trodahl, H. J. Peltier measurement below 4 K—648
Trudel, Gerald J. (see Tanny, Gerald)—957(N)
Tulin, M. P. (see Wu, Jin)—1209
Tupper, Joseph T. and Robert Rikmenspoel. Piezoelectric driving device for glass capillary microelectrodes—851(N)
Turner, E. M. (see Cutnell, J. D.)—908
Tyler, Charles E. A light pulse demodulator with large bandwidth and high sensitivity—1466

U

Uglum, J. R., S. E. Graybill, and S. V. Nablo. Pulsed field emission cathode emittance measurements—1413
Underwood, J. H. An improved collimator for extreme ultraviolet and x rays—894
Uy, J. C. (see McCann, D. R.)—966(N)

V

Vajda, P. and J. Lori. Low temperature setup for electron irradiation and subsequent photoconductivity studies of semiconductors—690
van den Boom, Millimeter-wave electron spin resonance spectrometer with homodyne detection—550
Vanderborgh, N. E., W. D. Spall, and J. C. Russell. A cell for measurement of ultrasonic absorption in liquids—1500(N)
van der Does de Bye, J. A. W. Quantum efficiency measurements using a 2π-geometry elliptic mirror—320
Van Dilla, M. A. (see Mullaney, P. F.)—1029
Van Geet, Anthony L. Temperature measurement in nuclear magnetic resonance with a spinning thermistor—177(N)
Van Loon, L. S. (see Lewis, Robert N.)—698
van Montfoort, J. (see Knoepfel, H.)—60
van Someren, L. and E. Sprenkle. Goniometer for partial pole figure determination on cylindrical specimens—56
Vaughan, W. E. (see Cutnell, J. D.)—908
Venegas, Carlos M. and Leonard Finegold. Simple, inexpensive liquid helium temperature controller, using integrated semiconductor circuits—159

Verster, T. C. Dual transistor as thermometer probe—174(N)
Volkar, M. A. and R. L. Wolke. The preparation and measurement of very thin VYNS films—849(N)

W

Waggoner, A. P. (see Fourney, M. E.)—205
Wagstaff, F. E. and R. J. Charles. Device for electrical conductivity measurements of glasses during heating and cooling—709
Wåhlin, Lars (see Menzinger, Michael)—102
Waksberg, A. and J. Wood. Noise power spectrum characteristics for an He–Ne laser operating under various discharge conditions—1306
—— **and J. I. Wood.** A method for measuring phase jitter statistics for very high repetition rate pulses—1513(N)
Waldorf, D. and M. Yaquib. A large desorption cryostat for resistivity measurements between 1.2 and 19 K—1032
Warren, W. H., Jr. and W. G. Bader. Superconductivity measurements in solders commonly used for low temperature research—180(N)
Warshaw, Stephen I. Nonrelativistic nuclear reaction kinematic crossover angles—37
Wasa, Kiyotaka and Shigeru Hayakawa. Low pressure sputtering system of the magnetron type—693
Wasley, Richard J., Kenneth G. Hoge, and John C. Cast. Combined strain gauge–quartz crystal instrumented Hopkinson split bar—889
Wasserburg, G. J., D. A. Papanastassiou, E. V. Nenow, and C. A. Bauman. A programmable magnetic field mass spectrometer with on-line data processing—288
Waxman, Meyer (see Davis, Harry A., Jr.)—1238(N)
Wei, Pax S. P. and Aron Kuppermann. Instrumental effects in a retarding field energy analyzer—783
Wei, P. S. P., A. Y. Cho, and C. W. Caldwell. Instrumental effects of the retarding grids in a LEED apparatus—1075
Weil, Kurt (see Driller, Jack)—1643(N)
Weiner, Melvin M. Analysis of Cockcroft–Walton voltage multipliers with an arbitrary number of stages—330
Weir, C. E., G. J. Piermarini, and S. Block. Instrumentation for single crystal x-ray diffraction at high pressures—1133
Weiss, K. (see Huber, J. R.)—1103(N)
Weisser, David C. and Russell K. Hobbie. Thin lithium targets sealed in nickel for low oxygen contamination—683
Weissman, Richard. Quasilog scaler—1586
Weitz, W. E., Jr. (see Grismore, R.)—642
Weitzel, D. H. (see Robbins, R. R.)—1014
Wells, Oliver C. Investigation of electron-optical systems by scanning electron microscopy—1246(N)
Wendt, H. R. (see Jona, F.)—1172
Wenzel, R. G. and G. P. Arnold. Measurement of refractive index of small liquid specimens in capillaries—1355(N)
West, Estal D. and Shigeru Ishihara. Experimental evaluation of heater error in calorimetry—1356(N)
Westmore, J. B. (see Reichert, C.)—1515(N)
Wetzels, W. and A. Alfs. Double giant pulse ruby laser with extended coherence length for holography—1642(N)
Wheatley, J. C. (see Black, W. C.)—846(N)
—— (see Mota, A. C.)—379(N)
Whetten, N. R. (see Dawson, P. H.)—1444
White, Kevin J. (see May, Ingo W.)—1639(N)
White, M. S. and C. Solomons. Linear oscillation viscometer—339
White, W. (see Mueller, R. M.)—1646(N)
Whitney, W. T. (see Peele, J. R., Jr.)—1114(N)
Whitworth, J. B. (see Thornton, J. S.)—1250(N)
Whitsett, Charles R. and Myron C. Ley. Goniometer sample mount for orienting and machining single crystals—164(N)
Widman, R. P. (see Huber, J. R.)—1103(N)
Wilbur, R. L. Instrument for the measurement of surface tensions of aqueous surfactant solutions—355
Wilchinsky, Zigmond. Pole figure integrator—592
Wilkening, D. (see Kreitman, M.)—1141
Wilkerson, T. D. (see Zwally, H. J.)—1492
Williams, R. T., R. G. Fuller, M. N. Kabler, and V. H. Ritz. Spectrophotometric system for transient observation of solids under pulsed electron irradiation—1361(N)
Williams, W. L. (see Fry, E. S.)—1141
Williamson, R. C. Measurement of the velocity and attenuation of ultrasonic pulses in the presence of noise—666
Williamson, S. J. Rotatable 15 kOe superconducting Helmholtz coils—1632
Willard, John E. (see Timm, Dietrich)—848(N)
Windmiller, L. R. and J. B. Ketterson. Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. **39**, 1672 (1968)]—603(E)
Winicur, Daniel H., Wayne E. Rodgers, and Eldon L. Knuth. A metastable atom detection system for ground state atom beams—1192
Winston, Roland (see Lavoie, Louis)—1350(N)
Wisnosky, Dennis E. Triangular sawtooth sweep for NMR with provision for manual operation or time averaging—499(N)
Witkover, R. L. Pulse width modulated optical data link—469
——. High voltage capacitor bank charging through a series vacuum tube—566
Wolber, W. G., B. D. Klettke, and H. K. Lintz. Comment on "Channeltron fatigue and efficiency for protons and electrons" [A. Egidi, R. Marcomero, G. Pizzella, and F. Sperli, Rev. Sci. Instrum. **40**, 88, (1969)]—1364(L)
Wolf, E. L. and W. Dale Compton. A practical evaporator fixture for vacuum cleavage of semiconductor crystals—1497(N)
Wolfenden, A. Calibration heater for a liquid–vapor deformation calorimeter—712
Wolke, R. L. (see Volkar, M. A.)—849(N)
Wood, D. E. (see Lloyd, R. V.)—514(N)
Wood, J. (see Waksberg, A.)—1306, 1513(N)
Wolff, Ernest G. Oxide thermistor for use to 2500 K—544
Wolfgang, Richard (see Herman, Z.)—538
Wright, M. A. (see Hordon, M. J.)—1017
Wu, Jin, J. M. Lawrence, E. S. Tebay, and M. P. Tulin. A multiple purpose optical instrument for studies of short steep water waves—1209

Y

Yaquib, M. (see Waldorf, D.)—1032
Yamamoto, Kazumasa (see Hayashi, Tomonao)—1239(N)
Yayanos, A. A. A technique for studying biological reaction rates at high pressure—961(N)
Yelke, Edward (see Burns, Jay)—1236(N)
Yip, R. W. A 5 μsec dual beam flash photoelectric apparatus—1035
Young, Marvin P. An insulated, easily mounted vacuum seal for eccentric tubes—1112(N)
Young, W. S., W. E. Rodgers, and E. L. Knuth. An arc heater for supersonic molecular beams—1346(N)
Yurlina, N. (see Alfano, R. R.)—166(N)

Z

Zeman, H. D. (see Crannell, Carol Jo)—661
Zimmerman, K. G. (see Hill, V. G.)—1352(N)
Zoller, Paul and J. R. Dillinger. Low temperature specific heat (1.6 to 4 K) of six commercial aluminum alloys—776
Zorn, Jens C. (see Donnelly, Denis P.)—1242(N)
Zucker, M. S. (see Ferrari, L. A.)—925
Zwally, H. J., David W. Koopman, and T. D. Wilkerson. Development and application of a spark source for multiply charged carbon ions—1492

Analytical Subject Index to Volume 40

List of Subject Classifications

Absorption
*Accelerators: Miscellaneous
*Accelerometers
Acoustics
Adhesion
*Adhesives
*Adsorption
*Aerodynamics (see also Gas Dynamics)
Aerosols
Analog Computers
Anemometers
Astronomy
Atomic Beams (see Molecular Beams)
Atomic Collisions
*Autocollimators
*Autoradiography
Balances
*Ballistics
Batteries
Beam Injectors
Beam Monitors
*Beam Separators
*Bearings
Biophysical Instruments
Bolometers
Book Reviews
Bridges
Bubble and Cloud Chambers
*Bubbles
Calorimeters
Cameras
* Capillary Forces
Centrifuges
*Ceramics
Čerenkov Counters
Chemistry
Circuits: Amplifiers
Circuits: Coincidence and Anticoincidence
Circuits: Computing
Circuits: Current and Voltage Supply
Circuits: Measurement and control
Circuits: Miscellaneous
Circuits: Oscillator and Pulse Generator
Circuits; Pulse Height Analyzer
Circuits: Sweep
*Cloud Chambers (see Bubble and Cloud Chambers)
Coincidence Technique
Combustion
Computer Control
Computer Programs
Computing Devices and Techniques
Contact Potential
Correlation Measurements
Cosmic Rays
Counters
Creep
Cryogenics (see also Low Temperature Techniques)
Cryostats
Crystallography
Crystals
*Current Stabilizers
Cyclotron Resonance
Data Handling
Data Processing
Data Recording
Density
Dielectrics
*Diffraction Gratings
Diffusion
Diffusivity
Dilatometry
Dissociation
Drops
Electric Fields
Electrical Measurements
*Electrochemistry
*Electrolytes
Electrometers and Electrometer Circuits
Electron and Ion Optics
Electron Diffraction
Electron Energy Analyzers
*Electron Irradiation
Electron Microprobes
Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)
Electron Multipliers
Electron Paramagnetic Resonance
Electron Sources
Electron Spin Resonance
*Electron Temperature
*Electron Tubes
Electrophoresis
Electroplating
Emissivity
Emulsions
Energy Losses
*Energy Storage
*Energy Transfer
†Errata
*Ettingshausen Cooling
Evaporation (see also Films)
*Evaporators
*Excited States
Exploding Wires
Explosives
*Faraday Effect
*Fatigue
*Ferrites
*Ferroelectric Measurements
*Fibers
Field Emission
Field Emission Microscopy (see also Electron Microscopy)
Field Ion Microscopy (see also Electron Microscopy)
Films
Filters
*Fission
*Flames
Flash Techniques
Flow Meters
Flow Studies
*Fluid Dynamics
*Fluid Mechanics
Fluids
Fluoresence and Phosphorescence
Foils
Freezing
Frequency Measurements
*Friction (see also Internal Friction)
*Fuels
Furnaces
*Gas Analysis Techniques
Gas Discharges
*Gas Dynamics (see also Aerodynamics)
Gas Handling and Measurements
Geiger–Müller Counters
*Geology
Geophysical Instruments
*Geophysics
Gravity
*Gyroscopes
Hall Effect
Heat Capacity
Heat Pulses
Heat Transfer
High Altitude Research
High Current Techniques
High Energy Techniques
*High Frequency Techniques
High Pressure Techniques (see also Pressure Techniques and Measurements)
High Speed Techniques
High Temperature Techniques
*High Vacuum Techniques
High Voltage Techniques
Holography
*Humidity
Hydrodynamics
*Hygrometry
*Hypervelocity Techniques
*Image Intensifiers
*Impulse Loading
*Industrial Hygiene
Infrared Techniques
*Insulators
Interferometry
Internal Friction
Ion Implantation
*Ion–Molecule Reactions
*Ion Optics (see Electron and Ion Optics)
Ion Sources
Ionization Chambers
Ionization Processes
*Ionosphere Measurements
*Isotope Separators
Laboratory Techniques
Lasers (see also Masers)
*Length
Light Intensity

* No entries under these headings in 1969.

† Errata to papers appearing in this volume are indexed with the papers themselves. Errata to papers published previously are listed here.

Light Modulators
Light Pipes
Light Scattering
Light Sources
*Liquefied Gases
Liquid Levels
Liquids
*Low Pressure Techniques
Low Temperature Techniques (see also Cryogenics)
Low Voltage Techniques
Lubrication
Luminescence
*Machines
*Magnetic Amplifiers
Magnetic Fields
Magnetic Lenses
*Magnetic Measurements
Magnetic Properties of Materials
Magnetic Resonance
Magnetic Suspensions
*Magnetism
Magnetohydrodynamics
Magnetometers
Magneto-Optic Effects
Magnetoresistance
Magnetostriction
Magnets (see also Superconducting Magnets)
Masers (see also Lasers)
Mass Spectrometry
Mechanics
*Memories
Metallurgy
Metals
*Metastable Ions
Meteorology
Metrology
Micromanipulators
Microscopy
Microtomes
Microwave Spectrosocpy (see also Electron Spin Resonance)
Microwave Techniques
*Millimicrosecond Techniques (see Nanosecond Techniques)
Mineralogy
Molecular Beams (see also Atomic Beams)
Molecules
Molten Salts
Mössbauer Experiments
Nanosecond Techniques
Neutron Detectors
Neutron Diffraction
Neutron Measurements
*Neutron Sources
New Instruments
New Materials and Components
Noise
*Nuclear Acoustic Resonance
*Nuclear Emulsions
Nuclear Machines: Accessories
*Nuclear Machines: Betatrons
*Nuclear Machines: Cyclotrons
Nuclear Machines: Electrostatic Accelerators
*Nuclear Machines: FFAG Accelerators
Nuclear Machines: Linear Accelerators
*Nuclear Machines: Miscellaneous
Nuclear Machines: Orbit Calculations
Nuclear Machines: Synchrontrons
Nuclear Resonance
Nuclear Spectroscopy (see also Magnetic Resonance)
Nuclear Techniques
*Oceanography
Optical Devices
Optical Instruments
Optical Properties of Materials
Optical Pumping
Optical Systems
Optical Techniques
Oscillographs and Oscilloscopes
Ozone
*Particle Accelerators (see also Nuclear Machines and Accelerators: Miscellaneous)
*Particle Beams
*Particle Collectors
Particle Counters
Particle Detectors
*Particle Production
Particle Size
*Phosphorescence (see Fluorescence and Phosphorescence)
*Phosphors
*Photocathodes
*Photocells
Photochromic Materials
Photoconductivity
*Photodiodes
Photoelectricity
Photoemission
Photogrammetry
Photography
Photolysis
Photometers
Photomultipliers
Photon Detectors
*Phototubes
Piezoelectricity
*Piezoresistance
*Planetary Science
Plasma Research
Plasmas
*Plastics
Pockels Cells
*Polarimeters
*Polarography
Polymers
*Precipitators
Pressure Techniques and Measurements (see also High Pressure Techniques)
*Projectiles
Properties of Materials
Proportional Counters
*Pulse Shaping
Pulse Techniques
*Pumps
*Purification of Materials
Radiation Damage
Radiation Detectors
Radiation Measurements
*Radiation Monitors
Radioactive Tecniques
Radiofrequency Techniques
Raman Scattering
Reactive Materials
*Recorders
Refractive Index
Refractory Materials
Safety
Sample Preparation
*Sampling Devices
Scalers
Scintillation Counters
*Scintillation Measurements
*Scintillators
Secondary Emission
*Seismographs
Semiconductors
Servos
Shock Tubes
Shock Waves
*Solid Angles
Solid State
Solid State Detectors (see also Particle Detectors)
Solid State Research
Solids
*Solutions
Space Charge
Space Research
Spark Chambers
Sparks
Specific Heat
Spectrophotometry
*Spectroscopy: Beta Ray
*Spectroscopy: Crystal
*Spectroscopy: Electron Absorption
*Spectroscopy: Electron Paramagnetic
Spectroscopy: Gamma Ray
Spectroscopy: Infrared
Spectroscopy: Magnetic
*Spectroscopy: Mass (see Mass Spectrometry)
*Spectroscopy: Microwave (see Microwave Spectroscopy)
Spectroscopy: Neutrons
*Spectroscopy: Nuclear (see Nuclear Spectroscopy)
Spectroscopy: Optical
*Spectroscopy: Raman
Spectroscopy: Scintillation
Spectroscopy: Ultraviolet
Spectrum Analyzers
Sputtering
*Statistics
Strain
Strain Gauges
*Stress Analysis
Superconducting Magnets
Superconductivity
Supersonic Flow
Surface Ionization
*Surface Phenomena
Surface Tension
Surfaces
Teaching Aids
Telemetry
*Temperature Jump
Temperature Measurements and Control
*Textiles
Theory
*Thermal Analysis
Thermal Conductivity
*Thermal Diffusion
*Thermal Expansion

*No entries under these headings in 1969.

Thermistors
Thermodynamics
Thermoelectricity
Thermoluminescence
Thermometry
*Thermostats
*Thickness Gauges
Time Measurements
*Torque
Transducers
Transistors
*Triboelectricity
Ultrasonics
Ultraviolet Techniques
Vacuum Gauges
Vacuum Pumps
Vacuum Techniques
*Vapor Pressure
Velocity Selectors
Vertical Sensors
Vibrations
Viscosity
*Volume
Waveforms
*Weighing
Welding
*Whiskers
Wind Tunnels
Work Functions
*Xerography
X-Ray Diffraction
X-Ray Techniques
X-Ray Tubes

*No entries under these headings in 1969.

In cases of more than one article per subject category the articles are entered in order of appearance in the Journal. (N) refers to Notes, (E) refers to Errata, and (L) refers to Letters to the Editor.

Absorption

Pulse radiolysis apparatus for monitoring at 2000 Å, H. C. Christensen, G. Nilsson, P. Pagsberg, and S. O. Nielson—786

A double beam spectrophotometer for the direct measurement of integrated absorption lines, Donald R. Nicol—1300

A cell for measurement of ultrasonic absorption in liquids, N. E. Vanderborgh, W. D. Spall, and J. C. Russell—1500(N)

Acoustics

Computerized acoustic spectrometer for polymeric solids at low temperatures, Helmar Schlein and Mitchell Shen—587

Adhesion

High vacuum adhesion test apparatus, M. J. Hordon and M. A. Wright—1017

Aerosols

Aerosol size and velocity determination via holography, M. E. Fourney, J. H. Matkin, and A. P. Waggoner—205

The generation of monodisperse aerosols by means of a disintegrated jet of liquid, Lars Ström—778

Analog Computers

Curve resolver for mixtures of damped sine waves, C. D. Moore and J. H. Halmberg—770

Anemometers

Temperature compensated linearizer for hot-wire anemometer, Leslie S. G. Kovasznay and René Chevray—91

Nonlinear control theory for constant-temperature hot-wire anemometers, Peter Freymuth—258

Astronomy

Unattended controller for a frequency synthesizer, F. V. Cairns and T. H. Shepertycki—113

Pulse risetimes in proportional counters, G. R. Ricker, Jr. and J. J. Gomes—227

Multiscaler analysis for periodic signals incommensurate with the timing signal, P. Horowitz—369(N)

A current-to-frequency converter for astronomical photometry, Donald J. Taylor—559

Atomic Beams (see also Molecular Beams).

Production of a 2^3S helium beam, E. S. Fry and W. L. Williams—1141

A metastable atom detection system for ground state atom beams, Daniel H. Winicur, Wayne E. Rodgers, and Eldon L. Knuth—1192

Regulation of atomic hydrogen flow with a platinum wire detector, Douglas Brenner—1234(N)

Detection of metastable atoms and molecules with continuous channel electron multipliers, Denis P. Donnelly, John C. Pearl, Richard A. Heppner, and Jens C. Zorn—1242(N)

Measurement of atomic and molecular beam intensities with a torsion balance, Conrad Schmidt—1327

"Hot" atomic halogen beams from sputtering of silver halides, F. Schmidt-Bleek, G. Ostrom, and S. Datz—1351(N)

A graphical method for calculating intensities of space-focused atomic and molecular beams, Thomas C. English and Thomas F. Gallagher, Jr.—1484

Velocity selection of metastable hydrogenic atoms, Joel I. Gersten—1509(N)

Design and analysis of a high intensity fast oxygen atom source, David R. Miller and Dan F. Patch—1566

Atomic Collisions

Design and operation of an atomic hydrogen target for precision scattering cross section measurements, James E. Bayfield—869

Measurement of large angle atomic scattering using axially symmetric magnetic fields, T. O. Bush, O. Heinz, G. W. Rodeback, and C. J. Cook—1531

Balances

Oscillating fiber microbalance, Harvey Patashnick and Curtis L. Hemenway—1008

An apparatus for measuring stress in thin films, E. Klokholm—1054

Accurate temperature measurements on a microbalance suspension by inductive coupling, H. W. Dail and G. S. Knapp—1086

Measurement of atomic and molecular beam intensities with a torsion balance, Conrad Schmidt—1327

Areal densities of stress producing films measured by quartz crystal microbalance, R. M. Mueller and W. White—1646(N)

Batteries

State of charge measurement of nickel-cadmium batteries, N. Latner—364(N)

Beam Injectors

Pulsed field emission cathode emittance measurements, J. R. Uglum, S. E. Graybill, and S. V. Nablo—1413

Beam Monitors

A high energy electron beam monitor, Carol Jo Crannell, Hall Crannell, and H. D. Zeman—661

A metastable atom detection system for ground state atom beams, Daniel H. Winicur, Wayne E. Rodgers, and Eldon L. Knuth—1192

Beam scanner, John H. Ormrod—1247(N)
Measurement of atomic and molecular beam intensities with a torsion balance, Conrad Schmidt—1327

Biophysical Instruments

Device which separates minute particles according to electronically sensed volume, Mack J. Fulwyler, Robert B. Glascock, and Richard D. Hiebert—42
Multipurpose phosphoroscopic instrument for the study of phosphorescence, induction of fluorescence, and absorbance change of turbid biological materials, Mitsuo Nishimura, Victor Legallais, and Dieter Mayer—271
Magnetic densimeter utilizing optical sensing, James P. Senter—334
Instrument for the measurement of surface tensions of aqueous surfactant solutions, R. L. Wilbur—355
Analytic stop motion stereo photogrammetry, Neil B. Ingels, Jr., Stephen K. Rush, and Noël P. Thompson—487
A differential emissivity calorimeter, B. H. Barkalow and K. M. Baldwin—535
An energetic model for rapid mixing, Donald Duffey and Hubertus Staerk—789
Piezoelectric driving device for glass capillary microelectrodes, Joseph T. Tupper and Robert Rikmenspoel—851(N)
A technique for studying biological reaction rates at high pressure, A. A. Yayanos—961(N)
Cell sizing: A light scattering photometer for rapid volume determination, P. F. Mullaney, M. A. Van Dilla, J. R. Coulter, and P. N. Dean—1029
Effect of transducer length on volume measurement by electric sensing zone instruments, R. J. Harvey—1111(N)
Liquid filled adjustable optical analog of the human eye, Niles Roth—1214
A differential adiabatic microcalorimeter for the study of heats of transition in solution, Thomas R. Clem, Robert L. Berger, and Philip D. Ross—1273
A live time controlled scanning rate for a whole body counter, M. E. Sveum and P. E. Bramson—1616
An adjustable relief valve, Jack Driller and Kurt Weil—1643(N)

Bolometers

Bolometer power detector for a spectrum analyzer, Robert H. Katyl—502(N)

Book Reviews

Low Noise Microwave Amplifiers by H. N. Daglish, J. G. Armstrong, J. C. Walling, and C. A. P. Foxell—reviewed by John W. Findlay—1366

Bridges

Low frequency bridge for guarded three-terminal and four-terminal measurements of admittance, John G. Berberian and Robert H. Cole—811
A technique for determining the dielectric behavior of high conductivity metals, M. A. Seitz, R. T. McSweeney, and W. M. Hirthe—826
A "sampled-continuous wave" ultrasonic technique and spectrometer, J. G. Miller and D. I. Bolef—915
Cryogenic liquid level detector, Clifford W. Tompson and Leemer Cernolovek—963(N)

Bubble and Cloud Chambers

Reconstruction of fiducial marks and cameras utilizing simultaneously all the photographs available, Pietro Negri—148
A 500 liter hydrogen bubble chamber, I. A. Pless, B. M. Bailey, R. D. Biron, G. K. Karageorge, P. Marcato, and K. B. Martin—397
A bubble chamber film measuring system employing high accuracy image plane digitizers, D. G. Hill and R. B. Palmer—878

Calorimeters

Measurement of far-infrared laser power, S. J. Martinich, C. J. Johnson, and D. P. Akitt—359(N)
A 200 ml solution calorimeter with semiautomatic adiabatic control, C. T. Stubblefield—456
A differential emissivity calorimeter, B. H. Barkalow and K. M. Baldwin—535
Calibration heater for a liquid–vapor deformation calorimeter, A. Wolfenden—712
Switch arrangement and power averaging in constant current calorimetric heating, S. S. Chang—822
A drop calorimeter with an electron beam heated furnace, D. R. Frederickson, R. Klĕb, R. L. Nuttall, and W. N. Hubbard—1022
The performance of a mechanical heat switch at low temperatures, Jack H. Colwell—1182
A differential adiabatic microcalorimeter for the study of heats of transition in solution, Thomas R. Clem, Robert L. Berger, and Philip D. Ross—1273
Experimental evaluation of heater error in calorimetry, Estal D. West and Shigeru Ishihara—1356(N)
Calorimeter for simultaneous measurements of stored energy and resistance, E. A. Ryan and J. J. Jackson—1580
Flash calorimeter for measuring triplet yields, James B. Callis, Martin Gounterman, and J. D. S. Danielson—1599

Cameras

Multiple-image objective system for a rotating-mirror camera, S. D. Gardner—116
Calibration of an image-converter streak camera, Thomas J. Ahrens and Hartmut Spetzler—354
A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829
Writing speed determination of sweeping image cameras using a photomultiplier tube calibrator, S. P. Marsh—1584

Centrifuges

Electronic speed control for the Beckman model E analytical centrifuge, Stephen R. Smiriga and John E. Hearst—233

Čerenkov Counters

A high energy electron beam monitor, Carol Jo Crannell, Hall Crannell, and H. D. Zeman—661

Chemistry

High intensity, low energy spread ion source for chemical accelerators, Michael Menzinger and Lars Wåhlin—102
An ion ejection technique for the study of ion–molecule reactions with ion cyclotron resonance spectroscopy, J. L. Beauchamp and John T. Armstrong—123
High temperature reactor for electron spin resonance cavities, James T. Richardson and Stanford S. Toups—185(N)
Two-probe direct current measurement of fused salt conductance, David S. Newman and Roy Stein—246
Magnetic densimeter utilizing optical sensing, James P. Senter—334
Linear oscillation viscometer, M. S. White and C. Solomons—339
A method of studying the behavior of fluid phases at high pressures and temperatures, Harro Lentz—371(N)
Bellows-sealed valve for reactive gases at moderately high pressures, G. C. Straty—378(N)
A versatile, inert atmosphere vacuum glove box, J. G. Pack and G. G. Libowitz—414

A 200 ml solution calorimeter with semiautomatic adiabatic control, C. T. Stubblefield—456
The use of a multichannel scaler in electron attachment-detachment experiments, J. L. Moruzzi and A. V. Phelps—461
A solid state ozone generator, S. Kaye and J. E. Koency—505(N)
EPR cavity for oriented single crystals in sealed tubes, R. V. Lloyd and D. E. Wood—514(N)
A crossed-beam apparatus for investigation of ion–molecule reactions, Z. Herman, J. D. Kerstetter, T. L. Rose, and Richard Wolfgang—538
A high temperature cyclic oxidation apparatus, J. M. Trenouth, Mary Grzedzielski, and A. J. Bosik—596(N)
Pulse radiolysis apparatus for monitoring at 2000 Å, H. C. Christensen, G. Nilsson, P. Pagsberg, and S. O. Nielsen—786
An energetic model for rapid mixing, Donald Duffey and Hubertus Staerk—789
A 5 μsec dual beam flash photoelectric apparatus, R. W. Yip—1035
A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062
A differential adiabatic microcalorimeter for the study of heats of transition in solution, Thomas R. Clem, Robert L. Berger, and Philip D. Ross—1273
An improved laboratory stirring device, Jerome Bitz—1344(N)
Cryostat for photochemical reactions, John H. Sullivan—1347(N)
"Hot" atomic halogen beams from sputtering of silver halides, F. Schmidt-Bleek, G. Ostrom, and S. Datz—1351(N)
Molecular beam reactive scattering apparatus with electron bombardment detector, Y. T. Lee, J. D. McDonald, P. R. LeBreton, and D. R. Herschbach—1402
A laboratory apparatus for demonstrating principles of automatic control, Clyde P. Brockett and David Barham—1409
Simple, high intensity short pulse flashlamps, C. M. Ferrar—1436
Measurement of rapid photoprocesses using a modulated cw laser, A. Haug, B. E. Kohler, E. B. Priestley, and G. W. Robinson—1439
Flash calorimeter for measuring triplet yields, James B. Callis, Martin Gouterman, and J. D. S. Danielson—1599

Circuits: Amplifiers

Operational amplifier differentiator for photoemission studies: origin and control of errors, Kenneth A. Kress and Gerald J. Lapeyre—74
Wide-bandwidth logarithmic amplifier for analyzing decay kinetics, R. Ahrenkiel—78
Time variant filters for generating bipolar pulses with signal-to-noise ratios of unipolar pulses in nuclear pulse amplifiers, T. V. Blalock and C. H. Nowlin—1093
A photomultiplier and amplifier circuit for kinetic spectrophotometry, J. P. Keene, E. D. Black, and E. Hayon—1199
A versatile voltage sensitive preamplifier for use with photomultiplier tubes, E. J. Kennedy, J. T. De Lorenzo, and H. R. Brashear—1504(N)

Circuits: Coincidence and Anticoincidence

Use of a two Channeltron coincidence in a new line of research in atomic physics, U. Amaldi, Jr., A. Egidi, R. Marconero, and G. Pizzella—1001

Circuits: Computing

Operational amplifier differentiator for photoemission studies: origin and control of errors, Kenneth A. Kress and Gerald J. Lapeyre—74
Wide-bandwidth logarithmic amplifier for analyzing decay kinetics, R. Ahrenkiel—78
Temperature compensated linearizer for hot-wire anemometer, Leslie S. G. Kovasznay and René Chevray—91
Instrumentation for analog differentiation at low frequencies, R. Chapman—95, 738(E)
Simultaneous, local measurement of two magnetic field components and the sum of their squares, I. R. Jones, J.-M. Peiry, and D. Cocq—133
Some logarithmic properties of photomultipliers, D. Maydan and M. Shaanan—218
A binary current integration logic, J. E. Parks, G. S. Hurst, and H. F. Holzer—496(N)
A logarithmic electrometer for space flight application, W. T. Chater—529
Summing amplifier, Cassimer M. Kukla—598(N)

Circuits: Current and Voltage Supply

Analysis of Cockroft-Walton voltage multipliers with an arbitrary number of stages, Melvin M. Weiner—330
Lightweight regulated end point H. V. capacitor charging supply, J. Pfau—1243(N)
Constant current supply with high reproducibility for low temperature specific heat measurements, D. H. Lowndes, Jr. and Leonard Finegold—1252(N)
A constant current source for manganin gauge transducers, Dennis E. Grady—1399

Circuits: Measurement and Control

Unattended controller for a frequency synthesizer, F. V. Cairns and T. H. Shepertycki—113
Automatic distortionless control of magnetic field modulation, Russell J. Jirberg—173(N)

Circuits: Miscellaneous

Highly stable high-rate discriminator for general use in nuclear counting applications, S. J. Rudnick, J. J. English, and R. H. Howard—9
True random ratemeter with automatic dead-time correction for duty factors up to 99%, A. J. Metz and R. H. Howard—16
Electronic speed control for the Beckman model E analytical centrifuge, Stephen R. Smiriga and John E. Hearst—233
A sum-delay amplifier and gate generator, P. C. Simms—285
Triangular sawtooth sweep for NMR with provision for manual operation or time averaging, Dennis E. Wisnosky—499(N)
A current-to-frequency converter for astronomical photometry, Donald J. Taylor—559
High voltage capacitor bank charging through a series vacuum tube, R. L. Witkover—566
Simplified instrumentation for tone-burst measurements of nuclear spin–lattice relaxation times, W. C. Smith and D. R. Torgeson—583
Tunnel diode–transistor twisted ring counter, Z. C. Tan—585
Low cost high linearity solid state digital double boxcar, Gary L. Samuelson and David C. Ailion—676
Low cost integrated circuit versatile pulse and frequency counter, Gary L. Samuelson and David C. Ailion—681
Automatic electropolisher for copper, D. A. Lindholm—1105(N)
Application of a variable resistance to arrest oscillations in a pulsed capacitor discharge, Daht Yu Cheng—1153
Wide range pulse height discriminator with low power drain, Ciro A. Cancro and Norman M. Garrahan—1360(N)
A light pulse demodulator with large bandwidth and high sensitivity, Charles E. Tyler—1466

An inexpensive multichannel scaler with channel widths of less than 1 μsec, Eric C. Silverberg—1503(N)
A two-transistor Geiger-Müller counter quench circuit, K. Matthews—1511(N)

Circuits: Oscillator and Pulse Generator

Simple low-impedance high-voltage coaxial transmission line pulser, R. R. Alfano and N. Yurlina—166(N)
Some logarithmic properties of photomultipliers, D. Maydan and M. Shaanan—218
Lumped element line generators to produce pulsed sinusoidal oscillations in the gigawatt range, A. Lietti—473
A generator for swept voltage waveforms up to ±5 kV, J. M. Firth—500(N)
Thermistor thermometer for linearized magnetic recording and telemetry, Yosef Alon and Malkiel Jonas—646
A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829
An improved transistor marginal oscillator, Shih-yu Feng—963(N)
Photon coupling for the low frequency modulation of high voltage oscillators, Arnold M. Falick and Rollie J. Myers—1349(N)
Double giant pulse ruby laser with extended coherence length for holography, W. Wetzels and A. Alfs—1642(N)

Circuits: Pulse Height Analyzer

Ultrasonic pulse-echo attenuation comparator, R. B. Hemphill—175(N)
Wide range pulse height discriminator with low power drain, Ciro A. Cancro and Norman M. Garrahan—1360(N)
An inexpensive multichannel scaler with channel widths of less than 1 μsec, Eric C. Silverberg—1503(N)

Circuits: Sweep

Simple dc offset waveform generator, J. C. Tracy—1343(N)

Coincidence Technique

Mobile telescope for examining vertical intensity of cosmic ray fluxes, G. Allen MacGregor and Raymond G. D'Arcy—237
Absolute calibration of photometric systems without an optical standard, J. R. Sheridan—358(N)

Combustion

Spectroscopic method for simultaneous determination of species concentration and temperature in a cyclic and combustion process, D. S. Smith and E. S. Starkman—1541

Computer Control

Computer control of the analyzing magnet of an MP tandem Van de Graaff accelerator, Clark Bergman and Russell K. Hobbie—1079

Computer Programs

A bubble chamber film measuring system employing high accuracy image plane digitizers, D. G. Hill and R. B. Palmer—878

Computing Devices and Techniques

New method for rapid and accurate measurement of decay time constants, A. Bernalte and J. LePage—71
Reconstruction of fiducial marks and cameras utilizing simultaneously all the photographs available, Pietro Negri—148
Some logarithmic properties of photomultipliers, D. Maydan and M. Shaanan—218
Analog computer for calculation of second moments in NMR, A. A. V. Gibson and R. E. Raab—410
Considerations in the packaging of analog-digital converters, Charles Erwin Cohn—512(N)
Pole figure integrator, Zigmond Wilchinsky—592
A bubble chamber film measuring system employing high accuracy image plane digitizers, D. G. Hill and R. B. Palmer—878
Phase-plane method of exponential waveform measurement, Tony Huen—1067
Analog manipulation of fast, repetitive waveforms by sampling techniques, Alan Sobel—1254(N)
Quasilog scaler, Richard Weissman—1586
Plasma parameter slide rule, D. R. Nordlund and O. P. Breaux—1618

Contact Potential

Work functions of conductive coatings on glass, Jay Burns and Edward Yelke—1236(N)

Correlation Measurements

Broad band correlation measurements with an *x*–*y* 'scope, T. H. Jensen and R. W. Moore—772

Cosmic Rays

Mobile telescope for examining vertical intensity of cosmic ray fluxes, G. Allen MacGregor and Raymond G. D'Arcy—237
A rocket borne scintillation spectrometer for observing cosmic x rays, J. Harri, M. McGee, and A. Toor—703
A two-transistor Geiger-Müller counter quench circuit, K. Matthews—1511(N)

Counters

Live-timer method of automatic dead-time correction for precision counting, K. G. Porges and S. J. Rudnick—1
True random ratemeter with automatic dead-time correction for duty factors up to 99%, A. J. Metz and R. H. Howard—16
Tunnel diode-transistor twisted ring counter, Z. C. Tan—585
Low cost integrated circuit versatile pulse and frequency counter, Gary L. Samuelson and David C. Ailion—681
A live time controlled scanning rate for a whole body counter, M. E. Sveum and P. E. Bramson—1616

Creep

High temperature continuous creep measuring apparatus, E. S. Chen, J. C. Sadak, and F. K. Sautter—1325

Cryogenics (see also Low Temperature Techniques)

Thermal contact to the mixing chamber of a dilution refrigerator, A. C. Mota and J. C. Wheatley—379(N)
^{4}He film flow suppressing evaporator for a dilution refrigerator, W. C. Black, E. C. Hirschkoff, A. C. Mota, and J. C. Wheatley—846(N)
The performance of a mechanical heat switch at low temperatures, Jack H. Colwell—1182
A single charge ^{3}He-^{4}He dilution refrigerator, P. R. Critchlow, R. A. Hemstreet, and C. T. Neppell—1381

Cryostats

Low temperature setup for electron irradiation and subsequent photoconductivity studies of semiconductors, P. Vajda and J. Lori—690
A large desorption cryostat for resistivity measurements between 1.2 and 19 K, D. Waldorf and M. Yaquib—1032
Cryostat for photochemical reactions, John H. Sullivan—1347(N)
Cryostat-spectrometer system for precision measurement of lattice parameters of irradiated materials, E. E. Gruber, T. H. Blewitt, J. A. Tesk, B. D. Sharma, and R. E. Black—1429

Crystallography

Goniometer for partial pole figure determination on cylindrical specimens, L. van Someren and E. Sprenkle—56

Device which tests and records radial symmetry in electron micrographic images, L. R. Adams, G. M. Forte, and R. M. Glaeser—809

Crystals

SiO_2(quartz), MgO, PbF_2, and Bi as low-pass neutron velocity filters, Sten Holmryd and Donald Connor—49

Magneto-optical method for the measurement of spin–lattice relaxation times of paramagnetic ions, Beverly S. Giltner and Richard J. Lysiak—106

Instrumentation for the digital recording of the de Haas–van Alphen effect in impulsive magnetic fields, P. T. Panousis and A. V. Gold—120

Goniometer sample mount for orienting and machining single crystals, Charles R. Whitsett and Myron C. Ley—164(N)

Single crystal transfer device and rotation system for ESR measurements, E. J. Hornyak, K. M. Beem, and P. G. Rasmussen—224

Wire-slicing attachment modification for the Servomet spark machine, William R. Spencer and Thomas R. Cass—509(N)

Instrumentation for single crystal x-ray diffraction at high pressures, C. E. Weir, G. J. Piermarini, and S. Block—1133

A simple and rapid optical method of orienting single crystals, J. E. Gueths, F. V. Burckbuchler, and C. A. Reynolds—1344(N)

Hydrothermal pressure vessel assembly for the measurement of pressure generated by corrosive solutions, V. G. Hill, W. R. Harding, and K. G. Zimmerman—1352(N)

An oven for a neutron spectrometer, H. F. Bezdek, R. E. Schmunk, and Leonard Finegold—1397

Comparison of several solders for establishing mechanical contacts to insulating crystal platelets at low temperatures, M. Kreitman and D. Wilkening—1141

A technique for cutting and polishing small metal spheres, W. J. Gray and F. H. Spedding—1427

Cryostat–spectrometer system for precision measurement of lattice parameters of irradiated materials, E. E. Gruber, T. H. Blewitt, J. A. Tesk, B. D. Sharma, and R. E. Black—1429

A practical evaporator fixture for vacuum cleavage of semiconductor crystals, E. L. Wolf and W. Dale Compton—1497(N)

Carrier gas diverting apparatus for flame-fusion crystal growth, Joseph A. Adamski—1634

Cyclotron Resonance

An ion ejection technique for the study of ion–molecule reactions with ion cyclotron resonance spectroscopy, J. L. Beauchamp and John T. Armstrong—123

Data Handling

Pulse width modulated optical data link, R. L. Witkover—469

A continuous wave technique for the automatic measurement of ultrasonic velocity changes, R. G. Leisure and R. W. Moss—946

An automated resilience apparatus for polymer studies from −196 to +186°C, R. R. Robbins and D. H. Weitzel—1014

Data Processing

Live-timer method of automatic dead-time correction for precision counting, K. G. Porges and S. J. Rudnick—1

True random ratemeter with automatic dead-time correction for duty factors up to 99%, A. J. Metz and R. H. Howard—16

Wide-bandwidth logarithmic amplifier for analyzing decay kinetics, R. Ahrenkiel—78

Temperature compensated linearizer for hot-wire anemometer, Lesile S. G. Kovasznay and René Chevray—91

Instrumentation for analog differentiation at low frequencies, R. Chapman—95, 738(E)

A more rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method, Robert E. Green, Jr. and Leslie T. Miller—165(N)

Automatic measurement of equilibrium orbits at the Brookhaven AGS, R. Frankel—255

A programmable magnetic field mass spectrometer with on-line data processing, G. J. Wasserburg, D. A. Papanastassiou, E. V. Nenow, and C. A. Bauman—288

Multiscaler analysis for periodic signals incommensurate with the timing signal, P. Horowitz—369(N)

Considerations in the packaging of analog–digital converters, Charles Erwin Cohn—512(N)

Attenuation correction factor for scattering from cylindrical targets, John M. Carpenter—555

Simplified instrumentation for tone-burst measurements of nuclear spin–lattice relaxation times, W. C. Smith and D. R. Torgeson—583

Internal energy standardization of multichannel gamma ray spectra by use of the 0.511 MeV annihilation and ^{40}K peaks, R. Grismore, W. E. Weitz, Jr., and T. R. Folsom—642

Measurement of the velocity and attenuation of ultrasonic pulses in the presence of noise, R. C. Williamson—666

Low cost high linearity solid state digital double boxcar, Gary L. Samuelson and David C. Ailion—676

Device for electrical conductivity measurements of glasses during heating and cooling, F. E. Wagstaff and R. J. Charles—709

A plasma scanner and data processing system for current–voltage curves, Thomas J. Gritzmacher, Ellsworth L. Boyer, and James F. Holt—721

Improved method of injecting the audio signal in automatic Langmuir probe second derivative plotters, Roman Krawec—842(N)

An automated retarding potential difference technique using a multichannel scaler, P. J. Chantry—884

Dielectric permittivity measurements at centimeter wavelengths, J. D. Cutnell, D. E. Kranbuehl, E. M. Turner, and W. E. Vaughan—908

A versatile toroid hysteresis loop tracer with direct readout of loop parameters, Carl E. Patton—939

Phase–plane method of exponential waveform measurement, Tony Huen—1067

Discrete averaging of x-ray diffraction data using a multichannel analyzer, Martin Berman and Sabri Ergun—1144

A metastable atom detection system for ground state atom beams, Daniel H. Winicur, Wayne E. Rodgers, and Eldon L. Knuth—1192

Simple mass spectrum linearizer, G. G. Meisels, B. G. Giessner, and L. J. Leger—1224

Automatic curve tracing method with two spots of light, Ikuo Ikeda—1340(N)

Measurement of rapid photoprocesses using a modulated cw laser, A. Haug, B. E. Kohler, E. B. Priestley, and G. W. Robinson—1439

A light pulse demodulator with large bandwidth and high sensitivity, Charles E. Tyler—1466

Extensions of Callendar's equations for platinum resistance thermometry, Joseph M. Diamond—1477

Misalignment sensing applied to monitoring of angular deflection, Niles Roth—1509(N)

A method for measuring phase jitter statistics for very high repetition rate pulses, A. L. Waksberg and J. I. Wood—1513(N)

Sampling oscilloscope used for signal averaging of slow waveforms, Emanuel J. Fulcomer and Joseph M. Nemchik—1638(N)

Data Recording

Instrumentation for the digital recording of the de Haas-van Alphen effect in impulsive magnetic fields, P. T. Panousis and A. V. Gold—120
Computerized acoustic spectrometer for polymeric solids at low temperatures, Helmar Schlein and Mitchell Shen—587
Application of color photography to electron microbeam probe samples, R. M. Ingersoll and D. H. Derouin—637
Simultaneous display and intensity measurement of electron diffracton patterns, Arthur N. Chester and Richard C. Henderson—735(N)
A semiautomatic data collection system suitable for infrared reflectivity measurements, R. Hammer—1330
Calorimeter for simultaneous measurements of stored energy and resistance, E. A. Ryan and J. J. Jackson—1580
A recording detection system for quantitation of electron microscope image contrast using a retractable micro-Faraday cage probe, H. M. Johnson, G. G. Hausner, Jr., and D. F. Parsons—1594
An on-line data recording system, W. Krag, N. Daggett, R. N. Davis, and F. Perkins—1606
A live time controlled scanning rate for a whole body counter, M. E. Sveum and P. E. Bramson—1616

Density

Rocket-borne Rayleigh scattering instrumentation to measure atmospheric density, L. C. Howlett and J. I. Swigart—28
Magnetic suspension densimeter, J. W. Beams—167(N)
Magnetic densimeter utilizing optical sensing, James P. Senter—334
Density measurements in a valve driven shock tube, John M. Dewey and W. A. Anson—451
A dilatometer method for the precision measurement of the densities of liquids to 400°C and 352 kg/cm², J. T. Bell, R. E. Biggers, T. G. Rogers, and A. M. Rom—985
Areal densities of stress producing films measured by quartz crystal microbalance, R. M. Mueller and W. White—1646(N)

Dielectrics

Pyroelectric therometer for use at low temperatures, Sidney B. Lang, Steven A. Shaw, Lynn H. Rice, and K. D. Timmerhaus—274
Device for electrical conductivity measurements of glasses during heating and cooling, F. E. Wagstaff and R. J. Charles—709
A conductance network for three-terminal capacitance bridges, Robert L. Kay and Krishnahadi S. Pribadi—726(N)
An improved method for high reflectivity ellipsometry based on a new polarization modulation technique, S. N. Jasperson and S. E. Schnatterly—761
Apparatus for measuring frequency derivatives of dielectric functions of surfaces, M. L. Shand—768
A technique for determining the dielectric behavior of high conductivity metals, M. A. Seitz, R. T. McSweeney, and W. M. Hirthe—826
Pulsed high field microphotographic apparatus for measuring electrophoretic mobility in insulating liquids, Lee B. Harris—905
Dielectric permittivity measurements at centimeter wavelengths, J. D. Cutnell, D. E. Kranbuehl, E. M. Turner, and W. E. Vaughan—908
Fabry–Perot cavity for dielectric measurements, K. H. Breeden and K. B. Langley—1162

Diffusion

An electrodiffusion apparatus for solid semiconductors, David H. Laananen and Welville B. Nowak—422
Tracer diffusion studies on metals using a microtome, D. Graham—897

Diffusivity

A modified microinterferometric technique for measurement of diffusion coefficient of liquids, E. A. Travnicek and L. T. Fan—930

Dilatometry

Metal dilatometer for determining density and expansivity of volatile liquids at elevated temperature, Stanley Cantor—967(N)
A dilatometer method for the precision measurement of the densities of liquids to 400°C and 352 kg/cm², J. T. Bell, R. E. Biggers, T. G. Rogers, and A. M. Rom—985

Dissociation

Design and operation of an atomic hydrogen target for precision scattering cross section measurements, James E. Bayfield—869

Drops

Device which separates minute particles according to electronically sensed volume, Mack J. Fulwyler, Robert B. Glascock, and Richard D. Hiebert—42
Aerosol size and velocity determination via holography, M. E. Fourney, J. H. Matkin, and A. P. Waggoner—205
An apparatus for the production of uniform sized water drops, at desired time intervals, K. Reil and J. Hallett—533
The generation of monodisperse aerosols by means of a disintegrated jet of liquid, Lars Ström—778
Production of isolated pairs of water drops having unequal radii, Charles E. Abbott—1227

Electric Fields

Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instrum. 39, 958 (1968)], Tomonao Hayashi and Noriyuki Sakudo—190(E)
Quadrupole field in circular concave electrodes with finite thickness, Tomanao Hayashi and Noriyuki Sakudo—923

Electrical Measurements

New method for rapid and accurate measurement of decay time constants, A. Bernalte and J. LePage—71
Characteristics of composite carbon resistors used for measuring accelerator terminal voltages, F. R. Stevenson and D. J. Gaunter—140
Ultrasonic pulse-echo attenuation comparator, R. B. Hemphill—175(N)
Two-probe direct current measurement of fused salt conductance, David S. Newman and Roy Stein—246
State of charge measurement of nickel–cadmium batteries, N. Latner—364(N)
Low temperature electrical resistivity measurements on reactive samples, J. G. Pack and G. G. Libowitz—420
A nonsuperconducting detection system for low level dc voltages, Alan F. Clark and Frederick R. Fickett—465
A binary current integration logic, J. E. Parks, G. S. Hurst, and H. F. Holzer—496(N)
Bolometer power detector for a spectrum analyzer, Robbert H. Katyl—502(N)
Comparison of exact and measured open circuit photoconductor voltages, R. J. Mattauch—574

Microwave measurement of permittivity and electrical conductivity in shock compressed liquids, R. S. Hawke, A. C. Mitchell, and R. N. Keeler—632
Device for electrical conductivity measurements of glasses during heating and cooling, F. E. Wagstaff and R. J. Charles—709
Technique for measuring small capacitance changes, R. F. Harris-Lowe and K. A. Smee—725(N)
A conductance network for three-terminal capacitance bridges, Robert L. Kay and Krishnahadi S. Pribadi—726(N)
Low frequency bridge for guarded three-terminal and four-terminal measurements of admittance, John G. Berberian and Robert H. Cole—811
Switch arrangement and power averaging in constant current calorimetric heating, S. S. Chang—822
A technique for determining the dielectric behavior of high conductivity metals, M. A. Seitz, R. T. McSweeney, and W. M. Hirthe—826
Quadrupole field in circular concave electrodes with finite thickness, Tomanao Hayashi and Noriyuki Sakudo—923
An electronic system for measuring the electrical characteristics of nonlinear devices, William R. Patterson III and M. Kuhn—960(N)
A phenomenon-energized point-discharge current meter, R. A. Cudney and C. T. Phelps—965(N)
A method for studying field effects on film resistors, Casimir W. Kazmierowicz—998
Application of microwave reflection technique to the measurement of transient and quiescent electrical conductivity of silicon, J. A. Naber and D. P. Snowden—1137

Electrometers and Electrometer Circuits

A logarithmic electrometer for space flight application, W. T. Chater—529
A recording detection system for quantitation of electron microscope image contrast using a retractable micro-Faraday cage probe, H. M. Johnson, G. G. Hausner, Jr., and D. F. Parsons—1594

Electron and Ion Optics

Collection efficiency of continuous dynode electron multiplier arrays, E. G. Burroughs—35
High intensity, low energy spread ion source for chemical accelerators, Michael Menzinger and Lars Wåhlin—102
Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instrum. 39, 958 (1968)], Tomonao Hayashi and Noriyuki Sakudo—190(E)
A theorem on ion optics, F. P. Blackstein—374(N)
The angular response of spherical plate electrostatic analyzers, George C. Theodoridis and Frank R. Paolini—621
A heavy-ion energy loss spectrometer, John T. Park and F. D. Schowengerdt—753
Resolution and sensitivity considerations of an Auger electron spectrometer based on display LEED optics, N. J. Taylor—792
A new high resolution reflection scanning electron microscope, A. N. Broers—1040
Instrumental effects of the retarding grids in a LEED apparatus, P. S. P. Wei, A. Y. Cho, and C. W. Caldwell—1075
Photomultiplier focus control, Louis Lavoie—1245(N)
Investigation of electron-optical systems by scanning electron microscopy, Oliver C. Wells—1246(N)
Calibration of the atom probe FIM, John A. Panitz, S. Brooks McLane, and Erwin W. Müller—1321
A graphical method for calculating intensities of space-focused atomic and molecular beams, Thomas C. English and Thomas F. Gallagher, Jr.—1484
The cardinal points for two dimensional electrostatic lenses, T. B. Borne, W. B. Peatman, and E. W. Schlag—1496(N)
Measurement of large angle atomic scattering using axially symmetric magnetic fields, T. O. Bush, O. Heinz, G. W. Rodeback, and C. J. Cook—1531
Continuous resistive surface deflection unit, C. E. Catchpole and D. H. Ceckowski—1549

Electron Diffraction

Scanning electron diffraction attachment with electron energy filtering, J. F. Graczyk and S. C. Moss—424
Simultaneous display and intensity measurement of electron diffraction patterns, Arthur N. Chester and Richard C. Henderson—735(N)
Resolution and sensitivity considerations of an Auger electron spectrometer based on display LEED optics, N. J. Taylor—792
Instrumental effects of the retarding grids in a LEED apparatus, P. S. P. Wei, A. Y. Cho, and C. W. Caldwell—1075
Sample holder for diffraction and other studies in ultra-high vacuum, F. Jona and H. R. Wendt—1172

Electron Energy Analyzers

Operational amplifier differentiator for photoemission studies: origin and control of errors, Kenneth A. Kress and Gerald J. Lapeyre—74
Scanning electron diffraction attachment with electron energy filtering, J. F. Graczyk and S. C. Moss—424
The angular response of spherical plate electrostatic analyzers, George C. Theodoridis and Frank R. Paolini—621
Improvement of energy resolution in Hughes-McMillen 127° electrostatic energy selector—733(N)
Instrumental effects in a retarding field energy analyzer, Pax S. P. Wei and Aron Kuppermann—783
Resolution and sensitivity considerations of an Auger electron spectrometer based on display LEED optics, N. J. Taylor—792
An automated retarding potential difference technique using a multichannel scaler, P. J. Chantry—884
Use of a two Channeltron coincidence in a new line of research in atomic physics, U. Amaldi, Jr., A. Egidi, R. Marconero, and G. Pizzella—1001
Instrumental effects of the retarding grids in a LEED apparatus, P. S. P. Wei, A. Y. Cho, and C. W. Caldwell—1075

Electron Microprobes

Versatile cathodoluminescence attachment for electron microprobe analysis, Lee R. Reid and James P. Smith—316
Application of color photography to electron microbeam probe samples, R. M. Ingersoll and D. H. Derouin—637

Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)

A simple scanning electron microscope, A. V. Crewe, M. Isaacson, and D. Johnson—241
Scanning electron diffraction attachment with electron energy filtering, J. F. Graczyk and S. C. Moss—424
Device which tests and records radial symmetry in electron micrographic images, L. R. Adams, G. M. Forte, and R. M. Glaeser—809
A new high resolution reflection scanning electron microscope, A. N. Broers—1040
Spurious magnetic field compensation for an electron microscope, I. Hasegawa and A. C. Lilly, Jr.—1113(N)
Investigation of electron-optical systems by scanning electron microscopy, Oliver C. Wells—1246(N)
An automatic disk jet polishing apparatus for the preparation of thin foil specimens for transmission electron microscopy, Jay M. Larson, R. Taggart, and D. H. Polonis—1338(N)

A recording detection system for quantitation of electron microscope image contrast using a retractable micro-Faraday cage probe, H. M. Johnson, G. G. Hausner, Jr., and D. F. Parsons—1594
A simply instrumented means of displaying magnetic contrast in the scanning electron microscope, A. Speth —1636(N)
A simple gas anticontamination technique for electron transmission microscopy, J. S. Bryner, J. J. Kelsch, and A. G. Holtz—1647(N)

Electron Multipliers

Collection efficiency of continuous dynode electron multiplier arrays, E. G. Burroughs—35
Channeltron fatigue and efficiency for protons and electrons, A. Egidi, R. Marconero, G. Pizzella, and F. Sperli—88
C-Al parallel plate dynode electron multiplier, M. Kanayama, T. Konno, and S. Kiyono—129
Method for time sampling the anode current of magnetic electron multipliers, J. L. Morack and C. E. Fairchild —184(N)
Secondary electron yield vs primary energy for commercial coated-glass resistance strips, J. K. Streeter, W. W. Hunt, Jr., and K. E. McGee—307
A secondary standard vacuum ultraviolet detector, M. C. Johnson—311
Degradation of continuous-channel electron multipliers in a laboratory operating environment, L. A. Frank, N. K. Henderson, and R. L. Swisher—685
Use of a two Channeltron coincidence in a new line of research in atomic physics, U. Amaldi, Jr., A. Egidi, R. Marconero, and G. Pizzella—1001
Flexible channel multiplier, Tomonao Hayashi, Masahi Hashimoto, and Kasumasa Yamamoto—1239(N)
Detection of metastable atoms and molecules with continuous channel electron multipliers, Denis P. Donnelly, John C. Pearl, Richard A. Heppner, and Jens C. Zorn—1242(N)
Comment on "Channeltron fatigue and efficiency for protons and electrons" [A. Egidi, R. Macomero, G. Pizzella, and F. Sperli, Rev. Sci. Instrum. **40**, 88, (1969)], W. G. Wolber, B. D. Klettke, and H. K. Lintz—1364(L)

Electron Paramagnetic Resonance

Low temperature optical-EPR sample probe using tunable coaxial coupling, T. C. Ensign and Te-Tse Chang—268
Waveguide window and nonmetallic vacuum can for low temperature EPR, B. C. Thompson and A. W. Nolle —374(N)
EPR cavity for oriented single crystals in sealed tubes, R. V. Lloyd and D. E. Wood—514(N)
Plastic EPR microwave cavity suitable for modulation at high and low frequencies, P. Cevc—515(N)
High temperature probe for EPR measurements, Elvé M. de Castro and Vandick Pereira—949(N)
A simple gonimeter for use with the Varian V-4546 electron paramagnetic resonance Dewar, Ingo W. May and Kevin J. White—1639(N)
Observation of EPR lines using temperature modulation, G. Feher, R. A. Isaacson, and J. D. McElroy—1640(N)

Electron Sources

A low energy electron accelerator producing measurably small fluxes through utilization of the photoelectric effect, Edwin C. McCullough—944
Coaxial cathode design for plasma sources, Francis F. Chen—1049
Pulsed field emission cathode emittance measurements, J. R. Uglum, S. E. Graybill, and S. V. Nablo—1413
Fast beam-switching electron gun for transient beam-plasma interaction study, Glen J. Morris—1433
Continuous resistive surface deflection unit, C. E. Catchpole and D. H. Ceckowski—1549

Electron Spin Resonance

High temperature reactor for electron spin resonance cavities, James T. Richardson and Stanford S. Toups—185(N)
Single crystal transfer device and rotation system for ESR measurements, E. J. Hornyak, K. M. Beem, and P. G. Rasmussen—224
"Hot-cold finger" for ESR microwave spectrometers, Jonathan F. Reichert and Joseph Gigante—494(N)
Millimeter-wave electron spin resonance spectrometer with homodyne detection, H. van den Boom—550
Temperature control for ESR measurements in the 10 to 80 K range, Dietrich Timm and John E. Willard—848(N), 1516(E)
Increasing the mobility of laboratory magnets by using an air pallet, J. S. Bennett—958(N)
An improved transistor marginal oscillator, Shih-yu Feng—963(N)
Rapid scanning of the magnetic field in ESR spectroscopy: Application to pulse electrolysis [Rev. Sci. Instrum. **39**, 935 (1968)], R. Hirasawa, T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama—1116(E)
Microwave helices in electron spin resonance studies at high pressure or very stable temperatures, William Z. Plachy and Tjeerd J. Schaafsma—1590

Electrophoresis

Pulsed high field microphotographic apparatus for measuring electrophoretic mobility in insulating liquids, Lee B. Harris—905

Electroplating

Measurement of plating thickness on small balls, John Kurtz—845(N)

Emissivity

A differential emissivity calorimeter, B. H. Barkalow and K. M. Baldwin—535

Emulsions

Processing nuclear emulsions for x-ray and γ-ray spectrographs, Bernard Saunders—26
A quick method for removing the emulsion backing on film used with x-ray diffraction Guinier cameras, Murray L. Polk—1645

Energy Losses

A heavy-ion energy loss spectrometer, John T. Park and F. D. Schowengerdt—753

† Errata

Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instrum. **39**, 958 (1968)], Tomonao Hayashi and Noriyuki Sakudo—190(E)
Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. **39**, 1672 (1968)], L. R. Windmiller and J. B. Ketterson—603(E)
Rapid scanning of the magnetic field in ESR spectroscopy: application to pulse electrolysis [Rev. Sci. Instrum. **39**, 935 (1968)], R. Hirasawa, T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama—1116(E)
Erratum: Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors [Rev. Sci. Instrum. **39**, 1949 (1968)], F. T. Avignone, III and G. D. Frey—1365(E)

† Errata to papers appearing in this volume are indexed with the papers themselves. Errata to papers published previously are listed here.

Evaporation (see also Films)

An evaporation source for decrepitating materials, W. Riemer—1642(N)

A technique for evaporating films of alloys of III–V compounds by a three-temperature method, D. L. Schaefer —1649(N)

Exploding Wires

Flash radiography using exploding wire technique, B. Stenerhag, S. K. Händel, and B. Göhle—563

Simple extrusion die for *in vacuo* production and explosion of lithium wires, T. A. Leonard—964(N)

Explosives

Generation and switching of magnetic energies in the megajoule range by explosive systems, H. Knoepfel, H. Kroegler, R. Luppi, and J. van Montfoort—60

Combined strain gauge–quartz crystal instrumented Hopkinson split bar, Richard J. Wasley, Kenneth G. Hoge, and John C. Cast—889

Field Emission

Pulsed field emission cathode emittance measurements, J. R. Uglum, S. E. Graybill, and S. V. Nablo—1413

Field Emission Microscopy (see also Electron Microscopy)

A simple scanning electron microscope, A. V. Crewe, M. Isaacson, and D. Johnson—241

Field Ion Microscopy (see also Electron Microscopy)

Calibration of the atom probe FIM, John A. Panitz, S. Brooks McLane, and Erwin W. Müller—1321

Films

Goniometer for partial pole figure determination on cylindrical specimens, L. van Someren and E. Sprenkle —56

Differential ion pumping for vacuum deposition, W. F. Leonard—187(N)

Hole detection in polymer films and in plastic track detectors, J. Blok, J. S. Humphrey, Jr., and G. E. Nichols —509(N)

Low pressure sputtering system of the magnetron type, Kiyotaka Wasa and Shigeru Hayakawa—693

A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829

The preparation and measurement of very thin VYNS films, M. A. Volkar and R. L. Wolke—849(N)

Twyman–Green interferometry for measurements of stresses in thin films on optically flat silicon substrates, C. M. Drum—853(N)

Elimination of surface reflection effects from optical absorption measurements in solids, J. L. Fawcett and P. C. Eastman—855(N)

Apparatus for measuring optical properties of photochromic spiropyrans, Carl O. Carlson, Michael A. Flavin, Eliot Stone, and Irving M. Pearson—941

A method for studying field effects on film resistors, Casimir W. Kazmierowicz—998

A large desorption cryostat for resistivity measurements between 1.2 and 19 K, D. Waldorf and M. Yaquib —1032

An apparatus for measuring stress in thin films, E. Klokholm—1054

Thin film temperature sensor, Bruce W. Kennedy—1169

Work functions of conductive coatings on glass, Jay Burns and Edward Yelke—1236(N)

An evaporation source for decrepitating materials, W. Riemer—1642(N)

Areal densities of stress producing films measured by quartz crystal microbalance, R. M. Mueller and W. White—1646(N)

A technique for evaporating films of alloys of III–V compounds by a three-temperature method, D. L. Schaefer—1649(N)

Filters

Time variant filters for generating bipolar pulses with signal-to-noise ratios of unipolar pulses in nuclear pulse amplifiers, T. V. Blalock and C. H. Nowlin—1093

Flash Techniques

A 5 μsec dual beam flash photoelectric apparatus, R. W. Yip—1035

Flash photolysis apparatus with a new geometry, J. R. Huber, R. P. Widman, and K. Weiss—1103(N)

Lightweight regulated end point H. V. capacitor charging supply, J. Pfau—1243(N)

Flash calorimeter for measuring triplet yields, James B. Callis, Martin Gouterman, and J. D. S. Danielson—1599

Flow Meter

The effect of variable fluid properties on the sensitivity of MHD flowmeters, William J. Thomson and Gordon R. Bopp—1609

Flow Studies

Optimum detectors for the NMR flowmeter, William S. McCormick and William P. Birkemeier—346

Description of a controllable sonic flow orifice, R. Eichhorn and J. D. McLean—463

An energetic model for rapid mixing, Donald Duffey and Hubertus Staerk—789

Rotating cylinder viscometer, H. A. Snyder—992

Design of a multipurpose wind tunnel, Gilbert D. Stein —1058

The effect of variable fluid properties on the sensitivity of MHD flowmeters, William J. Thomson and Gordon R. Bopp—1609

Fluids

A method of studying the behavior of fluid phases at high pressures and temperatures, Harro Lentz—371(N)

The effect of variable fluid properties on the sensitivity of MHD flowmeters, William J. Thomson and Gordon R. Bopp—1609

Fluorescence and Phosphorescence

A Pockels cell light modulator for wide angle radiation, E. A. Enemark and Alan Gallagher—40

Multipurpose phosphoroscopic instrument for the study of phosphorescence, induction of fluorescence, and absorbance change of turbid biological materials, Mitsuo Nishimura, Victor Legallais, and Dieter Mayer—271

Aminco–Bowman spectrophotofluorometer modification, Alan V. Mode and Richard A. Thomas—1241(N)

Flash calorimeter for measuring triplet yields, James B. Callis, Martin Gouterman, and J. D. S. Danielson—1599

Foils

Elimination of gas bubbles in electropolishing thin foils, J. E. O'Neal—513(N)

Welding of a very thin foil, Peter Fowler and John V. Menghis—841(N)

A technique for preparing and mounting thin nickel foils, D. L. Carr—965(N)

Modified rapid quenching apparatus, James N. Baker, Charles E. Mighton, and William R. Bitler—1065

An automatic disk jet polishing apparatus for the preparation of thin foil specimens for transmission electron microscopy, Jay M. Larson, R. Taggart, and D. H. Polonis—1338(N)

Freezing

Immersion cooler for freezing ice mantles on triple-point-of-water cells, J. P. Evans and D. M. Sweger—367(N)

Frequency Measurements

Unattended controller for a frequency synthesizer, F. V. Cairns and T. H. Shepertycki—113

Furnaces

Combination oven-linear pinch for spectroscopic studies of ionized vapors, P. E. Oettinger—366(N)

Infrared emission from a V-shaped metal goove compared with that from a flat surface of the same metal, S. C. Hurlock, K. Narahari Rao, Donald G. Burkhard, and David L. Shealy—927

A drop calorimeter with an electron beam heated furnace, D. R. Frederickson, R. Kleb, R. L. Nuttall, and W. N. Hubbard—1022

Comment on "Simple technique for detection of oxygen in laboratory furnaces" [A. E. Widmer, Rev. Sci. Instrum. **39**, 1968 (1968)], Stuart A. Hoenig—1115(L)

An arc heater for supersonic molecular beams, W. S. Young, W. E. Rodgers, and E. L. Knuth—1346(N)

An oven for a neutron spectrometer, H. F. Bezdek, R. E. Schmunk, and Leonard Finegold—1397

Extending the upper temperature limit of wide line NMR experiments using modifications of standard equipment, L. Douglas Clark—1498(N)

A simple, inexpensive heater for solid samples in a mass spectrometer, C. Reichert and J. B. Westmore—1515(N)

Gas Discharges

Pulse risetimes in proportional counters, G. R. Ricker, Jr. and J. J. Gomes—227

A solid state ozone generator, S. Kaye and J. E. Koency—505(N)

Low pressure sputtering system of the magnetron type, Kiyotaka Wasa and Shigeru Hayakawa—693

A plasma scanner and data processing system for current-voltage curves, Thomas J. Gritzmacher, Ellsworth L. Boyer, and James F. Holt—721

Ionization measurements in a helium streamer chamber, A. Kanofsky and N. Schoen—921

An investigation into the causes of the aging phenomena of self-quenching Geiger–Müller counter tubes; C_2H_5CN a better quench gas than C_2H_5OH, F. E. Lox, and Z. Eeckhaut—1206

Noise power spectrum characteristics for an He–Ne laser operating under various discharge conditions, A. Wakesberg and J. Wood—1306

A cold cathode soft x-ray source, J. S. Solomon and W. L. Baun—1458

Afterglow plasma diagnostics with a microwave sampling radiometer, R. L. Stenzel and R. W. Gould—1461

Ceramic plasma container for ion lasers, M. Nasini, R. Pratesi, and G. Redaelli—1473

A low pressure arc source of simple design, Carlos B. Suárez—1505(N)

Gas fed multichannel hollow cathode arcs, J. L. Delcroix, H. Mineo, and A. R. Trindade—1555

Design and analysis of a high intensity fast oxygen atom source, David R. Miller and Dan F. Patch—1566

Gas Handling and Measurements

Mass spectrographic analysis of silver membrane oxygen leak, E. G. Burroughs—33

A versatile, inert atmosphere vacuum glove box, J. G. Pack and G. G. Libowitz—414

Gas additives for stable pulsed argon ion lasers, V. A. Gilson—448

Description of a controllable sonic flow orifice, R. Eichhorn and J. D. McLean—463

A simple gas recirculation pump for low flow and high pressure applications, M. J. Hiza and A. G. Duncan—513(N)

Apparatus for PVT measurement of gases to 10 kilobars, S. E. Babb, Jr., G. J. Scott, C. D. Epp, and S. L. Robertson—670

A pulsed gas valve for fast timeable high pressure operation, Ivars Henins and John Marshall—875

Bimetal strip hydrogen gas detectors, P. J. Shaver—901

Use of a tungsten filament lamp as a Pirani gauge for continuous gas analysis, D. S. Remer and F. H. Shair—968(N)

Comment on "Simple technique for detection of oxygen in laboratory furnaces" [A. E. Widmer, Rev. Sci. Instrum. **39**, 1968 (1968)], Stuart A. Hoenig—1115(L)

Regulation of atomic hydrogen flow with a platinum wire detector, Douglas Brenner—1234(N)

Viscosity of perfluorobutene-2; A relative method for measurement of gas viscosity, N. Madhavan and W. E. Jones—1293

A source of error in hot filament, inert gas purity measurements, G. S. Sheffield and J. V. Hamme—1341(N)

Cryostat for photochemical reactions, John H. Sullivan—1347(N)

Spectroscopic method for simultaneous determination of species concentration and temperature in a cyclic and combustion process, D. S. Smith and E. S. Starkman—1541

Carrier gas diverting apparatus for flame-fusion crystal growth, Joseph A. Adamski—1634

Parahydrogen from helium cooled catalyst, G. L. Hill—1645(N)

Geiger–Müller Counters

A Geiger–Müller counter for ultrahigh vacuum systems, K. Klier—372(N)

An investigation into the causes of the aging phenomena of self-quenching Geiger–Müller counter tubes; C_2H_5CN a better quench gas than C_2H_5OH, F. E. Lox and Z. Eeckhaut—1206

A two-transistor Geiger–Müller counter quench circuit, K. Matthews—1511(N)

Geophysical Instruments

An improved vertical sensor, Hugh Bradner—728(N)

A laser earth strain meter, Jon Berger and R. H. Lovberg—1569

Gravity

An improved vertical sensor, Hugh Bradner—728(N)

Hall Effect

Photo-Hall measurement by an improved Redfield method, G. C. Smith—1454

Heat Capacity

A technique for measurement of the heat capacity of metals under pressure, G. Jura and W. A. Stark, Jr.—656

Heat Pulses

Apparatus for determining thermophysical properties of solids by direct electrical pulse heating, R. A. Finch and R. E. Taylor—1195

Heat Transfer

Laser interferometer for mass transfer boundary layer studies, K. W. Beach, R. H. Muller, and C. W. Tobias—1248(N)

Low temperature high sensitivity temperature compensated heat flux sensor, E. H. Schulte and R. F. Kohl—1420

High Altitude Research

Rocket-borne Rayleigh scattering instrumentation to measure atmospheric density, L. C. Howlett and J. I. Swigart—28
A generator for swept voltage waveforms up to ±5 kV, J. M. Firth—500(N)
A rocket borne scintillation spectrometer for observing cosmic x rays, J. Harri, M. McGee, and A. Toor—703
An improved collimator for extreme ultaviolet and x rays, J. H. Underwood—894
Minature low energy x-ray calibration tube, R. J. Grader, J. K. Scudder, and W. E. Tindall—1160
Thin film temperature sensor, Bruce W. Kennedy—1169
Convection Pirani vacuum gauge, Guillermo E. Iglesias, Orestes R. Santochi, and M. Puparelli—1291
Wide range pulse height discriminator with low power drain, Ciro A. Cancro and Norman M. Garrahan—1360(N)

High Current Techniques

Application of a variable resistance to arrest oscillations in a pulsed capacitor discharge, Dah Yu Cheng—1153

High Energy Techniques

A high energy electron beam monitor, Carol Jo Crannell, Hall Crannell, and H. D. Zeman—661

High Pressure Techniques (see also Pressure Techniques and Measurements)

High pressure ENDOR cavity, W. T. Doyle, T. F. Dutton, and H. P. Liu—171(N)
Linear oscillation viscometer, M. S. White and C. Solomons—339
70 kilobar shear apparatus, A. E. Abey and H. D. Stromberg—557
O-ring seal for high pressure tensile tester, D. R. McCann, P. F. Hettwer, and J. C. Uy—966(N)
An improved tool for refinishing the conical ends of high pressure tubing, Harry A. Davis, Jr., John R. Hastings, and Meyer Waxman—1238(N)

High Speed Techniques

Multiple-image objective system for a rotating-mirror camera, S. D. Gardner—116
Calibration of an image-converter streak camera, Thomas J. Ahrens and Harmut Spetzler—354
Writing speed determination of sweeping image cameras using a photomultiplier tube calibrator, S. P. Marsh—1584
Double giant pulse ruby laser with extended coherence length for holography, W. Wetzels and A. Alfs—1642(N)

High Temperature Techniques

Technique for annealing irradiated uranium under high hydrostatic pressures and temperatures, G. L. Kulcinski, R. A. Thiede, and C. R. Hann—214
Hot-microhardness test equipment, J. L. Kamphouse, J. C. Blake, and J. Moteff—321
Linear oscillation viscometer, M. S. White and C. Solomons—339
A method of studying the behavior of fluid phases at high pressures and temperatures, Harro Lentz—371(N)
Apparatus for high-pressure high-temperature x-ray powder diffraction studies, P. J. Freud and C. B. Sclar—434
Oxide thermistor for use to 2500 K, Ernest G. Wolff—544
A high temperature cyclic oxidation apparatus, J. M. Trenouth, Mary Grzedzielski, and A. J. Bosik—596(N)
Design and operation of an atomic hydrogen target for precision scattering cross section measurements, James E. Bayfield—869
High temperature probe for EPR measurements, Elvé M. de Castro and Vandick Pereira—949(N)
New techniques and apparatus for examining the elevated temperature deformation of metals, A. A. Solomon—1025

High Voltage Techniques

Characteristics of composite carbon resistors used for measuring accelerator terminal voltages, F. R. Stevenson and D. J. Gaunter—140
Analysis of Cockcroft-Walton voltage multipliers with an arbitrary number of stages, Melvin M. Weiner—330
High voltage capacitor bank charging through a series vacuum tube, R. L. Witkover—566
Photon coupling for the low frequency modulation of high voltage oscillators, Arnold M. Falick and Rollie J. Myers—1349(N)

Holography

Aerosol size and velocity determination via holography, M. E. Fourney, J. H. Matkin, and A. P. Waggoner—205
Double giant pulse ruby laser with extended coherence length for holography, W. Wetzels and A. Alfs—1642(N)

Hydrodynamics

A multiple purpose optical instrument for studies of short steep water waves, Jin Wu, J. M. Lawrence, E. S. Tebay, and M. P. Tulin—1209

Infrared Techniques

Measurement of far-infrared laser power, S. J. Martinich, C. J. Johnson, and D. P. Akitt—359(N)
A differential emissivity calorimeter, B. H. Barkalow and K. M. Baldwin—535
Temperature control of metallic targets *in vacuo* by electron beam and infrared radiometry techniques, Robert N. Lewis, L. S. Van Loon, and Ben D. Holt—698
Infrared emission from a V-shaped metal groove compared with that from a flat surface of the same metal, S. C. Hurlock, K. Narahari Rao, Donald G. Burkhard, and David L. Shealy—927
A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062
Liquid filled adjustable optical analog of the human eye, Niles Roth—1214
Thermally and mechanically durable ir windows for ultrahigh vacuum, Steven E. Hannum, W. C. Mateyka, Glen G. Possley, and William Hayden Smith—1254(N)
A double beam spectrophotometer for the direct measurement of integrated absorption lines, Donald R. Nicol—1300
A semiautomatic data collection system suitable for infrared reflectivity measurements, R. Hammer—1330
A narrow band far infrared interferometer for electron density measurements, Merrill L. Andrews and Sanborn C. Brown—1626

Interferometry

CO_2-laser interferometer for the measurement of transient low-density plasmas, H. Herold and F. C. Jahoda—145
A method for determining the frequency response of a laser, D. L. Rode—506(N)
Curve resolver for mixtures of damped sine waves, C. D. Moore and J. H. Malmberg—770
Twyman-Green interferometry for measurements of stresses in thin films on optically flat silicon substrates, C. M. Drum—853(N)

A modified microinterferometric technique for measurement of diffusion coefficient of liquids, E. A. Travnicek and L. T. Fan—930
An acoustical thermometer for the temperature range 300–700 K, G. E. Goring and D. L. Hardison—1069
Laser interferometer for mass transfer boundary layer studies, K. W. Beach, R. H. Muller, and C. W. Tobias —1248(N)
A narrow band far infrared interferometer for electron density measurements, Merrill L. Andrews and Sanborn C. Brown—1626

Internal Friction

Optical readout for vibroscopes, Robert R. Ludeman and Donald D. Snyder—511(N)
Computerized acoustic spectrometer for polymeric solids at low temperatures, Helmar Schlein and Mitchel Shen—587
A Marx three component oscillator for internal friction measurements at low and high temperatures in high vacuum, F. Povolo and R. Gibala—817
An improved apparatus for measuring anelasticity in metal specimens, D. R. Mosher—820
An improved torsion pendulum for measuring internal damping, A. E. Schwaneke and R. W. Nash—1450

Ion Sources

High intensity, low energy spread ion source for chemical accelerators, Michael Menzinger and Lars Wåhlin—102
Simple design for an ion source of the oscillating electron beam type, Billy L. Crowder and N. A. Penebre—170(N)
Coaxion—a new ion source, T. Roach—179(N)
Apparatus for the study of proton sputtering, C. R. Finfgeld and A. Keith Furr—326
High frequency Van de Graaff ion source kinematics, R. P. Singhal, J. G. Roper, H. B. Knowles, and S. M. Bunch—493(N)
A heavy-ion energy loss spectrometer, John T. Park and F. D. Schowengerdt—753
Surface ionization source for ion implantation, Douglas M. Jamba—1072
Beam scanner, John H. Ormrod—1247(N)
Potassium ion source, J. F. Cuderman—1475
Development and application of a spark source for multiply charged carbon ions, H. J. Zwally, David W. Koopman, and T. D. Wilkerson—1492

Ionization Chambers

Ionization measurements in a helium streamer chamber, A. Kanofsky and N. Schoen—921

Ionization Processes

Differentially pumped, large angle coincidence scattering chambers for atomic collisions, Quentin C. Kessel—68
The use of a multichannel scaler in electron attachment-detachment experiments, J. L. Moruzzi and A. V. Phelps—461
An automated retarding potential difference technique using a multichannel scaler, P. J. Chantry—884
Line broadening in photoelectron spectroscopy, James A. R. Samson—1174
Development and application of a spark source for multiply charged carbon ions, H. J. Zwally, David W. Koopman, and T. D. Wilkerson—1492
A new type of surface ionization detector, J. Politiek and J. Los—1576

Laboratory Techniques

Processing nuclear emulsions for x-ray and γ-ray spectrographs, Bernard Saunders—26
Rotatable multiple sample mount for bakeable vacuum systems, W. J. Baxter and R. J. Dusman—163(N)
Goniometer sample mount for orienting and machining single crystals, Charles R. Whitsett and Myron C. Ley—164(N)
Simple design for an ion source of the oscillating electron beam type, Billy L. Crowder and N. A. Penebre—170(N)
Leak detection in high pressure gas system, Hartmut Spetzler, Edward Schreiber, and David Newbigging—179(N)
Superconductivity measurements in solders commonly used for low temperature research, W. H. Warren, Jr. and W. G. Bader—180(N)
Differential ion pumping for vacuum deposition, W. F. Leonard—187(N)
Construction of spectrophotometer cells with spacings less than 10 μ, Learco Minghetti and Sam Naiditch—188(N)
Optimum detectors for the NMR flowmeter, William S. McCormick and William P. Birkemeier—346
Zero point calibration technique for Mössbauer spectroscopy, W. E. Sauer and R. J. Reynik—360(N)
State of charge measurement of nickel-cadimum batteries, N. Latner—364(N)
Immersion cooler for freezing ice mantles on triple-point-of-water cells, J. P. Evans and D. M. Sweger—376(N)
Simple machining of flat double spiral channels, John C. Gille—377(N)
Bellows-sealed valve for reactive gases at moderately high pressures, G. C. Straty—378(N)
A versatile, inert atmosphere vacuum glove box, J. G. Pack and G. G. Libowitz—414
A method for determining the frequency response of a laser, D. L. Rode—506(N)
Hole detection in polymer films and in plastic track detectors, J. Blok, J. S. Humphrey, Jr., and G. E. Nichols —509(N)
Wire-slicing attachment modification for the Servomet spark machine, William R. Spencer and Thomas R. Cass —509(N)
Considerations in the packaging of analog-digital converters, Charles Erwin Cohn—512(N)
Elimination of gas bubbles in electropolishing thin foils, J. E. O'Neal—513(N)
A simple gas recirculation pump for low flow and high pressure applications, M. J. Hiza and A. G. Ducan—513(N)
A simple coaxial feedthrough, J. S. Huebner and L. J. Bruner—598(N)
Thin lithium targets sealed in nickel for low oxygen contamination, David C. Weisser and Russell K. Hobbie—683
Method for fabricating high frequency surface wave transducers, Henry I. Smith—729(N)
A low temperature acoustic bond for mercury, Tommy E. Bogle—731(N)
Method for making high quality sheet silver chloride, Raymond Guerra—737(N)
Instrumental effects in a retarding field energy analyzer, Pax S. P. Wei and Aron Kuppermann—783
Switch arrangement and power averaging in constant current calorimetric heating, S. S. Chang—822
Welding of a very thin foil, Peter Fowler and John V. Menghis—841(N)
A modified Conax seal using cold setting rubber, R. Deshaies—842(N)
Measurement of plating thickness on small balls, John Kurtz—845(N)
The preparation and measurement of very thin VYNS films, M. A. Volkar and R. L. Wolke—849(N)
A versatile epoxy casting technique for manufacturing magnetic probes, Fritz Herlach—852(N)

A bubble chamber film measuring system employing high accuracy image plane digitizers, D. G. Hill and R. B. Palmer—878
Bimetal strip hydrogen gas detectors, P. J. Shaver—901
Critical currents of superconductors in low fields, Nooralah Gillani and R. B. Britton—949(N)
Sequencing switch stepping mechanism, W. D. Komhyr—955(N)
Test set to evaluate the electroluminescent efficiency of noncontacted GaP diodes, J. S. Jayson and R. J. Strain—956(N)
Increasing the mobility of laboratory magnets by using an air pallet, J. S. Bennett—958(N)
Simple extrusion die for *in vacuo* production and expulsion of lithium wires, T. A. Leonard—964(N)
A technique for preparing and mounting thin nickel foils, D. L. Carr—965(N)
O-ring seal for high pressure tensile tester, D. R. McCann, P. F. Hettwer, and J. C. Uy—966(N)
Stable 1 pF charge injection capacitor for nuclear pulse preamplifiers, Raul Brenner—1011
Automatic electropolisher for copper, D. A. Lindholm—1105(N)
An electrostatic tool for handling very small samples, F. H. Nicoll—1108(N)
Spurious magnetic field compensation for an electron microscope, I. Hasegawa and A. C. Lilly, Jr.—113(N)
Flexible adhesive/sealants for carbon dioxide laser components, J. R. Peele, Jr. and W. T. Whitney—1114(N)
Comment on "Simple technique for detection of oxygen in laboratory furnaces" [A. E. Widmer, Rev. Sci. Instrum. **39**, 1968 (1968)], Stuart A. Hoenig—1115(L)
Sample holder for diffraction and other studies in ultrahigh vacuum, F. Jona and H. R. Wendt—1172
Production of isolated pairs of water drops having unequal radii, Charles E. Abbott—1227
An improved tool for refinishing the conical ends of high pressure tubing, Harry A. Davis, Jr., John R. Hastings, and Meyer Waxman—1238(N)
A simple technique for metalizing boron nitride, N. V. Frederick and W. W. Scott, Jr.—1240(N)
A review of electrical feedthrough techniques for high pressure gas systems, J. L. Downs and R. T. Payne—1278
Temperature insensitive magnetostrictive composites, J. R. Kench—1295
Automatic curve tracing method with two spots of light, Ikuo Ikeda—1340(N)
A source of error in hot filament, inert gas purity measurements, G. S. Sheffield and J. V. Hamme—1341(N)
An improved laboratory stirring device, Jerome Bitz—1344(N)
A simple and rapid optical method of orienting single crystals, J. E. Gueths, F. V. Burckbuchler, and C. A. Reynolds—1344(N)
Photon coupling for the low frequency modulation of high voltage oscillators, Arnold M. Falick and Rollie J. Myers—1349(N)
Active magnetic shielding of photomultipliers, Louis Lavoie and Roland Winston—1350(N)
Fabrication of extremely small carbon resistor thermometers, B. L. Booth and A. W. Ewald—1354(N)
Comparison of several solders for establishing mechanical contacts to insulating crystal platelets at low temperatures, M. Kreitman and D. Wilkening—1411
A technique for cutting and polishing small metal spheres, W. J. Gray and F. H. Spedding—1427
Ceramic plasma container for ion lasers, M. Nasini, R. Pratesi, and G. Redaelli—1473
A practical evaporator fixture for vacuum cleavage of semiconductor crystals, E. L. Wolf and W. Dale Compton—1497(N)
A simple, inexpensive heater for solid samples in a mass spectrometer, C. Reichert and J. B. Westmore—1515(N)
Continuous resistive surface deflection unit, C. E. Catchpole and D. H. Ceckowski—1549
Writing speed determination of sweeping image cameras using a photomultiplier tube calibrator, S. P. Marsh—1584
A simple goniometer for use with the Varian V-4546 electron paramagnetic resonance Dewar, Ingo W. May and Kevin J. White—1639(N)
An adjustable relief valve, Jack Driller and Kurt Weil—1643(N)
A method for uniformily heating a metallic surface in a vacuum, N. Rynn—1650(N)

Lasers (see also Masers)

Magneto-optical method for the measurement of spin–lattice relaxation times of paramagnetic ions, Beverly S. Giltner and Richard J. Lysiak—106
CO_2-laser interferometer for the measurement of transient low-density plasmas, H. Herold and F. C. Jahoda—145
Aerosol size and velocity determination via holography, M. E. Fourney, J. H. Matkin, and A. P. Waggoner—205
A subnanosecond risetime electro-optic shutter for use in a laser system, Maurice Michon, Hubert Guillet, Denis Le Goff, and Sylvain Raynaud—263
Measurement of far-infrared laser power, S. J. Martinich, C. J. Johnson, and D. P. Akitt—359(N)
A controlled laser pulse width technique, Frank Rainer—368(N)
A method for detecting and measuring frequency of surface vibrations using a helium–neon laser, L. Feigen, D. MacKeen, and E. Fine—381(N)
Gas additives for stable pulsed argon ion lasers, V. A. Gilson—448
A method for determining the frequency response of a laser, D. L. Rode—506(N)
A means for externally polarizing He–Ne 6328 Å lasers, D. H. McMahon—727(N)
A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829
A modified microinterferometric technique for measurement of diffusion coefficient of liquids, E. A. Travnicek and L. T. Fan—930
Photochromic paper for imaging ultraviolet laser pulses, John A. Sousa and Richard A. Kashnow—966(N)
Comments on "Plasma phasography" [Herman M. Presby and David Finklestein, Rev. Sci. Instrum. **38**, 1563 (1967)], U. Korsbech—969(L)
Flexible adhesive/sealants for carbon dioxide laser components, J. R. Peele, Jr. and W. T. Whitney—1114(N)
Analysis and performance of a split-detector spot analyzer, Y. T. Sihvonen—1202
Mirror mount for a shock tube laser cavity, R. R. Giedt and R. W. F. Cross—1238(N)
Laser interferometer for mass transfer boundary layer studies, K. W. Beach, R. H. Muller, and C. W. Tobias—1248(N)
Noise power spectrum characteristics for an He–Ne laser operating under various discharge conditions, A. Waksberg and J. Wood—1306
Single mode output with the Spectra-Physics model 125 He–Ne laser, G. D. Currie—1342(N)
Simple, high intensity short pulse flashlamps, C. M. Ferrar—1436
Measurement of rapid photoprocesses using a modulated cw laser, A. Haug, B. E. Kohler, E. B. Priestley, and G. W. Robinson—1439
Ceramic plasma container for ion lasers, M. Nasini, R. Pratesi, and G. Redaelli—1473

A method for measuring phase jitter statistics for very high repetition rate pulses, A. L. Waksberg and J. I. Wood—1513(N)
A laser earth strain meter, Jon Berger and R. H. Lovberg—1569
A reliable flashlamp pumped tunable organic dye laser, A. Goldstein and F. H. Dacol—1597
Degradation of laser optical surfaces, T. L. Barber—1630
Double giant pulse ruby laser with extended coherence length for holography, W. Wetzels and A. Alfs—1642(N)

Light Intensity

A Pockels cell light modulator for wide angle radiation, E. A. Enemark and Alan Gallagher—40
Quantum efficiency measurements using a 2π-geometry elliptic mirror, J. A. W. van der Does de Bye—320
Improvement of the signal-to-noise ratio of photomultipliers for very weak signals, J. A. Topp, H. W. Schrötter, H. Hacker, and J. Brandmüller—1164
Analysis and performance of a split-detector spot analyzer Y. T. Sihvonen—1202

Light Modulators

Simple light chopper for vacuum ultraviolet spectroscopy, Paul M. Grant—602(N)

Light Pipes

Versatile cathodoluminescence attachment for electron microprobe analysis, Lee R. Reid and James P. Smith—316

Light Scattering

Design of a multipurpose wind tunnel, Gilbert D. Stein—1058
A multiple purpose optical instrument for studies of short steep water waves, Jin Wu, J. M. Lawrence, E. S. Tebay, and M. P. Tulin—1209

Light Sources

A 5 μsec dual beam flash photoelectric apparatus, R. W. Yip—1035
Flash photolysis apparatus with a new geometry, J. R. Huber, R. P. Widman, and K. Weiss—1103(N)
Mercury lamp for optical pumping, Donald I. Shernoff—1418
Simple, high intensity short pulse flashlamps, C. M. Ferrar—1436
A low pressure arc source of simple design, Carlos B. Suárez—1505(N)
A reliable flashlamp pumped tunable organic dye laser, A. Goldstein and F. H. Dacol—1597

Liquid Levels

Simple instrument for two-level control of liquid nitrogen in Dewars, Yosef Alon—20
Sensitive hot wire level detector for cryogenic liquids, F. de la Cruz and O. J. Bressan—483
Cryogenic liquid level detector, Clifford W. Tompson and Leemer Cernolovek—963(N)

Liquids

Microwave measurement of permittivity and electrical conductivity in shock compressed liquids, R. S. Hawke, A. C. Mitchell, and R. N. Keeler—632
A conductance network for three-terminal capacitance bridges, Robert L. Kay and Krishnahadi S. Pribadi—726(N)
Dielectric permittivity measurements at centimeter wavelengths, J. D. Cutnell, D. E. Kranbuehl, E. M. Turner, and W. E. Vaughan—908
A modified microinterferometric technique for measurement of diffusion coefficient of liquids, E. A. Travnicek and L. T. Fan—930
Metal dilatometer for determining density and expansivity of volatile liquids at elevated temperature, Stanley Cantor—967(N)
A dilatometer method for the precision measurement of the densities of liquids to 400°C and 352 kg/cm^2, J. T. Bell, R. E. Biggers, T. G. Rogers, and A. M. Rom—985
A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062
Production of isolated pairs of water drops having unequal radii, Charles E. Abbott—1227
A cell for measurement of ultrasonic absorption in liquids, N. E. Vanderborgh, W. D. Spall, and J. C. Russell—1500(N)
An adjustable relief valve, Jack Driller and Kurt Weil—1643(N)

Low Temperature Techniques (see also Cryogenics)

Simple instrument for two-level control of liquid nitrogen in Dewars, Yosef Alon—20
Magneto-optical method for the measurement of spin-lattice relaxation times of paramagnetic ions, Beverly S. Giltner and Richard J. Lysiak—106
Precision thermometer for the region 10–40 K, D. Gill, N. Kaplan, R. Thomspon, V. Jaccarino, and H. J. Guggenheim—109
Instrumentation for the digital recording of the de Haas-van Alphen effect in impulsive magnetic fields, P. T. Panousis and A. V. Gold—120
Simple, inexpensive liquid helium temperature controller, using integrated semiconductor circuits, Carlos M. Venegas and Leonard Finegold—159
Clamp cell for high pressure–low temperature x-ray and Mössbauer resonance studies, C. W. Christoe and H. G. Drickamer—169(N)
Superconductivity measurements in solders commonly used for low temperature research, W. H. Warren, Jr. and W. G. Bader—180(N)
Low temperature optical-EPR sample probe using tunable coaxial coupling, T. C. Ensign and Te-Tse Chang—268
Pyroelectric thermometer for use at low temperatures, Sidney B. Lang, Steven A. Shaw, Lynn H. Rice, and K. D. Timmerhaus—274
The thermal conductivity of silicon dioxide glass from 0.5 to 4.2 K, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giauque—365(N)
Waveguide window and nonmetallic vacuum can for low temperature EPR, B. C. Thompson and A. W. Nolle—374(N)
Magnetic susceptibility of quartz and Suprasil, B. J. Marshall, R. Johnson, D. Follstaedt, and J. Randorff—375(N)
A 500 liter hydrogen bubble chamber, I. A. Pless, B. M. Bailey, R. D. Biron, G. K. Karageorge, P. Marcato, and K. B. Martin—397
Low temperature electrical resistivity measurements on reactive samples, J. G. Pack and G. G. Libowitz—420
Sensitive hot wire level detector for cryogenic liquids, F. de la Cruz and O. J. Bressan—483
Some low temperature thermometry observations, Ralph L. Rosenbaum—577
Computerized acoustic spectrometer for polymeric solids at low temperatures, Helmar Schlein and Mitchell Shen—587
An optical absorption cell with variable path length and temperature, M. W. P. Cann—595(N)

An interpolation formula for GaAs p–n junction diode thermometer in the 1 to 100 K range, H. C. Praddaude —599(N)
Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. 39, 1672 (1968)], L. R. Windmiller and J. B. Ketterson—630(E)
Peltier measurement below 4 K, H. J. Trodahl—648
Low temperature setup for electron irradiation and subsequent photoconductivity studies of semiconductors, P. Vajda and J. Lori—690
A low temperature acoustic bond for mercury, Tommy E. Bogle—731(N)
Low temperature specific heat (1.6 to 4 K) of six commercial aluminum alloys, Paul Zoller and J. R. Dillinger —776
Remotely controlled piezoelectric vibrator for low temperature applications, D. U. Gubser and D. E. Mapother —843(N)
Temperature control for ESR measurements in the 10 to 80 K range, Dietrich Timm and John E. Willard —848(N), 1516(E)
Low temperature adaptor for the Debye–Scherrer powder camera, P. B. Crandall—954(N)
Cryogenic liquid level detector, Clifford W. Tompson and Leemer Cernolovek—963(N)
A large desorption cryostat for resistivity measurements between 1.2 and 19 K, D. Waldorf and M. Yaquib—1032
A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062
The behavior of carbon resistor thermometers in magnetic fields up to 100 kOe in the pumped liquid helium and hydrogen temperature ranges, B. C. Belanger—1082, 1652(E)
Accurate temperature measurements on a microbalance suspension by inductive coupling, H. W. Dail and G. S. Knapp—1086
Evaporated silver–aluminum thermocouples for low temperature measurement, Sheila B. Bailey, Roy T. Richard, and E. N. Mitchell—1237(N)
Superconducting leads for cryogenic applications, A. C. Anderson and D. W. Bloom—1243(N)
A pressure activated superfluid valve, Marshall Kreitman —1249(N)
A system for neutron damage rate measurements in liquid nitrogen, J. S. Thornton, J. B. Whitworth, and A. D. Thomas, Jr.—1250(N)
Constant current supply with high reproductivity for low temperature specific heat measurements, D. H. Lowndes, Jr. and Leonard Finegold—1252(N)
A technique for the rapid measurement of thermoelectric power, G. R. Caskey, D. J. Sellmyer, and L. G. Rubin —1280
Low temperature thermometry in high magnetic fields. I. Carbon resistors, L. J. Neuringer and Y. Shapira —1314
Fabrication of extremely small carbon resistor themometers, B. L. Booth and A. W. Ewald—1354(N)
Thermistors as temperature sensors at 4.2 K and the effect of a magnetic field, W. F. Schlosser and R. H. Munnings—1359(N)
Spectrophotometric system for transient observation of solids under pulsed electron irradiation, R. T. Williams, R. G. Fuller, M. N. Kabler, and V. H. Ritz—1361(N)
Single walled, space saving, liquid nitrogen Dewars, S. Foner—1362(N)
High sensitive capacitive pressure gauge, G. C. Straty and E. D. Adams—1393
Comparison of several solders for establishing mechanical contacts to insulating crystal platelets at low temperatures, M. Kreitman and D. Wilkening—1411
Low temperature high sensitivity temperature compensated heat flux sensor, E. H. Schulte and R. F. Kohl—1420
The thermal grounding of electrical leads at low temperatures, A. C. Anderson—1502(N)
Modified Speer resistors for use as low temperature thermometers, J. E. Robichaux, Jr. and A. C. Anderson—1512(N)
Low temperature thermal conductivity of several greases, M. M. Kreitman—1562
Rotatable 15 kOe superconducting Helmholtz coils, S. J. Williamson—1632
Parahydrogen from helium cooled catalyst, G. L. Hill—1645(N)

Low Voltage Techniques

A nonsuperconducting detection system for low level dc voltages, Alan F. Clark and Frederick R. Fickett—465

Lubrication

Lubrication in hydrostatic pressure systems, A. E. Abey, J. A. Husk, and E. D. Joslyn—1641(N)

Luminescence

Wide-bandwidth logarithmic amplifier for analyzing decay kinetics, R. Ahrenkiel—78
Versatile cathodoluminescence attachment for electron microprobe analysis, Lee R. Reid and James P. Smith—316
Quantum efficiency measurements using a 2π-geometry elliptic mirror, J. A. W. van der Does de Bye—320
Test set to evaluate the electroluminescent efficiency of noncontacted GaP diodes, J. S. Jayson and R. J. Strain—956(N)

Magnetic Fields

Generation and switching of magnetic energies in the megajoule range by explosive systems, H. Knoepfel, H. Kroegler, R. Luppi, and J. van Montfoort—60
Low-pass superconducting filter for use in high magnetic fields, I. S. Goldstein and P. J. Tobin—172(N)
Automatic distortionless control of magnetic field modulation, Russell J. Jirberg—173(N)
Elimination of photomultiplier gain shift due to extraneous weak reversible magnetic field, J. C. Palathingal —266
The behavior of carbon resistor thermometers in magnetic fields up to 100 kOe in the pumped liquid helium and hydrogen temperature ranges, B. C. Belanger—1082, 1652(E)
Magnetic field controller by simple modification of standard (Varian FH-20) gaussmeter, Richard D. Friesen —1110(N)
Rapid scanning of the magnetic field in ESR spectroscopy: application to pulse electrolysis [Rev. Sci. Instrum. 39, 935 (1968)], R. Hirasawa, T. Mukaibo, H. Hasegawa, Y. Kanda, and T. Maruyama—1116(E)
Active magnetic shielding of photomultipliers, Louis Lavoie and Roland Winston—1350(N)
Magnetic field uniformity around near-Helmholtz coil configurations, R. K. Cacak and J. R. Craig—1468
Measurement of large angle atomic scattering using axially symmetric magnetic fields, T. O. Bush, O. Heinz, G. W. Rodeback, and C. J. Cook—1531
A floating microcompass for measuring millioersted magnetic fields in millimeter-cube sampling volumes, G. E. Helmke and E. O. Schultz-DuBois—1622

Magnetic Lenses

Instrumentation for the digital recording of the de Haas–van Alphen effect in impulsive magnetic fields, P. T. Panousis and A. V. Gold—120

Simultaneous, local measurement of two magnetic field components and the sum of their squares, I. R. Jones, J.-M. Peiry, and D. Cocq—133
Magnetic susceptibility of quartz and Suprasil, B. J. Marshall, R. Johnson, D. Follstaedt, and J. Randorff —375(N)
Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. **39**, 1672 (1968)], L. R. Windmiller and J. B. Ketterson—603(E)
A versatile epoxy casting technique for manufacturing magnetic probes, Fritz Herlach—852(N)
Transient response of magnetic probes, L. A. Ferrari and M. S. Zucker—925
A versatile toroid hysteresis loop tracer with direct readout of loop parameters, Carl E. Patton—939
Accurate temperature measurements on a microbalance suspension by inductive coupling, H. W. Dail and G. S. Knapp—1086

Magnetic Properties of Materials

Magnetic susceptibility of quartz and Suprasil, B. J. Marshall, R. Johnson, D. Follstaedt, and J. Randorff— 375(N)

Magnetic Resonance

Precision thermometer for the region 10–40 K, D. Gill, N. Kaplan, R. Thompson, V. Jaccarino, and H. J. Guggenheim—109
Optimum detectors for the NMR flowmeter, William S. McCormick and William P. Birkemeier—346
Frequency locking of cw acoustic magnetic resonance spectrometers, J. G. Miller and D. I. Bolef—361(N)
Analog computer for calculation of second moments in NMR, A. A. V. Gibson and R. E. Raab—410
Triangular sawtooth sweep for NMR with provision for manual operation or time averaging, Dennis E. Wisnosky —499(N)
Low cost high linearity solid state digital double boxcar, Gary L. Samuelson and David C. Ailion—676
An improved transistor marginal oscillator, Shih-yu Feng —963(N)
Calibrated sensitivity measurements of nuclear magnetic resonance spectrometers, Michael S. Adler and Stephen D. Senturia—1481
Extending the upper temperature limit of wide line NMR experiments using modifications of standard equipment, L. Douglas Clark—1498(N)

Magnetic Suspensions

Magnetic suspension densimeter, J. W. Beams—167(N)
Stability of a current ring supported in a magnetic field, V. Kelvin Neil and Richard K. Cooper—295
Modified rapid quenching apparatus, James N. Baker, Charles E. Mighton, and William R. Bitler—1065

Magnetohydrodynamics

The effect of variable fluid properties on the sensitivity of MHD flowmeters, William J. Thomson and Gordon R. Bopp—1609

Magnetometers

Response of self-oscillating rubidium vapor magnetometers to rapid field changes, P. Dyal, R. T. Johnson, Jr., and J. C. Giles—601(N)
Remotely controlled piezoelectric vibrator for low temperature applications, D. U. Gubser and D. E. Mapother —843(N)
A floating microcompass for measuring millioersted magnetic fields in millimeter-cube sampling volumes, G. E. Helmke and E. O. Schultz-DuBois—1622

Magneto-Optic Effects

Magneto-optical method for the measurement of spin–lattice relaxation times of paramagnetic ions, Beverly S. Giltner and Richard J. Lysiak—106
A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829

Magnetoresistance

Low temperature thermometry in high magnetic fields. I. Carbon resistors, L. J. Neuringer and Y. Shapira —1314

Magnetostriction

Temperature insensitive magnetostrictive composites, J. R. Kench—1295

Magnets (see also Superconducting Magnets)

Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. **39**, 1672 (1968)], L. R. Windmiller and J. B. Ketterson—603(E)
Increasing the mobility of laboratory magnets by using an air pallet, J. S. Bennett—958(N)
Spherical multipole magnets for plasma research, M. Sadowski—1545

Masers (see also Lasers)

Regulation of atomic hydrogen flow with a platinum wire detector, Douglas Brenner—1234(N)

Mass Spectrometry

Mass spectrographic analysis of silver membrane oxygen leak, E. G. Burroughs—33
An ion ejection technique for the study of ion–molecule reactions with ion cyclotron resonance spectroscopy, J. L. Beauchamp and John T. Armstrong—123
Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instr. **39**, 958 (1968)], Tomanao Hayashi and Noriyuki Sakudo—190(E)
A programmable magnetic field mass spectrometer with on-line data processing, G. J. Wasserburg, D. A. Papanastassiou, E. V. Nenow, and C. A. Bauman—288
Simple quadrupole mass spectrometer rf generator, J. A. Burt—358(N)
A simple quadrupole mass spectrometer, A. R. Fairbairn— 380(N)
Improvement of spectral baseline stability for a time-of-flight mass spectrometer operated at elevated pressures, C. D. Miller, T. O. Tiernan, and J. H. Futrell—503(N)
A crossed-beam apparatus for investigation of ion–molecule reactions, Z. Herman, J. D. Kerstetter, T. L. Rose, and Richard Wolfgang—538
Monopole mass spectrometer with improved sensitivity and reduced background, Richard F. Herzog—1104(N)
Magnetic field controller by simple modification of standard (Varian FH-20) gaussmeter, Richard D. Friesen —1110(N)
Simple mass spectrum linearizer, G. G. Meisels, B. B. Giessner, and L. J. Leger—1224
A sliding-shaft vacuum lock for a mass spectrometer, J. J. Stoffels and C. R. Lagergren—1228
A simple mass spectrometer, P. H. Dawson, J. W. Hedman, and N. R. Whetten—1444
A simple, inexpensive heater for solid samples in a mass spectrometer, C. Reichert and J. B. Westmore—1515(N)

Mechanics

An apparatus for measuring stress in thin films, E. Klokholm—1054

Metallurgy

Goniometer for partial pole figure determination on cylindrical specimens, L. van Someren and E. Sprenkle—56

Technique for annealing irradiated uranium under high hydrostatic pressures and temperatures, G. L. Kulcinski, R. A. Thiede, and C. R. Hann—214
Hot-microhardness test equipment, J. L. Kamphouse, J. C. Blake, and J. Moteff—321
Calibration heater for a liquid-vapor deformation calorimeter, A. Wolfenden—712
A 77–1300 K single crystal x-ray specimen chamber, P. C. Gehlen—715
An improved apparatus for measuring anelasticity in metal specimens, D. R. Mosher—820
Tracer diffusion studies on metals using a microtome, D. Graham—897
New techniques and apparatus for examining the elevated temperature deformation of metals, A. A. Solomon—1025
Modified rapid quenching apparatus, James N. Baker Charles E. Mighton, and William R. Bitler—1065
Automatic electropolisher for copper, D. A. Lindholm —1105(N)
Apparatus for determining thermophysical properties of solids by direct electrical pulse heating, R. A. Finch and R. E. Taylor—1195
A system for neutron damage rate measurements in liquid nitrogen, J. S. Thornton, J. B. Whitworth, and A. D. Thomas, Jr.—1250(N)
Radiographs of the electron beam welding cavity, Henry Tong and Warren H. Giedt—1283
High temperature continuous creep measuring apparatus, E. S. Chen, J. C. Sadak, and F. K. Sautter—1325
An improved torsion pendulum for measuring internal damping, A. E. Schwaneke and R. W. Nash—1450
Calorimeter for simultaneous measurements of stored energy and resistance, E. A. Ryan and J. J. Jackson—1580

Metals

Instrumentation for the digital recording of the de Haas-van Alphen effect in impulsive magnetic fields, P. T. Panousis and A. V. Gold—120
Erratum: Techniques and instrumentation for measuring the de Haas-van Alphen effect in metals [Rev. Sci. Instrum. **39**, 1672 (1968)], L. R. Windmiller and J. B. Ketterson—603(E)
A technique for measurement of the heat capacity of metals under pressure, G. Jura and W. A. Stark, Jr.—656
High vacuum adhesion test apparatus, M. J. Hordon and M. A. Wright—1017
A constant stress creep apparatus for superplastic metals, T. D. Dudderar—1231

Meteorology

Sequencing switch stepping mechanism, W. D. Komhyr —955(N)
A phenomenon-energized point-discharge current meter, R. A. Cudney and C. T. Phelps—965(N)
Thin film temperature sensor, Bruce W. Kennedy—1169

Metrology

Analytic stop motion stereo photogrammetry, Neil B. Ingels, Jr., Stephen K. Rush, and Noël P. Thompson —487
A bubble chamber film measuring system employing high accuracy image plane digitizers, D. G. Hill and R. B. Palmer—878

Micromanipulators

Piezoelectric driving device for glass capillary microelectrodes, Joseph T. Tupper and Robert Rikmenspoel —851(N)

Microscopy

Equipment for the quantitative photometric measurement of reflectivity by polarized light microscopy, L. T. Larson—1088

Microtomes

Tracer diffusion studies on metals using a microtome, D. Graham—897

Microwave Spectroscopy (see also Electron Spin Resonance)

High pressure ENDOR cavity, W. T. Doyle, T. F. Dutton, and H. P. Liu—171(N)
"Hot-cold finger" for ESR microwave spectrometers, Jonathan F. Reichert and Joseph Gigante—494(N)
EPR cavity for oriented single crystals in sealed tubes, R. V. Lloyd and D. E. Wood—514(N)
Millimeter-wave electron spin resonance spectrometer with homodyne detection, H. van den Boom—550
An improved microwave spectrometer for linewidth measurements, James A. Roberts—935

Microwave Techniques

Low temperature optical-EPR sample probe using tunable coaxial coupling, T. C. Ensign and Te-Tse Chang—268
Waveguide window and nonmetallic vacuum can for low temperature EPR, B. C. Thompson and A. W. Nolle —374(N)
Plastic EPR microwave cavity suitable for modulation at high and low frequencies, P. Cevc—515(N)
Microwave measurement of permittivity and electrical conductivity in shock compressed liquids, R. S. Hawke, A. C. Mitchell, and R. N. Keeler—632
A simple microwave detector and a p-i-n modulator for F band application, G. J. Lichtenberger—807
Dielectric permittivity measurements at centimeter wavelengths, J. D. Cutnell, D. E. Kranbuehl, E. M. Turner, and W. E. Vaughan—908
A linear polarization diplexer at 34 GHz, M. Rhinewine —951(N)
Application of microwave reflection technique to the measurement of transient and quiescent electrical conductivity of silicon, J. A. Naber and D. P. Snowden—1137
Fabry–Perot cavity for dielectric measurements, K. H. Breeden and J. B. Langley—1162
Afterglow plasma diagnostics with a microwave sampling radiometer, R. L. Stenzel and R. W. Gould—1461
Microwave helices in electron spin resonance studies at high pressure or very stable temperatures, William Z. Plachy and Tjeerd J. Schaafsma—1590

Mineralogy

Equipment for the quantitative photometric measurement of reflectivity by polarized light microscopy, L. T. Larson—1088

Molecular Beams (see also Atomic Beams)

Molecular-beam time-of-flight spectroscopy, Jack A. Alcalay and Eldon L. Knuth—438, 1652(E)
A crossed-beam apparatus for investigation of ion–molecule reactions, Z. Herman, J. D. Kerstetter, T. L. Rose, and Richard Wolfgang—538
Free radical beam source, Ferenc Kalos and Arthur E. Grosser—804
Welding of a very thin foil, Peter Fowler and John V. Menghis—841(N)
An arc heater for supersonic molecular beams, W. S. Young, W. E. Rodgers, and E. L. Knuth—1346(N)
Molecular beam reactive scattering apparatus with electron bombardment detector, Y. T. Lee, J. D. McDonald, P. R. LeBreton, and D. R. Herschbach—1402

Simple source for a high velocity molecular beam, George S. Aitken and Robert S. Freund—1515(N)

Molecules

A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062

Molten Salts

Two-probe direct current measurement of fused salt conductance, David S. Newman and Roy Stein—246
Linear oscillation viscometer, M. S. White and C. Solomons—339

Mössbauer Experiments

Flyback system for a constant velocity Mössbauer drive, Robert L. Chase—85
Clamp cell for high pressure-low temperature x-ray and Mössbauer resonance studies, C. W. Christoe and H. G. Drickamer—169(N)
Zero point calibration technique for Mössbauer spectroscopy, W. E. Sauer and R. J. Reynik—360(N)
Mössbauer spectroscopy with monochromatic circularly polarized radiation, S. Shtrikman and S. Somekh—1151

Nanosecond Techniques

Simple low-impedance high-voltage coaxial transmission line pulser, R. R. Alfano and N. Yurlina—166(N)
Method for time sampling the anode current of magnetic electron multipliers, J. L. Morack and C. E. Fairchild —184(N)
A subnanosecond risetime electro-optic shutter for use in a laser system, Maurice Michon, Hubert Guillet, Denis Le Goff, and Sylvain Raynaud—263
A controlled laser pulse width technique, Frank Rainer —368(N)
Light-pulser measurement on the XP 1210 high-speed photomultiplier tube, Arpad Barna and Eugene L. Cisneros—370(N)
Flash radiography using exploding wire technique, B. Stenerhag, S. K. Händel, and B. Göhle—563
Tunnel diode-transistor twisted ring counter, Z. C. Tan —585
A nanosecond Kerr magneto-optic camera, M. H. Kryder and F. B. Humphrey—829
Spectrophotometric system for transient observation of solids under pulsed electron irradiation, R. T. Williams, R. G. Fuller, M. N. Kabler, and V. H. Ritz—1361(N)
Millimeter and nanosecond resolution of fast neutrons from an intense plasma discharge, Melvin J. Bernstein —1415
Fast beam-switching electron gun for transient beam-plasma interaction study, Glen J. Morris—1433
Simple, high intensity short pulse flashlamps, C. M. Ferrar—1436
Measurement of rapid photoprocesses using a modulated cw laser, A. Haug, B. E. Kohler, E. B. Priestley, and G. W. Robinson—1439
A light pulse demodulator with large bandwidth and high sensitivity, Charles E. Tyler—1466
A method for measuring phase jitter statistics for very high repetition rate pulses, A. L. Waksberg and J. I. Wood—1513(N)

Neutron Detectors

Millimeter and nanosecond resolution of fast neutrons from an intense plasma discharge, Melvin J. Bernstein —1415

Neutron Diffraction

New crystal spectrometer for neutrons, R. Stedman, L. Almqvist, G. Raunio, and G. Nilsson—249
Attenuation correction factor for scattering from cylindrical targets, John M. Carpenter—555

Neutron Measurements

SiO_2(quartz), MgO, PbF_2, and Bi as low-pass neutron velocity filters, Sten Holmryd and Donald Connor—49
Millimeter and nanosecond resolution of fast neutrons from an intense plasma discharge, Melvin J. Bernstein— 1415

New Instruments

Accessory, dichroism, circular—1656
Air system, controlled—744
Alignment instrument—862
Analysis system, gas—609
—— ——, thermal—1123
Analytical systems, chemical—198
Analyzer, circuit, logic—1657
——, coulometric—1371
——, frequency response—1263
——, gas—1260
——, NMR—1260
——, oxygen—389
——, particulate—198
——, radiochromatographic—609
——, signal—1264
——, silica—976
——, surface area—610
Ashing, low temperature—1373
Attenuated total reflectance unit—742
Balance, micro- —197, 1123
Bench, optical—1265
Binoculars, high power—612
Bridge, capacitance, automatic—1370
——, conductivity—1372
——, LCR, logarithmic—1371
——, rf power—193
——, R-L-C—1123
Calculator, computing—1660
Calibrator, potentiometer—1658
Camera, high speed—1119
——, holographic—198
——, x-ray, cinematic—522
Character recognition system, optical—977
Chromatograph system—1122
Communication system, diver—607
Comparator, digital—860
Computer, concentration—610
—— terminal—1522
Concentration converters—387
—— readout for spectrophotometers—975
Conductivity monitor/controller—1372
Contact analyzer, electric—1370
Control system laboratory—386
Converter, analog-to-digital—1369
——, digital-to-analog—860
——, time to pulse height—610
Correlator—745
——, digital—859
Coulometer system, controlled potential—1371
Counter—974
——, computing—973
——, statistical—193
Data acquisition system—1369, 1659
—— logger—1520
Detector, gas chromatography—1259
——, pyroelectric—861
——, rms, multichannel—1261
Dielectrometer—1371
Digital picoammeter—859
Digitizer, pictorial and graphic—611

Display, digital—1124
—— terminals—1264
—— unit, data storage—390
Dosimeter, low energy radiation—612
Electrode, sodium ion—1122
ESR spectrometer—1120
Filter, multichannel—521
Filters, active—1521
——, varactor-tuned—195
Flowmeter, magnetic resonance—520
Frequency synthesizer—974
Furnaces, high vacuum—1519
Generator, character—1263
——, impulse—1260
——, signal, random—1522
——, sweeper/signal—1521
——, waveform, programmable—1658
Goniometer, infrared—975
Gyro calibration test stand—744
Hardness tester for interior surfaces—978
Hydrophone—611
Interferometer, Fabry-Perot—743, 1122
Laser system, YAG—607
Magnetometer, digital—1660
——, oceanographic—607
Manometer—196
——, capacitance—196
——, ——, automatic balancing—976
Mass spectrometers—385
Measuring device, polar coordinate—1374
Meter, high resistance—861
Microanalyzer, electron probe—1519
Micromanipulator—1265
Micrometer, assembly, digitized—862
Microprobe, laser—1373
Microscope, electron—1657
——, scanning electron—385
Microtome—608
Microwave power meter—193
Millimeter-wave sweep system—1261
Modulator, optical—862
Molecular weight apparatus—520
Monitor, dissolved oxygen—741
——, air pollution—389
——, oxygen—197
—— system, Loran-C—1658
Monochromator, scanning—859
—— -spectrometer—1656
Multimeter, digital—1659
Multiplier, electron—611
NMR Fourier transform accessory—1122
Optical system, schlieren—387
Oscillator, polyphase—386
——, stepping—1123
Oscillographs, lightbeam—1370
Oscilloscope multiplexer—745
Oscilloscopes—1655
Osmometer, freezing point—1374
Photography systems, holographic—388
Photometric system, modulator—977
Photomultiplier—1124
Picovoltmeter, low temperature—979
Plate holder, photographic, micropositional—166
Polarographic system, differential—1372
Potentiometer-nanovolt sources—611
Power measuring system—1262
Probability distribution analyzer—860
Probe, leak detector—612
Processor, data—1655
Protein structure apparatus—1119
Pulmonary function oxygen monitor—522
Q-switching system—388
Raman spectrophotometer—975
Receiver, time code—977
Recorder, magnetic disk—1520
——, memory loop—1520
——, multichannel—1659
——, multipoint—978
——, water level—1374
——, X-Y—1264
Reference, frequency—1658
Refractometer—975
RFI/EMI data acquisition system—194
Rheogoniometer—1122
Scan converter unit—610
Scanner, radioactivity—976
Scintillation system—1660
Search system, magnetic tape—1263
Sensor, particle—608
Signal analyzer, real-time—1122
—— averager—1370
Slide rule, transmission line—863
Source, acoustic—861
Spectrometer, direct reading—974
——, ENDOR—974
——, Fourier, far ir—519
——, induced electron emission—519
——, infrared, far—1656
——, laser—387
——, NMR—1521, 1656
——, x-ray—1519, 1657
Spectrophotometer—1121, 1373
——, atomic absorption—520, 1121
—— calibrator, ir—860
——, infrared—1259
——, micro- —1119
Spectroradiometer—1259
Spectrum analyzer—745
Sputtering system, automated—978
Standard, transfer, ac/dc—1371
Surveillance system, spectrum—977
Switching matrix—1264
Telemetry system—1262
—— transmitter-receiver systems—741
Telescope—742
Temperature controller—390
Tensile tester—743
Tester, integrated circuit—612
Thermal radiation source—196
Thermometer, infrared—608
Thermopile, laser calorimetry—612
Time display system—741
Titrator—197
Transducer indicator—862
——, temperature—521
Transformer, rotary—1262
Translator, frequency, rf—1657
Ultrasonic testing system—861
Ultraviolet monitor—1372
Vacuum calibration—1123
Velocimeter, sound—1519
Voltage reference—386
—— source, dc—1261
Voltmeter calibrator, digital—744
——, differential—386, 1262, 1659
——, electrostatic—521
——/nanoammeter, dc micro- —195
——, rms—195
Volt-ohm-milliammeter—195
Waveform generator, phase-lock—385
X-ray system, microfocus—1657
Zener reference—194

New Materials and Components

Abrasive tapes, cushioned—865
Accelerometer—982
——, quartz—614
——, recording—614
Accelerometers, high level—614
Actuator, linear, hermetically sealed, air powered—1376
Adhesive, "washaway"—1665
Air gun for dust and static—392
—— switch, sensitive—749
Amplifier, logarithmic to dc, ultrastable—1378
——, operational—1127
——, phase lock—1269
——, rf, solid state—748
——, servo-, dc—748
——, thermocouple—1667
Amplifiers, operational—1378
Antenna, biconical, for RFI/EMI measurement—1524
Attenuator, coaxial, variable—395
Attenuators, rotary—747
Badges for radiation monitoring—865
Ball mill, alumina—203
Bath, constant temperature—1528
Batteries, rechargeable, compact, for oceanographic equipment—1529
Battery, rechargeable, lightweight—866
—— state-of-charge monitor—526
Beam splitter, variable, lasers and—1523
Bearing, roller, precision large diameter—1131
Bearings, high temperature—616
——, needle thrust, precision—616
——, V-groove—523
Bell jars, vacuum—203
Bellows, titanium—751
Belts, drive—391
Blackbody, copper point—1266
Blanks, crystal, quartz—1530
Bonding agent concrete—1129
Boring head, precision—616
Boron nitride powder, high purity—980
Buret, automatic, with Teflon valve assembly—523
Cable jack, right angle—1131
Cadmium determination, electrode for—866
Camera, TV, low light level—746
Capacitor with low temperature coefficient—1130
Capacitors, electrolytic, dual-vent—866
——, high voltage—394
——, metallized polycarbonate—617
——, mica, miniature—866
Carbon electrode, glassy—394
—— microspheres—199
Card reader—620
—— ——, static—1376
Case for open pan balances—203
Cement, ceramic, for thermocouple end seals—983
Ceramic, casting—983
——, hard oxide—617
Ceramics, machinable high temperatures—199
Chain drive, ladder, miniature—1271
Chamber, high temperature, for vibrating sample magnetometer—619
Checker, transistor and diode—618
Chromatography, column, fraction cutter for—1128
Cleaner, contact—392
—— for ceramic substrates—392
——, plastic—1271
——, syringe—392
Clock/calendar, IC, systems-oriented—748
——, digital programming—620
Clothing, acid resistant—1271
Coating system, high temperature—1378
Coax fittings that twist and rotate—619
Coincidence module, overlap—864
Cold plate, thermoelectric—1667
Comparator, digital—1375
——, hybrid—1269
Compounds, labeled—1128
Computer module, algebraic, analog—864
Conductive elastomer in small sizes—199
Conductomer elements, ultrathin—982
Connectors, coaxial cable, high voltage high altitude—746
——, rf, miniature—1269
Continuum source, hydrogen—1666
Controller, temperature, crystal oven and—1665
Converter, data, binary-to-decimal—1269
——, digital-to-analog—864
Converter, linear motion, long travel—1663
——, p_H meter to volt-ohmmeter—619
Converters, binary-to-decimal, high speed—1661
Converters, dc/dc—1125
——, frequency-to-voltage—1661
——, power, miniature—1526
Copper foam for heat transfer—524
Cord, power, retractable—1131
Counter, present, with normalized readout—620
——, single digit, with readout contacts—748
——, two digit—396
Counters, present—1127
Couplings, flexible, titanium—616
Crowbars, overvoltage, miniature—200
Crucibles, silicon nitride—617
Crystal specimen processing kit—1270
Crystals, bismuth germanium oxide—981
——, $LiNbO_3$—1666
——, single, magnesium—617
——, ——, stainless steel—1377
——, ——, titanium—1377
Current source, dc, programmable—1525
Cushioning, foam—1129
Data acquisition systems, digital—1375
Delay line, lumped constant—618
——, ——, nanosecond—201
—— lines, ultrastable—526
De-soldering tools for micro-components—203
Detector, light—619
——, spike—201
Detectors, radiation, high intensity—1666
Detonators, bridge-wire, precision—524
Dial, turns counting—203
Diffusant source film for junction fabrication—199
Diodes, hot-carrier, optimized for high frequency—1525
——, light-emitting, low power—1266
Display, numeric, 5 V solid-state—525
——, ——, solid state—1376
—— tubes, high contrast—1267
Displays, alpha-numeric, plug-in—202
Divider, voltage, high—1663
Dividers, voltage, high—1663
Drills, core, diamond—616
Driver, lamp and relay miniature—618
Electrode, cyanide—200
——, lead ion—1128
——, potassium—1128
Electrodes, ion, selective—1271, 1665
Electroplating bath, gold, cyanide-free—981
Elements, rare earth—751
Enclosure, shielded, low frequency—1269
Enclosures, rf shielded, prefabricated—526
Encoder, hermetically sealed—1375
End seal material, temperature, high—1665
Epoxy, amber, red curing—750
——, conductive—617, 981

——, ——, gold bearing—751
—— formulations—1529
—— plastics, application of ceramic to—1529
——, room temperature curing—750
——, thixotropic—1129
Fan for cooling tightly packaged electronic equipment—1131
Ferrite, magnesium—1662
——, new—980
FET devices, dual, matched—202
Fiber reinforced metal matrix composites—980
Field coils for lasers—1378
Film for simultaneous positives and negatives, user-processed—617
Filter, rf air, honeycomb—1378
—— set, colored glass—1267
——, wave, for communication equipment—1125
Filters, adaptive—201
——, fixed passband—747
Fixture, holding—391
Flux pen—523
Furnace controller, lab—394
Furnaces, temperature, high—1667
——, tubular—619
Fuse for microcircuit protection, high speed—618
Gallium arsenide, dislocation-free—981
Gauge, strain, bolt-on—1528
Generator, character, modular—1267
Gyro, directional, for bore hole monitoring—1267
Heaters, air/gas, serpentine—394
Horn, electroacoustic—982
Hose, metal, flexible coated and jacketed—983
Impact recorder, bidirectional—614
Impregnating compound, high temperature—750
Indicator with neon lamps—1126
Indicators, vertical scale—1126
Inductors, shielded, rf—1662
——, subminiature—1269
Inks, high temperature—983
Insulation, electric and moisture—750
Irradiator, strontium-90—1377
Labels, high temperature—1130
Lamp with built-in reflector, miniature—1267
——, xenon arc, self-starting—1266
Lamps, gallium arsenide—202
——, mercury arc, high pressure—1527
——, oil and water tight—524
——, solid state, infrared—1666
Laser rod, erbium, new—1523
——, glass, rectangular—1523
—— rods, stronger—1128
——, tunable dye—980
Lasers, optical coating facilities for—1524
Lens, ir, high speed wide angle—1128
Light source, microscopic, precision positioning fixture for—1663
Light sources, point—620
—— tube, flexible, for remote reading—524
Logic kit, diaphragm—619
Loudspeaker, electrostatic—527
Lubricant, rust inhibitor—1529
——, silicon grease—1129
Magnifier, illuminated—524
Memory, core, high speed—1524
——, ——, magnetic—1127
—— system, read only—984
Meter, digital panel—396, 865, 984, 1269
——, flow, gas—1528
—— for indication and control—865
Microtome knife sharpener—749
Mill, vibration, laboratory—982
Minidriver—1662
Module, thermopile—1528
Motor, low inertia—748
——, permanent magnet—526
—— pumps, wet, compact—1131
——, torque, brushless dc—619
——, ——, dc—984
——, ——, limited angle—749
Motors and motor generators, servo—201
——, oil-less rotary air—394
Mounting, isolation, for light components—391
Mounts, machinery—616
——, vibration absorbing machine—203
Nuts, captive floating—983
Optical mount—746
Oscillator, audio—864
Panel, ventilating, shielded, EMI—1662
Paper, direct print oscillograph—202
Particles, uniform latex—392
Pendulum, potentiometric—1529
——, submersible—749
p_H sensor, submersible—200
Photodiodes with low leakage current—202
Pipets, micro- —749
Plastic, mounting—1129
Plates, precoated, for thin layer chromatography—1377
Plug board, X-Y matrix—1269
Point plotter for X-Y recorder—749
Potentiometer, conductive plastic—395
Power conditioner, ac—394
—— supplies, integrated circuit—1268
—— ——, plug-in—526
— supply for mercury short arc lamps—618
—— ——, miniature, for operational amplifiers—395
—— ——, SCR vacuum deposition—618
Pressure controller—200
Printer, digital, bench top—1375
——, serial, for light beam oscillographs—201
Probe for testing digital circuits—618
——, temperature, thermistor, screw—1528
——, thermospot—1667
Probes, rf current—1126
Programmer, matrix board—984
Pump, cryosorption—1271
—— for corrosives—1271
——, metering—982
——, ——, compact—866
——, rotary tubing—526
——, syringe, extended range—1664
——, Teflon, for chemically active gases—394
——, tubing, high resolution—1376
——, valveless—616
Rectifiers, high temperature—619
Reel, tape, glass—391
Refrigerators, explosion proof—865
Regulators, dc voltage—1125
——, spot—1526
Relay, reed, ac operated, miniature—1527
Relays, "bounceless"—1663
——, comparator, IRC—1527
——, solid state—1126
Resin, polycarbonate, nonburning—393
Resistance, rf, electrically controllable—746
Resistor, negative—1269
Respirometer—749
Rhenium and rhenium alloy wire and rods—751
—— sheet and foil—199
Rinsing with microfiltered fluid—203
Ripple detector for high voltage—1378
Rupture disk assemblies, precision—1665
Safety shield for narrow apparatus—1377

Sample streaker for chromatography—1528
Sapphire, filaments, single crystal—523
Scintillator solution, premixed—523
Seals, Pyrex-stainless steel, flexible—524
Sensor material, variable inductance—750
Sensor network, temperature—1667
Sensors, current, remote dc—1126
Servomotor, ac, low inertia—984
——, tape transport drive, low inertia—1267
Shields, magnetic—201
Sleeves, taper, for ground joints—865
Sockets, relay—1268
Solvent, cleaning, safety—982
Source, microwave, solid state—1661
Spectrophotometer cell, ir—1528
Stainless steel, porous—751
Standards, irradiance—1377
——, reflectance—617
Standoff terminals, press fit—1131
Stirrer, magnetic—526
Strain gauge service, custom—200
Substrates, gold metallized, fine line—1130
Surveillance kit, gauge—1663
Switch, differential pressure—200
——, grounding—1527
——, programming, high current—983
——, ——, with front-removable drum—1126
——, pushbutton, modular—983
——, reed, high impedance—983
——, ——, high voltage, miniature—1527
——, stepper, variable—983
——, vibration—200
——, voltage, high—1663
Switches, microwave diode, custom designed—618
——, reed—1662
Synthesizer, microwave, extended range—1127
Syringe, microliter, with replaceable needle—1377
—— valve, gas tight—392
Syringes, steel, stainless—1664
Table, vibration isolation—616
Tachometer-generator, dc—201
Tape, glass transfer, for sealing quartz components—394
——, graphite—1270
——, leak detecting—1270
—— reader—202
—— spooler, high speed—526
Telephone headset, lightweight—1527
Temperature measurement, probe for surface—1379
Test chamber, temperature, small—394
Tester, journal bearings—1529
Thermocouple, high temperature consumable—1266
Thermometer, bimetal, 1200°F—982
Thyristor, high current—202
Time meter—203
—— switch, synchronous, clockwork reserve—1527
Timers, cycling—864
——, electromechanical—748
Timing control—749
—— module—864
Tone modules—1378
Transducer kit, pressure—1379
——, potentiometer—1379
——, pressure, dual—750
——, ——, dynamic—1528
——, —— flush diaphragm, subminiature—526
——, ——, miniature—614
——, ——, —— physiological—1125
——, ——, variable reluctance—396
——, ——, wafer—396
——, ——, with conductomer elements—982
Transducers, medical, implantable—982
——, pressure, medical—200
——, ——, temperature compensated—1125
Transfer stand—616
Transformer, rotary—1268
Transistor for high frequency applications—1662
Trap, liquid nitrogen—524
Trigger module—394
Tube bundle, traced Teflon—393
Turbidity monitoring system—982
Turntable, polar—201
TV monitor, head-mounted—1527
Ultrafiltration cell, pressurized, propellent- —1664
—— systems for unattended operation—1664
Urethane system—1529
Vacuum chamber for ir studies of cataysis and surface treatments—1528
—— sensor, bakeable—200
Valve for reactive fluids, 100 psi—1377
——, solenoid, high pressure—1271
Valves, gate, vacuum—615
——, globe, Teflon—615
——, metering—749
——, Teflon-glass—615
"Vibro-Feeders" for handling delicate, small parts—1129
Vise, universal—523
Voltage regulators, dc, hybrid—1527
Waterproof hardware items, sample kit with—391
Wheels, diamond, for high production grinding—1529
Windows, high vacuum sight port—393
Wire, superconducting, multistrand—392
Zener reference, portable—202

Noise

Multiscaler analysis for periodic signals incommensurate with the timing signal, P. Horowitz—369(N)
Measurement of the velocity and attenuation of ultrasonic pulses in the presence of noise, R. C. Williamson—666
Broad band correlation measurements with an *x-y* 'scope, T. H. Jensen and R. W. Moore—772
Time variant filters for generating bipolar pulses with signal-to-noise ratios of unipolar pulses in nuclear pulse amplifiers, T. V. Blalock and C. H. Nowlin—1093
A new type of random noise generator in the audio frequency range, G. Biorci and D. Pescetti—1109(N)
Pulsed photomultiplers, F. De Marco and E. Penco—1158
Improvement of the signal-to-noise ratio of photomultipliers for very weak signals, J. A. Topp, H. W. Schrötter, H. Hacker, and J. Brandmüller—1164
Noise power spectrum characteristics for an He-Ne lasser operating under various discharge conditions, A. Waksberg and J. Wood—1306
Sampling oscilloscope used for signal averaging of slow waveforms, Emanuel J. Fulcomer and Joseph M. Nemchik—1638(N)

Nuclear Machines: Accessories

Characteristics of composite carbon resistors used for measuring accelerator terminal voltages, F. R. Stevenson and D. J. Gaunter—140
A binary current integration logic, J. E. Parks, G. S. Hurst, and H. F. Holzer—496(N)

Nuclear Machines: Electrostatic Accelerators

Computer control of the analyzing magnet of an MP tandem Van de Graaff accelerator, Clark Bergman and Russell K. Hobbie—1079

Nuclear Machines: Linear Accelerators

High voltage capacitor bank charging through a series vacuum tube, R. L. Witkover—566

Nuclear Machines: Orbit Calculations

Automatic measurement of equilibrium orbits at the Brookhaven AGS, R. Frankel—255
Determination of accelerator tune from perturbed closed orbits, M. Q. Barton, R. Frankel, and M. Month—1386

Nuclear Machines: Synchrotrons

Automatic measurement of equilibrium orbits at the Brookhaven AGS, R. Frankel—255

Nuclear Resonance

High pressure ENDOR cavity, W. T. Doyle, T. F. Dutton, and H. P. Liu—171(N)

Temperature measurement in nuclear magnetic resonance with a spinning thermistor, Anthony L. Van Geet—177(N)

Simplified instrumentation for tone-burst measurements of nuclear spin-lattice relaxation times, W. C. Smith and D. R. Torgeson—583

Magnetic field controller by simple modification of standard (Varian FH-20) gaussmeter, Richard D. Friesen—1110(N)

Versatile sweep system for the Varian Associates HA-100 NMR spectrometer, Derick W. Ovenall—1506(N)

Calibration system for a pulse nuclear induction spectrometer, Harold P. Mahlon—1644(N)

Nuclear Techniques

Live-timer method of automatic dead-time correction for precision counting, K. G. Porges and S. J. Rudnick—1

Highly stable high-rate discriminator for general use in nuclear counting applications, S. J. Rudnick, J. J. English, and R. H. Howard—9

True random ratemeter with automatic dead-time correction for duty factors up to 99%, A. J. Metz and R. H. Howard—16

Nonrelativistic nuclear reaction kinematic crossover angles, Stephen I. Warshaw—37

Differentially pumped, large angle coincidence scattering chambers for atomic collisions, Quentin C. Kessel—68

Elimination of photomultiplier gain shift due to extraneous weak reversible magnetic field, J. C. Palathingal—266

A sum-delay amplifier and gate generator, P. C. Simms—285

Summing amplifier, Cassimer M. Kukla—598(N)

Thin lithium targets sealed in nickel for low oxygen contamination, David C. Weisser and Russell K. Hobbie—683

Ultrasonic electron nuclear double resonance technique, H. C. Meyer, C. M. Bowden, and P. F. McDonald—730(N)

Ionization measurements in a helium streamer chamber, A. Kanofsky and N. Schoen—921

Stable 1 pF charge injection capacitor for nuclear pulse preamplifiers, Raul Brenner—1011

Single detector method for high resolution internal conversion coefficient measurements, F. T. Avignone, III and H. H. Knox—1046

Computer control of the analyzing magnet of an MP tandem Van de Graaff accelerator, Clark Bergman and Russell K. Hobbie—1079

Time variant filters for generating bipolar pulses with signal-to-noise ratios of unipolar pulses in nuclear pulse amplifiers, T. V. Blalock and C. H. Nowlin—1093

Erratum: Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors [Rev. Sci. Instrum. **39**, 1949 (1968)], F. T. Avignone, III and G. D. Frey—1365(E)

A light pulse demodulator with large bandwidth and high sensitivity, Charles E. Tyler—1466

Quasilog scaler, Richard Weissman—1586

Optical Devices

An optical absorption cell with variable path length and temperature, M. W. P. Cann—595(N)

Optical Instruments

Rocket-borne Rayleigh scattering instrumentation to measure atmospheric density, L. C. Howlett and J. I. Swigart—28

A Pockels cell light modulator for wide angle radiation, E. A. Enemark and Alan Gallagher—40

Multiple-image objective system for a rotating-mirror camera, S. D. Gardner—116

Multipurpose phosphoroscopic instrument for the study of phosphorescence, induction of fluorescence, and absorbance change of turbid biological materials, Mitsuo Nishimura, Victor Legallais, and Dieter Mayer—271

Ultrahigh vacuum reflectometer for use with extreme ultraviolet synchrotron radiation, B. Feuerbacher, M. Skibowski, and R. P. Godwin—305

Quantum efficiency measurements using a 2π-geometry elliptic mirror, J. A. W. van der Does de Bye—320

Equipment for the quantitative photometric measurement of reflectivity by polarized light microscopy, L. T. Larson—1088

A multiple purpose optical instrument for studies of short steep water waves, Jin Wu, J. M. Lawrence, E. S. Tebay, and M. P. Tulin—1209

Liquid filled adjustable optical analog of the human eye, Niles Roth—1214

Mirror mount for a shock tube laser cavity, R. R. Giedt and R. W. F. Cross—1238(N)

A simple and rapid optical method of orienting single crystals, J. E. Gueths, F. V. Burckbuchler, and C. A. Reynolds—1344(N)

Rapid scan spectroscopy with a refractor plate as the scaning device, R. Roldan—1388

Misalignment sensing applied to monitoring of angular deflection, Niles Roth—1509(N)

Optical Properties of Materials

Ultrahigh vacuum reflectometer for use with extreme ultraviolet synchrotron radiation, B. Feuerbacher, M. Skibowski, and R. P. Godwin—305

An improved method for high reflectivity ellipsometry based on a new polarization modulation technique, S. N. Jasperson and S. E. Schnatterly—761

Apparatus for measuring frequency derivatives of dielectric functions of surfaces, M. L. Shand—768

Elimination of surface reflection effects from optical absorption measurements in solids, J. L. Fawcett and P. C. Eastman—855(N)

Apparatus for measuring optical properties of photochromic spiropyrans, Carl O. Carlson, Michael A. Flavin, Eliot Stone, and Irving M. Pearson—941

A semiautomatic data collection system suitable for infrared reflectivity measurements, R. Hammer—1330

Measurement of refractive index of small liquid specimens in capillaries, R. G. Wenzel and G. P. Arnold—1355(N)

Spectrophotometric system for transient observation of solids under pulsed electron irradiation, R. T. Williams, R. G. Fuller, M. N. Kabler, and V. H. Ritz—1361(N)

Optical Pumping

Mercury lamp for optical pumping, Donald I. Shernoff—1418

Optical Systems

Reconstruction of fiducial marks and cameras utilizing simultaneously all the photographs available, Pietro Negri—148

Pulse width modulated optical data link, R. L. Witkover—469

An application of optical telemetry to shock tube measurements, Robert E. Dannenberg and Howard Katzman—640

Optical Techniques

A method for detecting and measuring frequency of surface vibrations using a helium-neon laser, L. Feigen, D. MacKeen, and S. Fine—381(N)

A means for externally polarizing He–Ne 6328 Å lasers, D. H. McMahon—727(N)
Analysis and performance of a split-detector spot analyzer, Y. T. Sihvonen—1202
Degradation of laser optical surfaces, T. L. Barber—1630

Oscillographs and Oscilloscopes

Sampling oscilloscope used for signal averaging of slow waveforms, Emanuel J. Fulcomer and Joseph M. Nemchik—1638(N)

Ozone

A solid state ozone generator, S. Kaye and J. E. Koency—505(N)

Particle Counters

Effect of transducer length on volume measurement by electric sensing zone instruments, R. J. Harvey—1111(N)
Flexible channel multiplier, Tomonao Hayaski, Masahi Hashimoto, and Kazumasa Yamamoto—1239(N)

Particle Detectors

Channeltron fatigue and efficiency for proton and electrons, A. Egidi, R. Marconero, G. Pizzella, and F. Sperli—88
Construction and performance of high resolution silicon surface barrier detectors, F. K. Tomlinson—497(N)
The Pioneer 8 cosmic dust experiment, Otto E. Berg and F. Frank Richardson—1333
Comment on "Channeltron fatigue and efficiency for protons and electrons" [A. Egidi, R. Marcomero, G. Pizzella, and F. Sperli, Rev. Sci. Instrum. **40**, 88, (1969)] W. G. Wolber, B. D. Klettke, and H. K. Lintz—1364(L)

Particle Size

Device which separates minute particles according to electronically sensed volume, Mack J. Fulwyler, Robert B. Glascock, and Richard D. Hiebert—42
Aerosol size and velocity determination via holography, M. E. Fourney, J. H. Matkin, and A. P. Waggoner—205
Cell sizing: A light scattering photometer for rapid volume determination, P. F. Mullaney, M. A. Van Dilla, J. R. Coulter, and P. N. Dean—1029

Photochromic Materials

Apparatus for measuring optical properties of photochromic spiropyrans, Carl O. Carlson, Michael A. Flavin, Eliot Stone, and Irving M. Pearson—941
Photochromic paper for imaging ultraviolet laser pulses, John A. Sousa and Richard A. Kashnow—966(N)

Photoconductivity

Comparison of exact and measured open circuit photoconductor voltages, R. J. Mattauch—574
Low temperature setup for electron irradiation and subsequent photoconductivity studies of semiconductors, P. Vajda and J. Lori—690
Photo-Hall measurement by an improved Redfield method, G. C. Smith—1454

Photoelectricity

A low energy electron accelerator producing measurably small fluxes through utilization of the photoelectric effect, Edwin C. McCullough—944
Line broadening in photoelectron spectroscopy, James A. R. Samson—1174

Photoemission

Operational amplifier differentiator for photoemission studies: origin and control of errors, Kenneth A. Kress and Gerald J. Lapeyre—74

Photogrammetry

Reconstruction of fiducial marks and cameras utilizing simultaneously all the photographs available, Pietro Negri—148
Analytic stop motion stereo photogrammetry, Neil B. Ingels, Jr., Stephen K. Rush, and Noël P. Thompson—487

Photography

Processing nuclear emulsions for x-ray and γ-ray spectrographs, Bernard Saunders—26
Application of color photography to electron microbeam probe samples, R. M. Ingersoll and D. H. Derouin—637
Device which tests and records radial symmetry in electron micrographic images, L. R. Adams, G. M. Forte, and R. M. Glaeser—809

Photolysis

Flash photolysis apparatus with a new geometry, J. R. Huber, R. P. Widman, and K. Weiss—1103(N)

Photometers

Absolute calibration of photometric systems without an optical standard, J. R. Sheridan—358(N)
A current-to-frequency converter for astronomical photometry, Donald J. Taylor—559
Pulse radiolysis apparatus for monitoring at 2000 Å, H. C. Christensen, G. Nilsson, P. Pagsberg, and S. O. Nielsen—786
Cell sizing: A light scattering photometer for rapid volume determination, P. F. Mullaney, M. A. Van Dilla, J. R. Coulter, and P. N. Dean—1029
Equipment for the quantitative photometric measurement of reflectivity by polarized light microscopy, L. T. Larson—1088
A photomultiplier and amplifier circuit for kinetic spectrophotometry, J. P. Keene, E. D. Black, and E. Hayon—1199

Photomultipliers

Elimination of photomultiplier gain shift due to extraneous weak reversible magnetic field, J. C. Palathingal—266
Light-pulser measurement on the XP 1210 high-speed photomultiplier tube, Arpad Barna and Eugene L. Cisneros—370(N)
Pulsed photomultipliers, F. De Marco and E. Penco—1158
Improvement of the signal-to-noise ratio of photomultipliers for very weak signals, J. A. Topp, H. W. Schrötter, H. Hacker, and J. Brandmüller—1164
A photomultiplier and amplifier circuit for kinetic spectrophotometry, J. P. Keene, E. D. Black, and E. Hayon—1199
Photomultiplier focus control, Louis Lavoie—1245(N)
Active magnetic shielding of photomultipliers, Louis Lavoie and Roland Winston—1350(N)
A versatile voltage sensitive preamplifier for use with photomultiplier tubes, E. J. Kennedy, J. T. De Lorenzo, and H. R. Brashear—1504(N)
Writing speed determination of sweeping image cameras using a photomultiplier tube calibrator, S. P. Marsh—1584

Photon Detectors

A secondary standard vacuum ultraviolet detector, M. C. Johnson—311
Absolute calibration of photometric systems without an optical standard, J. R. Sheridan—358(N)
Flexible channel multiplier, Tomonao Hayashi, Masashi Hashimoto, and Kazumasa Yamamoto—1239(N)

Piezoelectricity

Method for fabricating high frequency surface wave transducers, Henry I. Smith—729(N)

Piezoelectric driving device for glass capillary microelectrodes, Joseph T. Tupper and Robert Rikmenspoel—851(N)
A miniature transducer for measuring low transient pressures, R. Hofland and H. S. Glick—1146

Plasma Research

Simultaneous, local measurement of two magnetic field components and the sum of their squares, I. R. Jones, J.-M. Peiry, and D. Cocq—133
CO_2-laser interferometer for the measurement of transient low-density plasmas, H. Herold and F. C. Jahoda—145
A plasma scanner and data processing system for current-voltage curves, Thomas J. Gritzmacher, Ellsworth L. Boyer, and James F. Holt—721
Curve resolver for mixtures of damped sine waves, C. D. Moore and J. H. Malmberg—770
Broad band correlation measurements with an *x–y* 'scope, T. H. Jensen and R. W. Moore—772
Improved method of injecting the audio signal in automatic Langmuir probe second derivative plotters, Roman Krawec—842(N)
Transient response of magnetic probes, L. A. Ferrari and M. S. Zucker—925
A linear polarization diplexer at 34 GHz, M. Rhinewine—951(N)
Comments on "Plasma phasography" [Herman M. Presby and David Finkelstein, Rev. Sci. Instrum. **38**, 1563 (1967)], U. Korsbech—969(L)
Two coil rf determination of plasma conductivity, S. Mikoshiba and P. R. Smy—1187
Millimeter and nanosecond resolution of fast neutrons from an intense plasma discharge, Melvin J. Bernstein—1415
Fast beam-switching electron gun for transient beam-plasma interaction study, Glen J. Morris—1433
Afterglow plasma diagnostics with a microwave sampling radiometer, R. L. Stenzel and R. W. Gould—1461
Development and application of a spark source for multiply charged carbon ions, H. J. Zwally, David W. Koopman, and T. D. Wilkerson—1492
Spherical multipole magnets for plasma research, M. Sadowski—1545
Plasma parameter slide rule, D. R. Nordlund and O. P. Breaux—1618
A narrow band far infrared interferometer for electron density measurements, Merrill L. Andrews and Sanborn C. Brown—1626

Plasmas

Synthesized plasma generator, K. B. Rajangam, J. O. Page, and K. R. MacKenzie—155
Combination oven-linear pinch for spectroscopic studies of ionized vapors, P. E. Oettinger—366(N)
Combination over-linear pinch for spectroscopic studies of ionized vapors, P. E. Oettinger—366(N)
Lumped element line generators to produce pulsed sinusoidal oscillations in the gigawatt range, A. Lietti—473
A pulsed gas valve for fast timeable high pressure operation, Ivars Henins and John Marshall—875
Coaxial cathode design for plasma sources, Francis F. Chen—1049
Application of a variable resistance to arrest oscillations in a pulsed capacitor discharge, Dah Yu Cheng—1153
Plasma synthesis with opposing electron and ion guns, H. S. Maddix, P. Chorney, and S. F. Paik—1471
Ceramic plasma container for ion lasers, M. Nasini, R. Pratesi, and G. Redaelli—1473
Gas fed multichannel hollow cathode arcs, J. L. Delcroix, H. Minoo, and A. R. Trindade—1555

Pockels Cells

A subnanosecond risetime electro-optic shutter for use in a laser system, Maurice Michon, Hubert Guillet, Denis Le Goff, and Sylvain Raynaud—263

Polymers

Computerized acoustic spectrometer for polymeric solids at low temperatures, Helmar Schlein and Mitchel Shen—587
Forced vibration tester in tension and torsion for plastic materials under tensile strain, Albert H. Lepie—1004
An automated resilience apparatus for polymer studies from −196 to +180°C, R. R. Robbins and D. H. Weitzel—1014

Pressure Techniques and Measurements (see also High Pressure Techniques)

Clamp cell for high pressure–low temperature x-ray and Mössbauer resonance studies, C. W. Christoe and H. G. Drickamer—169(N)
Leak detection in high pressure gas system, Hartmut Spetzler, Edward Schreiber, and David Newbigging—179(N)
Performance of a piston-cylinder balance for pressure measurements, H. H. Reamer and B. H. Sage—183(N)
Technique for annealing irradiated uranium under high hydrostatic pressures and temperatures, G. L. Kulcinski, R. A. Thiede, and C. R. Hann—214
A method of studying the behavior of fluid phases at high pressures and temperatures, Harro Lentz—371(N)
Bellows-sealed valve for reactive gases at moderately high pressures, G. C. Straty—378(N)
Apparatus for high-pressure high-temperature x-ray powder diffraction studies, P. J. Freud and C. B. Sclar—434
A simple coxial feedthrough, J. S. Huebner and L. J. Bruner—598(N)
Pressure viscometer for viscosities between 1 and 10^4 P, G. E. McDuffie and T. Barr—653
A technique for measurement of the heat capacity of metals under pressure, G. Jura and W. A. Stark, Jr.—656
Apparatus for PVT measurement of gases to 10 kilobars, S. E. Babb, Jr., G. J. Scott, C. D. Epp, and S. L. Robertson—670
A technique for studying biological reaction rates at high pressure, A. A. Yayanos—961(N)
Instrumentation for single crystal x-ray diffraction at high pressures, C. E. Weir, G. J. Piermarini, and S. Block—1133
A minature transducer for measuring low transient pressures, R. Hofland and H. S. Glick—1146
A review of electrical feedthrough techniques for high pressure gas systems, J. L. Downs and R. T. Payne—1278
Hydrothermal pressure vessel assembly for the measurement of pressure generated by corrosive solutions, V. G. Hill, W. R. Harding, and K. G. Zimmerman—1352(N)
Highly sensitive capacitive pressure gauge, G. C. Straty and E. D. Adams—1393
A constant current source for manganin gauge transducers, Dennis E. Grady—1399
Microwave helices in electron spin resonance studies at high pressure or very stable temperatures, William Z. Plachy and Tjeerd J. Schaafsma—1590
A squirt gauge for blast pressure indication, W. O. Palmer and J. C. Muirhead—1637(N)
Lubrication in hydrostatic pressure systems, A. E. Abey, J. A. Husk, and E. D. Joslyn—1641(N)

Properties of Materials

SiO_2(quartz), MgO, PbF_2, and Bi as low-pass neutron velocity filters, Sten Holmryd and Donald Connor—49
Hot-microhardness test equipment, J. L. Kamphouse, J. C. Blake, and J. Moteff—321
Optical readout for vibroscopes, Robert R. Ludeman and Donald D. Snyder—511(N)
70 kilobar shear apparatus, A. E. Abey and H. D. Stromberg—557
An improved apparatus for measuring anelasticity in metal specimens, D. R. Mosher—820

Combined strain gauge-quartz crystal instrumented Hopkinson split bar, Richard J. Wasley, Kenneth G. Hoge, and John C. Cast—889
A miniaturized stress relaxation apparatus for use in radiation fields, Gerald Tanny, Gerald J. Trudel, and Leon E. St. Pierre—957(N)
O-ring seal for high pressure tensile tester, D. R. McCann, P. F. Hettwer, and J. C. Uy—966(N)
Forced vibration tester in tension and torsion for plastic materials under tensile strain, Albert H. Lepie—1004
An automated resilience apparatus for polymer studies from −196 to +180°C, R. R. Robbins and D. H. Weitzel—1014
New techniques and apparatus for examining the elevated temperature deformation of metals, A. A. Solomon—1025
Apparatus for determining thermophysical properties of solids by direct electrical pulse heating, R. A. Finch and R. E. Taylor—1195
A constant stress creep apparatus for superplastic metals, T. D. Dudderar—1231
High temperature continuous creep measuring apparatus, E. S. Chen, J. C. Sadak, and F. K. Sautter—1325
An improved torsion pendulum for measuring internal damping, A. E. Schwaneke and R. W. Nash—1450

Proportional Counters

Pulse risetimes in proportional counters, G. R. Ricker, Jr. and J. J. Gomes—227
Limitations of commercial krypton for proportional counting, B. C. Clark and W. Gross—504(N)
Single flow proportional detector for soft x rays, William L. Baun—1101
Space charge effects in proportional counters, Robert W. Hendricks—1216

Pulse Techniques

Pulsed photomultipiers, F. De Marco and E. Penco—1158

Radiation Damage

Degradation of the time characteristics of surface barrier detectors with fission fragment dose, P. Mulás and E. L. Haines—507(N)
A miniaturized stress relaxation apparatus for use in radiation fields, Gerald Tanny, Gerald J. Trudel, and Leon E. St. Pierre—957(N)
A system for neutron damage rate measurements in liquid nitrogen, J. S. Thornton, J. B. Whitworth, and A. D. Thomas, Jr.—1250(N)
Cryostat-spectrometer system for precision measurement of lattice parameters of irradiated materials, E. E. Gruber, T. H. Blewitt, J. A. Tesk, B. D. Sharma, and R. E. Black—1429

Radiation Detectors

Degradation of the time characteristics of surface barrier detectors with fission fragment dose, P. Mulás and E. L. Haines—507(N)
Modified optical system for the Golay detector, J. R. Hickey and D. B. Daniels—732(N)

Radiation Measurements

Measurement of far-infrared laser power, S. J. Martinich, C. J. Johnson, and D. P. Akitt—359(N)
Limitations of commercial krypton for proportional counting, B. C. Clark and W. Gross—504(N)

Radioactive Techniques

Hot-microhardness test equipment, J. L. Kamphouse, J. C. Blake, and J. Moteff—321
Density measurements in a valve driven shock tube, John M. Dewey and W. A. Anson—451
The preparation and measurement of very thin VYNS films, M. A. Volkar and R. L. Wolke—849(N)

Radiofrequency Techniques

Precision thermometer for the region 10–40 K, D. Gill, N. Kaplan, R. Thompson, V. Jaccarino, and H. J. Guggenheim—109
Simple quadrupole mass spectrometer rf generator, J. A. Burt—358(N)
Lumped element line generators to produce pulsed sinusoidal oscillations in the gigawatt range, A. Lietti—473
A continuous wave technique for the automatic measurement of ultrasonic velocity changes, R. G. Leisure and R. W. Moss—946
An improved transistor marginal oscillator, Shih-yu Feng—963(N)
Two coil rf determination of plasma conductivity, S. Mikoshiba and P. R. Smy—1187
Analog manipulation of fast, repetitive waveforms by sampling techniques, Alan Sobel—1254(N)
Calibrated sensitivity measurements of nuclear magnetic resonance supectrometers, Michael S. Adler and Stephen D. Senturia—1481
Calibration system for a pulse nuclear induction spectrometer, Harold P. Mahon—1644(N)

Raman Scattering

Improvement of the signal-to-noise ratio of photomultipliers for very weak signals, J. A. Topp, H. W. Schrötter, H. Hacker, and J. Brandmüller—1164

Reactive Materials

Optical readout for vibroscopes, Robert R. Ludeman and Donald D. Snyder—511(N)

Refractive Index

Measurement of refractive index of small liquid specimens in capillaries, R. G. Wenzel and G. P. Arnold—1355(N)

Refractory Materials

A simple technique for metalizing boron nitride, N. V. Frederick and W. W. Scott, Jr.—1240(N)

Safety

A versatile, inert atmosphere vacuum glove box, J. G. Pack and G. G. Libowitz—414
Bimetal strip hydrogen gas detectors, P. J. Shaver—901
Parahydrogen from helium cooled catalyst, G. L. Hill—1645(N)

Sample Preparation

Modified rapid quenching apparatus, James N. Baker, Charles E. Mighton, and William R. Bitler—1065
Automatic electropolisher for copper, D. A. Lindholm—1105(N)
An automatic disk jet polishing apparatus for the preparation of thin foil specimens for transmission electron microscopy, Jay M. Larson, R. Taggart, and D. H. Polonis—1338(N)

Scalers

Quasilog scaler, Richard Weissman—1586

Scintillation Counters

Large scintillation counter with good energy resolution, B. Gottschalk—22
Mobile telescope for examining vertical intensity of cosmic ray fluxes, G. Allen MacGregor and Raymond G. D'Arcy—237

Secondary Emission

Collection efficiency of continuous dynode electron multiplier arrays, E. G. Burroughs—35
Secondary electron yield vs primary energy for commercial coated-glass resistance strips, J. K. Streeter, W. W. Hunt, Jr., and K. E. McGee—307

Semiconductors

Simple design for an ion source of the oscillating electron beam type, Billy L. Crowder and N. A. Penebre—170(N)
Quantum efficiency measurements using a 2π-geometry elliptic mirror, J. A. W. van der Does de Bye—320
An electrodiffusion apparatus for solid semiconductors, David H. Laananen and Welville B. Nowak—422
Construction and performance of high resolution silicon surface barrier detectors, F. K. Tomlinson—497(N)
Degradation of the time characteristics of surface barrier detectors with fission fragment dose, P. Mulás and E. L. Haines—507(N)
Low temperature setup for electron irradiation and subsequent photoconductivity studies of semiconductors, P. Vajda and J. Lori—690
A simple microwave detector and a p-i-n modulator for F band application, G. J. Lichtenberger—807
Test set to evaluate the electroluminescent efficiency of noncontacted GaP diodes, J. S. Jayson and R. J. Strain—956(N)
An electronic system for measuring the electrical characteristics of nonlinear devices, William R. Patterson III and M. Kuhn—960(N)
Surface ionization source for ion implantation, Douglas M. Jamba—1072
An electrostatic tool for handling very small samples, F. H. Nicoll—1108(N)
Application of microwave reflection technique to the measurement of transient and quiescent electrical conductivity of silicon, J. A. Naber and D. P. Snowden—1137
Low temperature high sensitivity temperature compensated heat flux sensor, E. H. Schulte and R. F. Kohl—1420

Servos

Flyback system for a constant velocity Mössbauer drive, Robert L. Chase—85
Unattended controller for a frequency synthesizer, F. V. Cairns and T. H. Shepertycki—113
Automatic distortionless control of magnetic field modulation, Russell J. Jirberg—173(N)
Electronic speed control for the Beckman model E analytical centrifuge, Stephen R. Smiriga and John E. Hearst—233
Magnetic densimeter utilizing optical sensing, James P. Senter—334
An electronic system for measuring the electrical characteristics of nonlinear devices, William R. Patterson III and M. Kuhn—960(N)
Stable 1 pF charge injection capacitor for nuclear pulse preamplifiers, Raul Brenner—1011
Computer control of the analyzing magnet of an MP tandem Van de Graaff accelerator, Clark Bergman and Russell K. Hobbie—1079
A laboratory apparatus for demonstrating principles of automatic control, Clyde P. Brockett and David Barham—1409
A live time controlled scanning rate for a whole body counter, M. E. Sveum and P. E. Bramson—1616

Shock Tubes

An application of optical telemetry to shock tube measurements, Robert E. Dannenberg and Howard Katzman—640
A minature transducer for measuring low transient pressures, R. Hofland and H. S. Glick—1146
Mirror mount for a shock tube laser cavity, R. R. Giedt and R. W. F. Cross—1238(N)

Shock Waves

Multiple-image objective system for a rotating-mirror camera, S. D. Gardner—116
Density measurements in a valve driven shock tube, John M. Dewey and W. A. Anson—451
Microwave measurement of permittivity and electrical conductivity in shock compressed liquids, R. S. Hawke, A. C. Mitchell, and R. N. Keeler—632
Comments on "Plasma phasography" [Herman M. Presby and David Finkelstein, Rev. Sci. Instrum. **38**, 1563 (1967)], U. Korsbech—969(L)
A constant current source for manganin gauge transducers, Dennis E. Grady—1399
A squirt gauge for blast pressure indication, W. O. Palmer and J. C. Muirhead—1637(N)

Solid State

Spectrophotometric system for transient observation of solids under pulsed electron irradiation, R. T. Williams, R. G. Fuller, M. N. Kabler, and V. H. Ritz—1361(N)

Solid State Detectors (see also Particle Detectors)

Single detector method for high resolution internal conversion coefficient measurements, F. T. Avignone, III and H. H. Knox—1046
Erratum: Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors [Rev. Sci. Instrum. **39**, (1968)], F. T. Avignone, III and G. D. Frey—1365(E)

Solid State Research

Programmable temperature controller for small diameter wires, R. M. Emrick and D. E. McDonald—82
Apparatus for high-pressure high-temperature x-ray powder diffraction studies, P. J. Freud and C. B. Sclar—434
An improved method for high reflectivity ellipsometry based on a new polarization modulation technique, S. N. Jasperson and S. E. Schnatterly—761

Solids

A modified ultrasonic pulse-echo-overlap method for determining sound velocities and attenuation of solids, D. H. Chung, Donald J. Silversmith, and Bruce B. Chick—718
A cell for the infrared study of molecules at low temperatures, T. S. Herman—1062

Space Charge

Space charge effects in proportional counters, Robert W. Hendricks—1216

Space Research

The angular response of spherical plate electrostatic analyzers, George C. Theodoridis and Frank R. Paolini—621
Degradation of continuous-channel electron multipliers in a laboratory operating environment, L. A. Frank, N. K. Henderson, and R. L. Swisher—685
The Pioneer 8 cosmic dust experiment, Otto E. Berg and F. Frank Richardson—1333

Spark Chambers

Ionization measurements in a helium streamer chamber, A. Kanofsky and N. Schoen—921

Sparks

Wire-slicing attachment modification for the Servomet spark machine, William R. Spencer and Thomas R. Cass—509(N)

Specific Heat

Low temperature specific heat (1.6 to 4 K) of six commercial aluminum alloys, Paul Zoller and J. R. Dillinger—776
Constant current supply with high reproducibility for low temperature specific heat measurements, D. H. Lowndes, Jr. and Leonard Finegold—1252(N)

Spectrophotometry

Construction of spectrophotometer cells with spacings less than 10 μ, Learco Minghetti and Sam Naiditch—188(N)

Aminco-Bowman spectrophotofluorometer modification, Alan V. Mode and Richard A. Thomas—1241(N)

A double beam spectrophotometer for the direct measurement of integrated adsorption lines, Donald R. Nicol—1300

Spectrophotometric system for transient observation of solids under pulsed electron irradiation, R. T. Williams, R. G. Fuller, M. N. Kabler, and V. H. Ritz—1361(N)

Spectroscopy: Gamma Ray

Processing nuclear emulsions for x-ray and γ-ray spectrographs, Bernard Saunders—26

Internal energy standardization of multichannel gamma ray spectra by use of the 0.511 MeV annihilation and ^{40}K peaks, R. Grismore, W. E. Weitz, Jr., and T. R. Folsom—642

Spectroscopy: Infrared

Rapid scan spectroscopy with a refractor plate as the scanning device, R. Roldan—1388

Spectroscopy: Magnetic

Apparatus for the study of proton sputtering, C. R. Finfgeld and A. Keith Furr—326

Spectroscopy: Neutrons

New crystal spectrometer for neutrons, R. Stedman, L. Almqvist, G. Raunio, and G. Nilsson—249

An oven for a neutron spectrometer, H. F. Bezdek, R. E. Schmunk, and Leonard Finegold—1397

Spectroscopy: Optical

Versatile cathodoluminescence attachment for electron microprobe analysis, Lee R. Reid and James P. Smith—316

Absolute calibration of photometric systems without an optical standard, J. R. Sheridan—358(N)

Combination oven-linear pinch for spectroscopic studies of ionized vapors, P. E. Oettinger—366(N)

Rapid scan spectroscopy with a refractor plate as the scanning device, R. Roldan—1388

A low pressure arc source of simple design, Carlos B. Suárez—1505(N)

An on-line data recording system, W. Krag, N. Daggett, R. N. Davis, and F. Perkins—1606

Spectroscopy: Scintillation

A rocket borne scintillation spectrometer for observing cosmic x rays, J. Harri, M. McGee, and A. Toor—703

Spectroscopy: Ultraviolet

Simple light chopper for vacuum ultraviolet spectroscopy, Paul M. Grant—602(N)

Line broadening in photoelectron spectroscopy, James A. R. Samson—1174

Spectroscopic method for simultaneous determination of species concentration and temperature in a cyclic and combustion process, D. S. Smith and E. S. Starkman—1541

Spectrum Analyzers

Bolometer power detector for a spectrum analyzer, Robert H. Katyl—502(N)

Sputtering

Apparatus for the study of proton sputtering, C. R. Finfgeld and A. Keith Furr—326

Thin lithium targets sealed in nickel for low oxygen contamination, David C. Weisser and Russell K. Hobbie—683

Low pressure sputtering system of the magnetron type, Kiyotaka Wasa and Shigeru Hayakawa—693

Method for fabricating high frequency surface wave transducers, Henry I. Smith—729(N)

"Hot" atomic halogen beams from sputtering of silver halides, F. Schmidt-Bleek, G. Ostrom, and S. Datz—1351(N)

Strain

A constant stress creep apparatus for superplastic metals, T. D. Dudderar—1231

Strain Gauges

Hot-microhardness test equipment, J. L. Kamphouse, J. C. Blake, and J. Moteff—321

Combined strain gauge-quartz crystal instrumented Hopkinson split bar, Richard J. Wasley, Kenneth G. Hoge, and John C. Cast—889

Superconducting Magnets

Rotatable 15 kOe superconducting Helmholtz coils, S. J. Williamson—1632

Superconductivity

Low-pass superconducting filter for use in high magnetic fields, I. S. Goldstein and P. J. Tobin—172(N)

Superconductivity measurements in solders commonly used for low temperature research, W. H. Warren, Jr. and W. G. Bader—180(N)

Stability of a current ring supported in a magnetic field, V. Kelvin Neil and Richard K. Cooper—295

Critical currents of superconductors in low fields, Noorallah Gillani and R. B. Britton—949(N)

Superconducting leads for cryogenic applications, A. C. Anderson and D. W. Bloom—1243(N)

Supersonic Flow

An arc heater for supersonic molecular beams, W. S. Young, W. E. Rodgers, and E. L. Knuth—1346(N)

Surface Ionization

A new type of surface ionization detector, J. Politiek and J. Los—1576

Surface Tension

Instrument for the measurement of surface tensions of aqueous surfactant solutions, R. L. Wilbur—355

Surfaces

Apparatus for measuring frequency derivatives of dielectric functions of surfaces, M. L. Shand—768

Resolution and sensitivity considerations of an Auger electron spectrometer based on display LEED optics, N. J. Taylor—792

Teaching Aids

A laboratory apparatus for demonstrating principles of automatic control, Clyde P. Brockett and David Barham—1409

Telemetry

Pulse width modulated optical data link, R. L. Witkover—469

An application of optical telemetry to shock tube measurements, Robert E. Dannenberg and Howard Katzman—640

Thermistor thermometer for linearized magnetic recording and telemetry, Yosef Alon and Malkiel Jonas—646

Temperature Measurement and Control

Programmable temperature controller for small diameter wires, R. M. Emrick and D. E. McDonald—82

Precision thermometer for the region 10–40 K, D. Gill, N. Kaplan, R. Thompson, V. Jaccarino, and H. J. Guggenheim—109
Simple, inexpensive liquid helium temperature controller, using integrated semiconductor circuits, Carlos M. Venegas and Leonard Finegold—159
Dual transistor as thermometer probe, T. C. Verster—174(N)
Temperature measurement in nuclear magnetic resonance with a spinning thermistor, Anthony L. Van Geet—177(N)
Pyroelectric thermometer for use at low temperatures, Sidney B. Lang, Steven A. Shaw, Lynn H. Rice, and K. D. Timmerhaus—274
Immersion cooler for freezing ice mantles on triple-point-of-water cells, J. P. Evans and D. M. Sweger—376(N)
Simple machining of flat double spiral channels, John C. Gille—377(N)
"Hot-cold finger" for ESR microwave spectrometers, Jonathan F. Reichert and Joseph Gigante—494(N)
Thermistor thermometer for linearized magnetic recording and telemetry, Yosef Alon and Malkiel Jonas—646
Temperature control of metallic target *in vacuo* by electron beam and infrared radiometry techniques, Robert N. Lewis, L. S. Van Loon, and Ben D. Holt—698
An improved apparatus for measuring anelasticity in metal specimens, D. R. Mosher—820
Temperature control for ESR measurements in the 10 to 80 K range, Dietrich Timm and John E. Willard—848(N), 1516(E)
An acoustical thermometer for the temperature range 300–700 K, G. E. Goring and D. L. Hardison—1069
The behavior of carbon resistor thermometers in magnetic fields up to 100 kOe in the pumped liquid helium and hydrogen temperature ranges, B. C. Belanger—1082, 1652(E)
Accurate temperature measurements on a microbalance suspension by inductive coupling, H. W. Dail and G. S. Knapp—1086
Thin film temperature sensor, Bruce W. Kennedy—1169
Evaporated silver-aluminum thermocouples for low temperature measurement, Sheila B. Bailey, Roy T. Richard, and E. N. Mitchell—1273(N)
Low temperature thermometry in high magnetic fields: I. Carbon resistors, L. J. Neuringer and Y. Shapira—1314
Fabrication of extremely small carbon resistor thermometers, B. L. Booth and A. W. Ewald—1354(N)
Themistors as temperature sensors at 4.2 K and the effect of a magnetic field, W. F. Schlosser and R. H. Munnings—1359(N)
Modified Speer resistors for use as low temperature thermometers, J. E. Robichaux, Jr. and A. C. Anderson—1512(N)
Microwave helices in electron spin resonance studies at high pressure or very stable temperatures, William Z. Plachy and Tjeerd J. Schaafsma—1590
New two-point calibration method for platinum resistance thermometers for the range 75–400 K, J. P. Pratt and D. C. Ailion—1614

Theory

Live-timer method automatic dead-time correction for precision counting, K. G. Porges and S. J. Rudnick—1
Nonrelativistic nuclear reaction kinematic crossover angles, Stephen I. Warshaw—37
Erratum: Quadrupole field in circular concave electrodes [Rev. Sci. Instr. **39**, 958 (1968)], Tomonao Hayashi and Noriyuki Sakudo—190(E)
Pulse risetimes in proportional counters, G. R. Ricker, Jr. and J. J. Gomes—227
Nonlinear control theory for constant-temperature hot-wire anemometers, Peter Freymuth—258
Elimination of photomultiplier gain shift due to extraneous weak reversible magnetic field, J. C. Palathingal—266
Stability of a current ring supported in a magnetic field, V. Kelvin Neil and Richard K. Cooper—295
Analysis of Cockcroft-Walton voltage multipliers with an arbitrary number of stages, Melvin M. Weiner—330
Optimum detectors for the NMR flowmeter, William S. McCormick and William P. Birkemeier—346
A theorem on ion optics, F. P. Blackstein—374(N)
Molecular-beam time-of-flight spectroscopy, Jack A. Alcalay and Eldon L. Knuth—438, 1652(E)
Lumped element line generators to produce pulsed sinusoidal oscillations in the gigawatt range, A. Lietti—473
High frequency Van de Graaff ion source kinematics, R. P. Singhal, J. G. Roper, H. B. Knowles, and S. M. Bunch—493(N)
Attenuation correction factor for scattering from cylindrical targets, John M. Carpenter—555
Comparison of exact and measured open circuit photoconductor voltages, R. J. Mattauch—574
The angular response of spherical plate electrostatic analyzers, George C. Theodoridis and Frank R. Paolini—621
An energetic model for rapid mixing, Donald Duffey and Hubertus Staerk—789
Analysis and performance of a split-detector spot analyzer Y. T. Sihvonen—1202
Erratum: Angular correlation and distribution attenuation coefficients for planar and coaxial Ge(Li) detectors [Rev. Sci. Instrum. **39**, 1949 (1968)], F. T. Avignone, III and G. D. Frey—1365(E)

Thermal Conductivity

The thermal conductivity of silicon dioxide glass from 0.5 to 4.2 K, R. A. Fisher, G. E. Brodale, E. W. Hornung, and W. F. Giauque—365(N)
Thermal contact to the mixing chamber of a dilution refrigerator, A. C. Mota and J. C. Wheatley—379(N)
Use of a tungsten filament lamp as a Pirani gauge for continuous gas analysis, D. S. Remer and F. H. Shair—968(N)
The performance of a mechanical heat switch at low temperatures, Jack H. Colwell—1182
The thermal grounding of electrical leads at low temperatures, A. C. Anderson—1502(N)
Low temperature thermal conductivity of several greases, M. M. Kreitman—1562

Thermistors

Temperature measurement in nuclear magnetic resonance with a spinning thermistor, Anthony L. Van Geet—177(N)
Oxide thermistor for use to 2500 K, Ernest G. Wolff—544
Thermistors as temperature sensors at 4.2 K and the effect of a magnetic field, W. F. Schlosser and R. H. Munnings—1359(N)

Thermodynamics

A drop calorimeter with an electron beam heated furnace, D. R. Frederickson, R. Kleb, R. L. Nuttall, and W. N. Hubbard—1022

Thermoelectricity

Peltier measurement below 4 K, H. J. Trodahl—648
A technique for the rapid measurement of thermoelectric power, G. R. Caskey, D. J. Sellmyer, and L. G. Rubin—1280
Low temperature high sensitivity temperature compensated heat flux sensor, E. H. Schulte and R. F. Kohl—1420

Thermoluminesence

A method of measuring emission spectra from thermoluminescent materials, Richard C. McCall and Dennis K. Ross—363(N)

Thermometry

Some low temperature thermometry observations, Ralph L. Rosenbaum—577
An interpolation formula for GaAs p–n junction diode thermometer in the 1 to 100 K range, H. C. Praddaude —599(N)
An acoustical thermometer for the temperature range 300–700 K, G. E. Goring and D. L. Hardison—1069
Extensions of Callendar's equations for platinum resistance thermometry, Joseph M. Diamond—1477
New two-point calibration method for platinum resistance thermometers for the range 75–400 K, J. P. Pratt and D. C. Ailion—1614

Time Measurements

New method for rapid and accurate measurement of decay time constants, A. Bernalte and J. LePage—71
Calibration of an image-converter streak camera, Thomas J. Ahrens and Harmut Spetzler—354
Multiscaler analysis for periodic signals incommensurate with the timing signal, P. Horowitz—369(N)
An inexpensive multichannel scaler with channel widths of less than 1 μsec, Eric C. Silverberg—1503(N)

Transducers

Flyback system for a constant velocity Mössbauer drive, Robert L. Chase—85
Low temperature high sensitivity temperature compensated heat flux sensor, E. H. Schulte and R. F. Kohl—1420

Transistors

Dual transistor as thermometer probe, T. C. Verster —174(N)

Ultrasonics

A more rapid and convenient system for the measurement of ultrasonic attenuation by the pulse method, Robert E. Green, Jr. and Leslie T. Miller—165(N)
Ultrasonic pulse-echo attenuation comparator, R. B. Hemphill—175(N)
Frequency locking of cw acoustic magnetic resonance spectrometers, J. G. Miller and D. I. Bolef—361(N)
Measurement of the velocity and attenuation of ultrasonic pulses in the presence of noise, R. C. Williamson—666
A modified ultrasonic pulse-echo-overlap method for determining sound velocities and attenuation of solids, D. H. Chung, Donald J. Silversmith, and Bruce B. Chick—718
Method for fabricating high frequency surface wave transducers, Henry I. Smith—729(N)
Ultrasonic electron nuclear double resonance technique, H. C. Meyer, C. M. Bowden, and P. F. McDonald —730(N)
A low temperature acoustic bond for mercury, Tommy E. Bogle—731(N)
A Marx three component oscillator for internal friction measurements at low and high temperatures in high vacuum, F. Povolo and R. Gibala—817
Combined strain gauge–quartz crystal instrumented Hopkinson split bar, Richard J. Wasley, Kenneth G. Hoge, and John C. Cast—889
A "sampled-continuous wave" ultrasonic technique and spectrometer, J. G. Miller and D. I. Bolef—915
A continuous wave technique for the automatic measurement of ultrasonic velocity changes, R. G. Leisure and R. W. Moss—946
An acoustical thermometer for the temperature range 300–700 K, G. E. Goring and D. L. Hardison—1069
A cell for measurement of ultrasonic absorption in liquids, N. E. Vanderborgh, W. D. Spall, and J. C. Russell 1500(N)

Ultraviolet Techniques

Ultrahigh vacuum reflectometer for use with extreme ultraviolet synchrotron radiation, B. Feuerbacher, M. Skibowski, and R. P. Godwin—305
A secondary standard vacuum ultraviolet detector, M. C. Johnson—311
Pulse radiolysis apparatus for monitoring at 2000 Å, H. C. Christensen, G. Nilsson, P. Pagsberg, and S. O. Nielsen—786
An improved collimator for extreme ultraviolet and x rays, J. H. Underwood—894
Photochromic paper for imaging ultraviolet laser pulses, John A. Sousa and Richard A. Kashnow—966(N)
A double beam spectrophotometer for the direct measurement of integrated absorption lines, Donald R. Nicol —1300

Vacuum Gauges

Convection Pirani vacuum gauge, Guillermo E. Iglesias, Orestes R. Santochi, and M. Puparelli—1291
A low pressure ionization gauge, D. L. Swingler—1552

Vacuum Pumps

Comparison of sputter-ion pump and Redhead gauge as appendage pumps, E. G. Burrough—182(N)

Vacuum Techniques

Mass spectrographic analysis of silver membrane oxygen leak, E. G. Burroughs—33
Differentially pumped, large angle coincidence scattering chambers for atomic collisions, Quentin C. Kessel—68
Rotatable multiple sample mount for bakeable vacuum systems, W. J. Baxter and R. J. Dusman—163(N)
Differential ion pumping for vacuum deposition, W. F. Leonard—187(N)
Ultrahigh vacuum reflectometer for use with extreme ultraviolet synchrotron radiation, B. Feuerbacher, M. Skibowski, and R. P. Godwin—305
Apparatus for the study of proton sputtering, C. R. Finfgeld and A. Keith Furr—326
A Geiger-Müller counter for ultrahigh vacuum systems, K. Klier—372(N)
A versatile, inert atmosphere vacuum glove box, J. G. Pack and G. G. Libowitz—414
Simple light chopper for vacuum ultraviolet spectroscopy, Paul M. Grant—602(N)
Temperature control of metallic targets *in vacuo* by electron beam and infrared radiometry techniques, Robert N. Lewis, L. S. Van Loon, and Ben D. Holt—698
A demountable induction heater power-lead coupling for use in ultrahigh vacuum, P. M. Danielson—736(N)
Method for making high quality sheet silver chloride, Raymond Guerra—737(N)
High vacuum adhesion test apparatus, M. J. Hordon and M. A. Wright—1017
A simple high voltage vacuum seal, K. R. MacKenzie— 1107(N)
An insulated, easily mounted vacuum seal for eccentric tubes, Marvin P. Young—1112(N)
Flexible adhesive/sealants for carbon dioxide laser components, J. R. Peele, Jr. and W. T. Whitney—1114(N)
Sample holder for diffraction and other studies in ultrahigh vacuum, F. Jona and H. R. Wendt—1172
Work functions of conductive coatings on glass, Jay Burns and Edward Yelke—1236(N)
Thermally and mechanically durable ir windows for ultrahigh vacuum, Steven E. Hannum, W. C. Mateyka, Glen G. Possley, and William Hayden Smith—1245(N)
A sliding-shaft vacuum lock for a mass spectrometer, J. J. Stoffels and C. R. Lagergren—1288
A large bakable high vacuum valve, William J. Baxter and Richard J. Dusman—1355(N)

A practical evaporator fixture for vacuum cleavage of semiconductor crystals, E. L. Wolf and W. Dale Compton—1497(N)
A simple gas anticontamination technique for electron transmission microscopy, J. S. Bryner, J. J. Kelsch, and A. G. Holtz—1647(N)
A method for uniformily heating a metallic surface in a vacuum, N. Rynn—1650(N)

Velocity Selectors

SiO_2(quartz), MgO, PbF_2, and Bi as low-pass neutron velocity filters, Sten Holmryd and Donald Connor—49
Free radical beam source, Ferenc Kalos and Arthur E. Grosser—804
Velocity selection of metastable hydrogenic atoms, Joel I. Gersten—1509(N)

Vertical Sensors

An improved vertical sensor, Hugh Bradner—728(N)

Vibrations

A method for detecting and measuring frequency of surface vibrations using a helium-neon laser, L. Feigen, D. MacKeen, and S. Fine—381(N)
Remotely controlled piezoelectric vibrator for low temperature applications, D. U. Gubser and D. E. Mapother—843(N)

Viscosity

Linear oscillation viscometer, M. S. White and C. Solomons—339
Pressure viscometer for viscosities between 1 and 10^4 P, G. E. McDuffie and T. Barr—653
Rotating cylinder viscometer, H. A. Snyder—992
Viscosity of perfluorobutene-2; A relative method for measurement of gas viscosity, N. Madhavan and W. E. Jones—1293

Waveforms

Flyback system for a constant velocity Mössbauer drive, Robert L. Chase—85
Curve resolver for mixtures of damped sine waves, C. D. Moore and J. H. Malmberg—770
Phase-plane method of exponential waveform measurement, Tony Huen—1067
A multiple purpose optical instrument for studies of short steep water waves, Jin Wu, J. M. Lawrence, E. S. Tebay, and M. P. Tulin—1209
Analog manipulation of fast, repetitive waveforms by sampling techniques, Alan Sobel—1254(N)
Simple dc offset waveform generator, J. C. Tracy—1343(N)

Welding

Radiographs of the electron beam welding cavity, Henry Tong and Warren H. Giedt—1283

Wind Tunnels

Design of a multipurpose wind tunnel, Gilbert D. Stein—1058

Work Functions

Work functions of conductive coatings on glass, Jay Burns and Edward Yelke—1236(N)

X-Ray Diffraction

Goniometer for partial pole figure determination on cylindrical specimens, L. van Someren and E. Sprenkle—56
High resolution small and wide angle x-ray diffractometer, S. Kavesh and J. M. Schultz—98
Goniometer sample mount for orienting and machining single crystals, Charles R. Whitsett and Myron C. Ley—164(N)
Clamp cell for high pressure-low temperature x-ray and Mössbauer resonance studies, C. W. Christoe and H. G. Drickamer—169(N)
Apparatus for high-pressure high-temperature x-ray powder diffraction studies, P. J. Freud and C. B. Sclar—434
Limitations of commercial krypton for proportional counting, B. C. Clark and W. Gross—504(N)
Attenuation correction factor for scattering from cylindrical targets, John M. Carpenter—555
Pole figure integrator, Zigmond Wilchinsky—592
A 77–1300 K single crystal x-ray specimen chamber, P. C. Gehlen—715
The twisted crystal x-ray spectrometer, B. S. Fraenkel—732(N)
A grooved crystal spectrometer attachment for x-ray adsorption measurements, N. G. Alexandropoulos—952(N)
Low temperature adaptor for the Debye-Scherrer powder camera, P. B. Crandall—954(N)
Instrumentation for single crystal x-ray diffraction at high pressures, C. E. Weir, G. J. Piermarini, and S. Block—1133
Discrete averaging of x-ray diffraction data using a multichannel analyzer, Martin Berman and Sabri Ergun—1144
A simple method for obtaining rocking curves with the GE diffractometer, J. B. Cohen, R. Dixon, M. Hayakawa, and L. Morrison—1235(N)
A simple modification of an x-ray spectrometer for step scanning and filter changing, W. V. Johnston and P. C. Romo—1285
Cryostat-spectrometer system for precision measurement of lattice parameters of irradiated materials, E. E. Gruber, T. H. Blewitt, J. A. Tesk, B. D. Sharma, and R. E. Black—1429
A quick method for removing the emulsion backing on film used with x-ray diffraction Guinier cameras, Murray L. Polk—1645

X-Ray Techniques

Pulse risetimes in proportional counters, G. R. Ricker, Jr. and J. J. Gomes—227
Flash radiography using exploding wire technique, B. Stenerhag, S. K. Händel, and B. Göhle—563
Application of color photography to electron microbeam probe samples, R. M. Ingersoll and D. H. Derouin—637
A rocket borne scintillation spectrometer for observing cosmic x rays, J. Harri, M. McGee, and A. Toor—703
An improved collimator for extreme ultraviolet and x rays, J. H. Underwood—894
A dilatometer method for the precision measurement of the densities of liquids to 400°C and 352 kg/cm², J. T. Bell, R. E. Biggers, T. G. Rogers, and A. M. Rom—985
Simple flow proportional detector for soft x rays, William L. Baun—1101
Miniature low energy x-ray calibration tube, R. J. Grader, J. K. Scudder, and W. E. Tindall—1160
An apparatus for the production of very soft x rays of high intensity, B. C. Clark and W. Gross—1178
Space charge effects in proportional counters, Robert W. Hendricks—1216
Radiographs of the electron beam welding cavity, Henry Tong and Warren H. Giedt—1283
A cold cathode soft x-ray source, J. S. Solomon and W. L. Baun—1458

X-Ray Tubes

A cold cathode soft x-ray source, J. S. Solomon and W. L. Baun—1458